

癌パンフレット No. 39

婦 人 科 腫 瘍 委 員 会
第 34 回 治 療 年 報

1977 年～1986 年に治療した子宮頸癌の 5 年治療成績並びに子宮体癌の 5 年治療成績

目 次

1. はしがき
2. 子宮癌登録加盟病院一覧
3. 子宮頸癌治療成績
 - a. 子宮頸癌治療成績 (1986 年)
 - b. 総括 ① 1986 年
② 1977 年～1986 年
③ 1979 年～1985 年
4. 子宮体癌治療成績
 - a. 子宮体癌治療成績 (1986 年)
 - b. 総括 (1986 年)
5. 婦人科腫瘍委員会委員名簿
6. 既刊会報目録

1. はしがき

今回の婦人科腫瘍委員会、第 34 回治療年報は従来の治療年報と報告形式を大きく変えた。その大きな変化は第 33 回治療年報まで、Table C として子宮癌登録加盟病院別、並びに進行期別に詳細に 5 年後の治癒成績として報告されていた。そしてこの Table C に関する掲載ページが治療年報の大半を占め年報のページが極端に厚くなる原因となっていた。しかしこのことに関する報告事項は

教育や統計等にあまり利用されていないことが指摘されていた。そこで婦人科腫瘍委員会では治療年報のページ数の削減と報告内容の充実に関して検討してきた。

その結果 Table C の項を削除することにした。そしてこの項の削減に代わって登録加盟病院の症例について総括する事項を可能なかぎり増加することにした。これらの総括表は登録実務委員会でコンピュータに入力されたデータからまとめられると判定されたもの、また婦人科腫瘍委員会でデータとして必要と考えられる事項についての検討に基づき今回の総括事項として掲載した。

以上のような経緯で治療年報の報告形式を変えたので婦人科腫瘍委員会としては今回の治療年報を学会会員各位が教育、臨床、研究等多方面で一層利用していただけることを切望する。なお Table A, B, C, D の記載事項内容はこれまでの治療年報と整合性をはかるため、同一としたので Table C のみ消失していることをご理解いただきたい。

1997 年 3 月

委員長 工藤 隆一

2. 子宮癌登録加盟病院一覧

Inst. No.	Institution name		
1.	Kobe Univ.	47.	Nagoya Univ.
3.	Tohoku Univ.	48.	Nagoya City Univ.
4.	Fukushima Med. Coll.	49.	Kurashiki Central Hosp.
5.	Kanazawa Univ.	50.	Red Cross Hosp. Okayama
6.	Osaka National Hosp.	53.	Iwate Med. Coll.
7.	Gifu Univ.	54.	Uchida Hosp. (Kanazawa)
8.	Shinshu Univ.	56.	Mie Univ.
9.	Nippon Med. Coll. Hosp.	57.	Kanazawa National Hosp.
10.	Nagasaki Univ.	58.	Kanto Teishin Hosp.
11.	Red Cross Hosp. Tokyo	59.	Kobe Chuo Muni. Hosp.
12.	Kumamoto Univ.	60.	Tokyo Koseinenkin Hosp.
13.	Nippon Med. Coll.	61.	Yokohama City Univ.
14.	Uchino Hosp. (Kumamoto)	62.	Kyoto National Hosp.
15.	Keio Univ.	63.	Tottori Univ.
16.	Kyushu Univ.	64.	Red Cross Hosp. Morioka
17.	Tokyo Univ.	65.	Red Cross Hosp. Matsuyama
18.	Jikei Univ.	67.	Hiroshima Univ.
19.	Tokyo Cancer Inst.	68.	Yamaguchi Univ.
20.	Kyoto Univ.	69.	Toyooka Public Hosp.
21.	Niigata Univ.	70.	Gunma Univ.
22.	Okayama Univ.	71.	Tokyo Police Hosp.
23.	Red Cross Hosp. Hiroshima	73.	Osaka Kitano Hosp.
24.	Osaka City Univ.	77.	Chiba Univ.
25.	Hirosaki Univ.	78.	Red Cross Hosp. Matsue
26.	Sendai National Hosp.	79.	Kansai Med. Coll.
27.	Kurume Univ.	80.	Kawasaki Hosp. (Okayama)
29.	Juntendo Univ.	81.	Touma Hosp. (Saitama)
32.	Kagoshima Univ.	82.	Red Cross Hosp. Yamaguchi
33.	Hokkaido Univ.	83.	Sasebo Muni. Hosp.
34.	Tokyo Med. Dent. Coll.	84.	Nippon Med. Coll. Hosp. (II)
35.	Miyazaki Pref. Hosp.	85.	Nagoya National Hosp.
38.	Shinoda Hosp. (Yamagata)	86.	Kosei Hosp.
39.	Tokyo Teishin Hosp.	87.	Hitachi Sogo Hosp.
40.	Mitsui Kinen Hosp.	88.	Red Cross Hosp. Osaka
41.	Sapporo Med. Coll.	89.	Nihon Univ.
42.	Red Cross Hosp. Wakayama	90.	I Red Cross Hosp. Nagoya
43.	Kunii Hosp. (Yamagata)	92.	National Med. Center Hosp.
44.	Osaka Univ.	94.	Kumamoto National Hosp.
45.	Kyoto Med. Coll.	95.	Nara Med. Coll.
46.	Tokyo Women's Med. Coll.	96.	Osaka Med. Coll.
		97.	Kyushu Univ. Seiiken

- | | |
|-------------------------------------|-------------------------------------|
| 98. Tokyo Univ. Hosp. | 146. Tenri Yoroazu Hosp. |
| 100. Yamanashi Pref. Hosp. | 147. Kasumigaura National Hosp. |
| 101. National Cancer Center | 148. Chiba Pref. Cancer Center |
| 102. Shizuoka Pref. Hosp. | 149. Kyushu Cancer Center |
| 103. Osaka Seijinbyo Center | 150. Red Cross Hosp. Nagano |
| 105. Saiseikai Hosp. Okayama | 151. Chiba Muni. Hosp. |
| 106. Kokura National Hosp. | 152. Kanazawa Med. Coll. |
| 107. Shimada Muni. Hosp. | 153. Hosyasen Igaku Kenkyujyo Hosp. |
| 109. Red Cross Hosp. Fukui | 154. Ryukyu Univ. |
| 110. Osaka Police Hosp. | 155. Kochi Muni. Hosp. |
| 111. Hyogo Cancer Center | 156. Fukui Pref. Hosp. |
| 112. Red Cross Hosp. Ohtsu | 157. Saitama Cancer Center |
| 113. Kanbara Hosp. (Shizuoka) | 158. Kinki Univ. |
| 114. Fukuoka National Hosp. | 159. Nagasaki Atomic Bomb Hosp. |
| 115. Kanto Chuo Hosp. | 160. Red Cross Hosp. Himeji |
| 116. Aichi Cancer Center | 161. Toritsu Komagome Hosp. |
| 117. Kanagawa Seijinbyo Center | 162. Tottori Pref. Kosei Hosp. |
| 118. Oita Pref. Hosp. | 163. Jichi Med. Coll. |
| 119. Toyama Pref. Hosp. | 164. Muroran Muni. Hosp. |
| 120. Tokushima Univ. | 165. Ibaraki National Hosp. |
| 121. Showa Univ. | 166. Tochigi National Hosp. |
| 122. Niigata Cancer Center | 167. St. Marianna Univ. |
| 123. Hiroshima Muni. Hosp. | 168. Kitazato Univ. |
| 124. I Red Cross Hosp. Kyoto | 169. Akita Univ. |
| 125. Yamagata Pref. Hosp. | 170. Kansai Rosai Hosp. |
| 126. Wakayama Med. Coll. | 171. Kyoto Muni. Hosp. |
| 127. Red Cross Hosp. Takamatsu | 172. Mito National Hosp. |
| 128. Kagawa Pref. Hosp. | 173. Asahikawa Med. Coll. |
| 129. Kagoshima Muni. Hosp. | 174. Wakayama Rosai Hosp. |
| 130. Fukuyama National Hosp. | 175. Shimane Med. Coll. |
| 131. Tokyo Med. Univ. | 176. Kawasaki Med. Coll. |
| 132. Shikoku Cancer Center | 177. Saitama National Hosp. |
| 133. Kawasaki Muni. Hosp. | 178. Toyama Med. Coll. |
| 134. Toho Univ. | 179. Tsukuba Univ. |
| 136. Onomichi Hosp. | 180. Hyogo Med. Coll. |
| 137. Kumamoto Muni. Hosp. | 181. Aichi Med. Coll. |
| 138. Microbiol. Disease Osaka Univ. | 182. Bouei Med. Coll. |
| 139. Kyoundo Hosp. | 183. Kochi Med. Coll. |
| 140. Kyushu Koseinenkin Hosp. | 184. II Red Cross Hosp. Kyoto |
| 141. Kure National Hosp. | 185. Saga Med. Coll. |
| 142. Kochi Pref. Central Hosp. | 186. Red Cross Hosp. Nagaoka |
| 143. Gunma Pref. Cancer Center | 187. Ehime Univ. |
| 144. Tokushima Pref. Chuo Hosp. | 188. Tokushima Muni. Hosp. |
| 145. Fukuoka Univ. Hosp. | 189. Teikyo Univ. |

- | | | | |
|------|-------------------------|------|-----------------------|
| 190. | Himeji National Hosp. | 198. | Yamanashi Med. Coll. |
| 191. | Hamamatsu Med. Coll. | 199. | Fukui Med. Coll. |
| 192. | Kagawa Med. Coll. | 200. | Sasebo Kyosai Hosp. |
| 193. | Kouseiren Takaoka Hosp. | 201. | Kosei Central Hosp. |
| 194. | II Tokyo National Hosp. | 202. | Saitama Med. Coll. |
| 195. | Toritsu Fuchu Hosp. | 203. | Tochigi Cancer Center |
| 196. | Yamagata Univ. | 204. | Tama Nagayama Hosp. |
| 197. | Yokkaichi Muni. Hosp. | 205. | Kyorin Univ. |
-

3. 子宮頸癌治療成績

3a. 子宮頸癌治療成績

Table A	治療患者の期別構成
Table B	5 年後における治療成績
Table D	Ia, Ib 期の 5 年後における治療成績

Statement for the Year 1986, Inclusive, Cervix.

Table A. Patients Treated, Distributed by Stages.

—A— Institution	—B— Total No. Treated Stages I—IV	—C—		—D—		—E—		—F—		—G—	
		No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	Ch %
1. Kobe Univ.	59	30	50.8	12	20.3	11	18.6	6	10.2	0	—
3. Tohoku Univ.	41	26	63.4	9	22.0	4	9.8	2	4.9	0	—
4. Fukushima Med. Coll.	33	15	45.5	12	36.4	3	9.1	3	9.1	0	—
6. Osaka National Hosp.	113	59	52.2	31	27.4	18	15.9	5	4.4	0	—
7. Gifu Univ.	1	0	—	0	—	1	100.0	0	—	0	—
8. Shinshu Univ.	0	—	—	—	—	—	—	—	—	—	—
9. Nippon Med. Coll. Hosp.	0	—	—	—	—	—	—	—	—	—	—
10. Nagasaki Univ.	34	21	61.8	10	29.4	3	8.8	0	—	0	—
11. Red Cross Hosp. Tokyo	18	7	38.9	4	22.2	7	38.9	0	—	0	—
12. Kumamoto Univ.	43	16	37.2	16	37.2	8	18.6	3	7.0	0	—
13. Nippon Med. Coll.	7	3	42.9	2	28.6	2	28.6	0	—	0	—
15. Keio Univ.	69	48	69.6	15	21.7	6	8.7	0	—	0	—
16. Kyushu Univ.	72	35	48.6	27	37.5	9	12.5	1	1.4	0	—
17. Tokyo Univ.	17	7	41.2	8	47.1	1	5.9	1	5.9	0	—
18. Jikei Univ.	54	22	40.7	16	29.6	12	22.2	4	7.4	0	—
19. Tokyo Cancer Inst.	89	30	33.7	26	29.2	28	31.5	5	5.6	0	—
20. Kyoto Univ.	30	12	40.0	11	36.7	7	23.3	0	—	0	—
21. Niigata Univ.	29	14	48.3	14	48.3	1	3.4	0	—	0	—
22. Okayama Univ.	92	27	29.3	42	45.7	13	14.1	10	10.9	0	—
23. Red Cross Hosp. Hiroshima	10	6	60.0	2	20.0	2	20.0	0	—	0	—
24. Osaka City Univ.	57	37	64.9	15	26.3	4	7.0	1	1.8	0	—
25. Hirosaki Univ.	42	16	38.1	23	54.8	3	7.1	0	—	0	—
27. Kurume Univ.	95	46	48.4	29	30.5	16	16.8	4	4.2	0	—
29. Juntendo Univ.	6	4	66.7	1	16.7	1	16.7	0	—	0	—
32. Kagoshima Univ.	51	30	58.8	10	19.6	7	13.7	4	7.8	0	—
33. Hokkaido Univ.	0	—	—	—	—	—	—	—	—	—	—
34. Tokyo Med. Dent. Coll.	0	—	—	—	—	—	—	—	—	—	—
35. Miyazaki Pref. Hosp.	31	13	41.9	6	19.4	8	25.8	4	12.9	0	—
38. Shinoda Hosp. (Yamagata)	0	—	—	—	—	—	—	—	—	—	—
40. Mitsui Kinen Hosp.	8	5	62.5	3	37.5	0	—	0	—	0	—
41. Sapporo Med. Coll.	38	18	47.4	14	36.8	5	13.2	1	2.6	0	—
42. Red Cross Hosp. Wakayama	66	35	53.0	18	27.3	12	18.2	1	1.5	0	—
43. Kuniti Hosp. (Yamagata)	3	2	66.7	1	33.3	0	—	0	—	0	—
44. Osaka Univ.	81	34	42.0	25	30.9	21	25.9	1	1.2	0	—
45. Kyoto Med. Coll.	39	16	41.0	6	15.4	13	33.3	4	10.3	0	—
46. Tokyo Women's Med. Coll.	27	7	25.9	11	40.7	6	22.2	3	11.1	0	—
47. Nagoya Univ.	32	16	50.0	11	34.4	5	15.6	0	—	0	—
48. Nagoya City Univ.	21	11	52.4	5	23.8	4	19.0	1	4.8	0	—
49. Kurashiki Central Hosp.	32	19	59.4	8	25.0	5	15.6	0	—	0	—
50. Red Cross Hosp. Okayama	18	14	77.8	2	11.1	2	11.1	0	—	0	—
53. Iwate Med. Coll.	21	10	47.6	1	4.8	8	38.1	2	9.5	0	—
54. Uchida Hosp. (Kanazawa)	34	18	52.9	8	23.5	6	17.6	2	5.9	0	—
56. Mie Univ.	0	—	—	—	—	—	—	—	—	—	—
57. Kanazawa National Hosp.	17	8	47.1	4	23.5	4	23.5	1	5.9	0	—
58. Kanto Teishin Hosp.	2	2	100.0	0	—	0	—	0	—	0	—
59. Kobe Chuo Muni. Hosp.	64	36	56.3	11	17.2	10	15.6	7	10.9	0	—
60. Tokyo Koseinenkin Hosp.	0	—	—	—	—	—	—	—	—	—	—
61. Yokohama City Univ.	64	29	45.3	22	34.4	10	15.6	3	4.7	0	—
63. Tottori Univ.	38	15	39.5	10	26.3	10	26.3	3	7.9	0	—
64. Red Cross Hosp. Morioka	16	7	43.8	5	31.3	2	12.5	2	12.5	0	—

—A—	—B—	—C—		—D—		—E—		—F—		—G—	
Institution	Total No. Treated Stages I—IV	Stage I		Stage II		Stage III		Stage IV		Ch	
		No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%
67. Hiroshima Univ.	50	20	40.0	17	34.0	9	18.0	4	8.0	0	—
68. Yamaguchi Univ.	34	16	47.1	11	32.4	4	11.8	3	8.8	0	—
70. Gunma Univ.	43	39	90.7	4	9.3	0	—	0	—	0	—
73. Osaka Kitano Hosp.	33	18	54.5	9	27.3	5	15.2	1	3.0	0	—
77. Chiba Univ.	0	—	—	—	—	—	—	—	—	—	—
78. Red Cross Hosp. Matsue	0	—	—	—	—	—	—	—	—	—	—
79. Kansai Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
80. Kawasaki Hosp. (Okayama)	3	1	33.3	1	33.3	1	33.3	0	—	0	—
81. Touma Hosp. (Saitama)	25	16	64.0	3	12.0	5	20.0	1	4.0	0	—
84. Nippon Med. Coll. Hosp. (II)	8	1	12.5	3	37.5	3	37.5	1	12.5	0	—
85. Nagoya National Hosp.	43	20	46.5	11	25.6	9	20.9	2	4.7	1	2.3
86. Kosei Hosp.	12	6	50.0	3	25.0	3	25.0	0	—	0	—
87. Hitachi Sogo Hosp.	8	2	25.0	1	12.5	4	50.0	1	12.5	0	—
88. Red Cross Hosp. Osaka	0	—	—	—	—	—	—	—	—	—	—
90. I Red Cross Hosp. Nagoya	37	15	40.5	9	24.3	12	32.4	1	2.7	0	—
92. National Med. Center Hosp.	6	0	—	2	33.3	3	50.0	1	16.7	0	—
94. Kumamoto National Hosp.	60	38	63.3	11	18.3	5	8.3	6	10.0	0	—
95. Nara Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
96. Osaka Med. Coll.	65	41	63.1	18	27.7	4	6.2	2	3.1	0	—
97. Kyushu Univ. Seiiken	35	10	28.6	6	17.1	19	54.3	0	—	0	—
98. Tokyo Univ. Hosp.	6	1	16.7	2	33.3	1	16.7	2	33.3	0	—
100. Yamanashi Pref. Hosp.	17	7	41.2	1	5.9	8	47.1	1	5.9	0	—
101. National Cancer Center	74	34	45.9	25	33.8	13	17.6	2	2.7	0	—
102. Shizuoka Pref. Hosp.	29	11	37.9	11	37.9	5	17.2	2	6.9	0	—
103. Osaka Seijinbyo Center	81	48	59.3	20	24.7	8	9.9	5	6.2	0	—
105. Saiseikai Hosp. Okayama	0	—	—	—	—	—	—	—	—	—	—
106. Kokura National Hosp.	0	—	—	—	—	—	—	—	—	—	—
107. Shimada Muni. Hosp.	0	—	—	—	—	—	—	—	—	—	—
110. Osaka Police Hosp.	11	8	72.7	3	27.3	0	—	0	—	0	—
111. Hyogo Cancer Center	81	51	63.0	22	27.2	6	7.4	2	2.5	0	—
112. Red Cross Hosp. Ohtsu	0	—	—	—	—	—	—	—	—	—	—
113. Kanbara Hosp. (Shizuoka)	6	6	100.0	0	—	0	—	0	—	0	—
114. Fukuoka National Hosp.	0	—	—	—	—	—	—	—	—	—	—
116. Aichi Cancer Center	66	29	43.9	24	36.4	12	18.2	1	1.5	0	—
117. Kanagawa Seijinbyo Center	82	26	31.7	26	31.7	25	30.5	5	6.1	0	—
118. Oita Pref. Hosp.	0	—	—	—	—	—	—	—	—	—	—
119. Toyama Pref. Hosp.	18	7	38.9	2	11.1	9	50.0	0	—	0	—
120. Tokushima Univ.	25	20	80.0	5	20.0	—	—	0	—	0	—
122. Niigata Cancer Center	36	17	47.2	14	38.9	4	11.1	1	2.8	0	—
123. Hiroshima Muni. Hosp.	26	16	61.5	8	30.8	1	3.8	1	3.8	0	—
124. I Red Cross Hosp. Kyoto	29	14	48.3	6	20.7	5	17.2	4	13.8	0	—
125. Yamagata Pref. Hosp.	15	9	60.0	4	26.7	—	—	2	13.3	0	—
126. Wakayama Med. Coll.	20	2	10.0	7	35.0	9	45.0	2	10.0	—	—
128. Kagawa Pref. Hosp.	29	13	44.8	9	31.0	3	10.3	4	13.8	0	—
129. Kagoshima Muni. Hosp.	87	56	64.4	18	20.7	11	12.6	2	2.3	0	—
130. Fukuyama National Hosp.	52	19	36.5	17	32.7	10	19.2	6	11.5	0	—
131. Tokyo Med. Univ.	32	20	62.5	7	21.9	4	12.5	1	3.1	—	—
132. Shikoku Cancer Center	81	51	63.0	11	13.6	14	17.3	5	6.2	0	—
133. Kawasaki Muni. Hosp.	25	6	24.0	9	36.0	10	40.0	0	—	0	—
134. Toho Univ.	0	—	—	—	—	—	—	—	—	—	—
136. Onomichi Hosp.	17	5	29.4	5	29.4	3	17.6	4	23.5	0	—
137. Kumamoto Muni. Hosp.	22	14	63.6	5	22.7	2	9.1	1	4.5	0	—
138. Microbiol. Disease Osaka Univ.	0	—	—	—	—	—	—	—	—	—	—
139. Kyoundo Hosp.	9	5	55.6	3	33.3	1	11.1	0	—	0	—

1997年 5 月

報 告

279

—A—	—B—	—C—		—D—		—E—		—F—		—G—	
Institution	Total No. Treated Stages I—IV	Stage I		Stage II		Stage III		Stage IV		Ch	
		No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%
140. Kyushu Koseinenkin Hosp.	34	20	58.8	8	23.5	5	14.7	1	2.9	0	—
141. Kure National Hosp.	34	16	47.1	9	26.5	8	23.5	1	2.9	0	—
142. Kochi Pref. Central Hosp.	0	—	—	—	—	—	—	—	—	—	—
143. Gunma Pref. Cancer Center	60	42	70.0	7	11.7	7	11.7	4	6.7	0	—
145. Fukuoka Univ. Hosp.	0	—	—	—	—	—	—	—	—	—	—
146. Tenri Yoroze Hosp.	33	15	45.5	11	33.3	5	15.2	2	6.1	0	—
147. Kasumigaura National Hosp.	13	4	30.8	4	30.8	3	23.1	2	15.4	0	—
148. Chiba Pref. Cancer Center	83	32	38.6	19	22.9	27	32.5	5	6.0	0	—
149. Kyushu Cancer Center	77	38	49.4	26	33.8	8	10.4	5	6.5	0	—
150. Red Cross Hosp. Nagano	32	12	37.5	7	21.9	11	34.4	2	6.3	0	—
151. Chiba Muni. Hosp.	9	6	66.7	2	22.2	1	11.1	0	—	0	—
152. Kanazawa Med. Coll.	22	5	22.7	5	22.7	9	40.9	3	13.6	0	—
153. Hosyasen Igaku Kenkyujo Hosp.	53	3	5.7	14	26.4	27	50.9	9	17.0	0	—
154. Ryukyu Univ.	0	—	—	—	—	—	—	—	—	—	—
156. Fukui Pref. Hosp.	28	11	39.3	8	28.6	8	28.6	1	3.6	0	—
157. Saitama Cancer Center	88	41	46.6	22	25.0	19	21.6	6	6.8	0	—
158. Kinki Univ.	120	80	66.7	31	25.8	4	3.3	5	4.2	0	—
159. Nagasaki Atomic Bomb Hosp.	19	10	52.6	4	21.1	5	26.3	0	—	0	—
161. Toritsu Komagome Hosp.	54	15	27.8	14	25.9	18	33.3	7	13.0	0	—
162. Tottori Pref. Kosei Hosp.	0	—	—	—	—	—	—	—	—	—	—
163. Jichi Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
164. Muroran Muni. Hosp.	0	—	—	—	—	—	—	—	—	—	—
165. Ibaraki National Hosp.	0	—	—	—	—	—	—	—	—	—	—
166. Tochigi National Hosp.	23	10	43.5	5	21.7	6	26.1	2	8.7	0	—
167. St. Marianna Univ.	19	5	26.3	3	15.8	11	57.9	0	—	0	—
168. Kitazato Univ.	37	17	45.9	9	24.3	9	24.3	2	5.4	0	—
169. Akita Univ.	0	—	—	—	—	—	—	—	—	—	—
170. Kansai Rosai Hosp.	30	14	46.7	7	23.3	6	20.0	3	10.0	0	—
171. Kyoto Muni. Hosp.	27	11	40.7	5	18.5	5	18.5	6	22.2	0	—
173. Asahikawa Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
174. Wakayama Rosai Hosp.	32	18	56.3	9	28.1	5	15.6	0	—	0	—
175. Shimane Med. Coll.	35	21	60.0	8	22.9	4	11.4	2	5.7	0	—
178. Toyama Med. Coll.	24	8	33.3	10	41.7	3	12.5	3	12.5	0	—
179. Tsukuba Univ.	30	16	53.3	5	16.7	7	23.3	2	6.7	0	—
180. Hyogo Med. Coll.	34	22	64.7	6	17.6	4	11.8	2	5.9	0	—
181. Aichi Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
182. Bouei Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
183. Kochi Med. Coll.	23	6	26.1	13	56.5	3	13.0	1	4.3	0	—
184. II Red Cross Hosp. Kyoto	22	14	63.6	5	22.7	2	9.1	1	4.5	0	—
185. Saga Med. Coll.	43	26	60.5	10	23.3	6	14.0	1	2.3	0	—
186. Red Cross Hosp. Nagaoka	16	4	25.0	5	31.3	7	43.8	0	—	0	—
187. Ehime Univ.	35	13	37.1	15	42.9	7	20.0	0	—	0	—
188. Tokushima Muni. Hosp.	0	—	—	—	—	—	—	—	—	—	—
189. Teikyo Univ.	20	2	10.0	7	35.0	8	40.0	3	15.0	0	—
190. Himeji National Hosp.	43	18	41.9	14	32.6	10	23.3	1	2.3	0	—
191. Hamamatsu Med. Coll.	22	7	31.8	9	40.9	5	22.7	1	4.5	0	—
192. Kagawa Med. Coll.	30	16	53.3	4	13.3	8	26.7	2	6.7	0	—
193. Kouseiren Takaoka Hosp.	0	—	—	—	—	—	—	—	—	0	—
194. II Tokyo National Hosp.	30	19	63.3	9	30.0	1	3.3	1	3.3	0	—
195. Toritsu Fuchu Hosp.	23	11	47.8	10	43.5	1	4.3	1	4.3	0	—
196. Yamagata Univ.	16	5	31.3	6	37.5	4	25.0	1	6.3	0	—
197. Yokkaichi Muni. Hosp.	13	6	46.2	4	30.8	2	15.4	1	7.7	0	—
198. Yamanashi Med. Coll.	0	—	—	—	—	—	—	—	—	—	—
200. Sasebo Kyosai Hosp.	0	—	—	—	—	—	—	—	—	—	—
201. Kosei Central Hosp.	0	—	—	—	—	—	—	—	—	—	—
**	4,538	2,203	48.5	1,248	27.5	837	18.4	249	5.5	1	0.0

Statement for the Year 1986, Inclusive, Cervix.

Table B. Results of Treatment, **Total.**

—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
1. Kobe Univ.	59	38	14	0	0	0	7
3. Tohoku Univ.	41	18	4	0	1	1	17
4. Fukushima Med. Coll.	33	11	4	0	0	0	18
6. Osaka National Hosp.	113	94	10	1	2	0	6
7. Gifu Univ.	1	0	0	0	0	0	1
8. Shinshu Univ.	0	0	0	0	0	0	0
9. Nippon Med. Coll. Hosp.	0	0	0	0	0	0	0
10. Nagasaki Univ.	34	24	9	0	0	0	1
11. Red Cross Hosp. Tokyo	18	16	2	0	0	0	0
12. Kumamoto Univ.	43	27	11	0	0	1	4
13. Nippon Med. Coll.	7	5	0	0	0	0	2
15. Keio Univ.	69	47	1	0	0	0	21
16. Kyushu Univ.	72	50	9	0	1	0	12
17. Tokyo Univ.	17	10	6	0	1	0	0
18. Jikei Univ.	54	16	6	0	0	0	32
19. Tokyo Cancer Inst.	89	58	22	5	2	2	0
20. Kyoto Univ.	30	19	7	0	2	0	2
21. Niigata Univ.	29	24	4	0	0	0	1
22. Okayama Univ.	92	50	10	3	2	2	25
23. Red Cross Hosp. Hiroshima	10	7	3	0	0	0	0
24. Osaka City Univ.	57	36	5	0	0	0	16
25. Hirosaki Univ.	42	27	7	0	0	0	8
27. Kurume Univ.	95	41	9	0	1	0	44
29. Juntendo Univ.	6	1	1	0	0	0	4
32. Kagoshima Univ.	51	31	9	0	0	0	11
33. Hokkaido Univ.	0	0	0	0	0	0	0
34. Tokyo Med. Dent. Coll.	0	0	0	0	0	0	0
35. Miyazaki Pref. Hosp.	31	19	9	0	0	0	3
38. Shinoda Hosp. (Yamagata)	0	0	0	0	0	0	0
40. Mitsui Kinen Hosp.	8	6	1	0	0	0	1
41. Sapporo Med. Coll.	38	22	13	1	2	0	0
42. Red Cross Hosp. Wakayama	66	14	0	0	1	0	51
43. Kunii Hosp. (Yamagata)	3	2	1	0	0	0	0
44. Osaka Univ.	81	45	11	0	2	0	23
45. Kyoto Med. Coll.	39	22	10	0	1	0	6
46. Tokyo Women's Med. Coll.	27	15	8	0	2	0	2
47. Nagoya Univ.	32	18	11	0	0	0	3
48. Nagoya City Univ.	21	12	3	0	0	0	6
49. Kurashiki Central Hosp.	32	20	0	0	0	0	12
50. Red Cross Hosp. Okayama	18	16	1	0	0	1	0
53. Iwate Med. Coll.	21	11	7	1	1	0	1
54. Uchida Hosp. (Kanazawa)	34	21	5	0	1	0	7
56. Mie Univ.	0	0	0	0	0	0	0
57. Kanazawa National Hosp.	17	9	8	0	0	0	0
58. Kanto Teishin Hosp.	2	2	0	0	0	0	0
59. Kobe Chuo Muni. Hosp.	64	44	17	0	2	0	1
60. Tokyo Koseinenkin Hosp.	0	0	0	0	0	0	0
61. Yokohama City Univ.	64	47	0	0	0	0	17
63. Tottori Univ.	38	22	3	0	0	0	13

1997年5月

報 告

281

—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
64. Red Cross Hosp. Morioka	16	10	1	0	3	0	2
67. Hiroshima Univ.	50	37	6	0	4	0	3
68. Yamaguchi Univ.	34	16	7	0	2	1	8
70. Gunma Univ.	43	41	2	0	0	0	0
73. Osaka Kitano Hosp.	33	25	3	0	0	0	5
77. Chiba Univ.	0	0	0	0	0	0	0
78. Red Cross Hosp. Matsue	0	0	0	0	0	0	0
79. Kansai Med. Coll.	0	0	0	0	0	0	0
80. Kawasaki Hosp. (Okayama)	3	3	0	0	0	0	0
81. Touma Hosp. (Saitama)	25	17	5	0	2	0	1
84. Nippon Med. Coll. Hosp. (II)	8	2	1	1	0	0	4
85. Nagoya National Hosp.	43	29	13	0	1	0	0
86. Kosei Hosp.	12	6	2	0	1	0	3
87. Hitachi Sogo Hosp.	8	4	2	0	0	0	2
88. Red Cross Hosp. Osaka	0	0	0	0	0	0	0
90. I Red Cross Hosp. Nagoya	37	25	10	0	1	0	1
92. National Med. Center Hosp.	6	2	2	0	1	0	1
94. Kumamoto National Hosp.	60	38	15	0	2	0	5
95. Nara Med. Coll.	0	0	0	0	0	0	0
96. Osaka Med. Coll.	65	51	3	1	1	0	9
97. Kyushu Univ. Seiiken	35	23	6	2	1	1	2
98. Tokyo Univ. Hosp.	6	1	3	0	0	0	2
100. Yamanashi Pref. Hosp.	17	7	6	0	0	0	4
101. National Cancer Center	74	54	14	1	2	0	3
102. Shizuoka Pref. Hosp.	29	12	6	0	2	0	9
103. Osaka Seijinbyo Center	81	75	6	0	0	0	0
105. Saiseikai Hosp. Okayama	0	0	0	0	0	0	0
106. Kokura National Hosp.	0	0	0	0	0	0	0
107. Shimada Muni. Hosp.	0	0	0	0	0	0	0
110. Osaka Police Hosp.	11	9	1	0	0	0	1
111. Hyogo Cancer Center	81	60	14	3	3	0	1
112. Red Cross Hosp. Ohtsu	0	0	0	0	0	0	0
113. Kanbara Hosp. (Shizuoka)	6	4	0	0	0	0	2
114. Fukuoka National Hosp.	0	0	0	0	0	0	0
116. Aichi Cancer Center	66	49	1	1	0	0	15
117. Kanagawa Seijinbyo Center	82	49	29	1	3	0	0
118. Oita Pref. Hosp.	0	0	0	0	0	0	0
119. Toyama Pref. Hosp.	18	8	6	0	0	1	3
120. Tokushima Univ.	25	11	2	0	0	0	12
122. Niigata Cancer Center	36	24	8	2	2	0	0
123. Hiroshima Muni. Hosp.	26	7	1	0	1	0	17
124. I Red Cross Hosp. Kyoto	29	18	5	1	2	0	3
125. Yamagata Pref. Hosp.	15	7	4	0	1	0	3
126. Wakayama Med. Coll.	20	7	4	0	1	0	8
128. Kagawa Pref. Hosp.	29	18	2	0	2	0	7
129. Kagoshima Muni. Hosp.	87	55	12	2	1	0	17
130. Fukuyama National Hosp.	52	32	20	0	0	0	0
131. Tokyo Med. Univ.	32	10	7	0	0	1	14
132. Shikoku Cancer Center	81	64	3	0	0	0	14
133. Kawasaki Muni. Hosp.	25	11	10	0	0	0	4
134. Toho Univ.	0	0	0	0	0	0	0
136. Onomichi Hosp.	17	11	4	0	2	0	0
137. Kumamoto Muni. Hosp.	22	19	0	0	0	0	3

	—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
	Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
138.	Microbiol. Disease Osaka Univ.	0	0	0	0	0	0	0
139.	Kyoundo Hosp.	9	8	1	0	0	0	0
140.	Kyushu Koseinenkin Hosp.	34	24	3	0	0	0	7
141.	Kure National Hosp.	34	24	8	0	0	1	1
142.	Kochi Pref. Central Hosp.	0	0	0	0	0	0	0
143.	Gunma Pref. Cancer Center	60	54	4	1	1	0	0
145.	Fukuoka Univ. Hosp.	0	0	0	0	0	0	0
146.	Tenri Yorozu Hosp.	33	26	7	0	0	0	0
147.	Kasumigaura National Hosp.	13	5	7	0	1	0	0
148.	Chiba Pref. Cancer Center	83	46	22	1	2	2	10
149.	Kyushu Cancer Center	77	63	12	1	1	0	0
150.	Red Cross Hosp. Nagano	32	17	9	2	3	1	0
151.	Chiba Muni. Hosp.	9	6	2	0	1	0	0
152.	Kanazawa Med. Coll.	22	7	11	1	0	0	3
153.	Hosyasen Igaku Kenkyujo Hosp.	53	19	23	0	7	2	2
154.	Ryukyu Univ.	0	0	0	0	0	0	0
156.	Fukui Pref. Hosp.	28	19	8	1	0	0	0
157.	Saitama Cancer Center	88	62	19	2	2	3	0
158.	Kinki Univ.	120	95	12	0	2	2	9
159.	Nagasaki Atomic Bomb Hosp.	19	9	7	1	2	0	0
161.	Toritsu Komagome Hosp.	54	30	19	0	5	0	0
162.	Tottori Pref. Kosei Hosp.	0	0	0	0	0	0	0
163.	Jichi Med. Coll.	0	0	0	0	0	0	0
164.	Muroran Muni. Hosp.	0	0	0	0	0	0	0
165.	Ibaraki National Hosp.	0	0	0	0	0	0	0
166.	Tochigi National Hosp.	23	10	1	0	1	0	11
167.	St. Marianna Univ.	19	7	3	0	2	1	6
168.	Kitazato Univ.	37	24	5	1	0	0	7
169.	Akita Univ.	0	0	0	0	0	0	0
170.	Kansai Rosai Hosp.	30	19	8	1	0	0	2
171.	Kyoto Muni. Hosp.	27	17	0	0	0	0	10
173.	Asahikawa Med. Coll.	0	0	0	0	0	0	0
174.	Wakayama Rosai Hosp.	32	24	2	1	1	1	3
175.	Shimane Med. Coll.	35	26	4	0	0	0	5
178.	Toyama Med. Coll.	24	15	7	1	1	0	0
179.	Tsukuba Univ.	30	23	6	0	0	0	1
180.	Hyogo Med. Coll.	34	22	3	0	0	0	9
181.	Aichi Med. Coll.	0	0	0	0	0	0	0
182.	Bouei Med. Coll.	0	0	0	0	0	0	0
183.	Kochi Med. Coll.	23	15	2	0	1	0	5
184.	II Red Cross Hosp. Kyoto	22	16	2	0	4	0	0
185.	Saga Med. Coll.	43	33	7	1	1	0	1
186.	Red Cross Hosp. Nagaoka	16	10	3	0	1	1	1
187.	Ehime Univ.	35	24	8	0	1	0	2
188.	Tokushima Muni. Hosp.	0	0	0	0	0	0	0
189.	Teikyo Univ.	20	12	5	0	0	0	3
190.	Himeji National Hosp.	43	29	11	0	0	0	3
191.	Hamamatsu Med. Coll.	22	16	5	0	1	0	0
192.	Kagawa Med. Coll.	30	22	8	0	0	0	0
193.	Kouseiren Takaoka Hosp.	0	0	0	0	0	0	0
194.	II Tokyo National Hosp.	30	23	0	0	0	0	7
195.	Toritsu Fuchu Hosp.	23	19	2	0	0	0	2
196.	Yamagata Univ.	16	10	6	0	0	0	0
197.	Yokkaichi Muni. Hosp.	13	7	6	0	0	0	0
198.	Yamanashi Med. Coll.	0	0	0	0	0	0	0
200.	Sasebo Kyosai Hosp.	0	0	0	0	0	0	0
201.	Kosei Central Hosp.	0	0	0	0	0	0	0
	**	4,538	2,905	785	41	106	25	676

Statement for the Year 1986, Inclusive, Cervix.

Table D. Evaluation of Results, Stage Ia, Ib.

() 内は手術症例

Institution	—A—		—B—		—C—		—D—	
					Alive with no Evidence of the Disease after a Period of Observation of 5 Years		Relative Apparent Recovery Rate at the End of 5 Years	
	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib
1. Kobe Univ.	10(10)	18(17)	10(10)	13(12)	—(—)	—(—)	72.2(70.6)	
3. Tohoku Univ.	14(14)	9(8)	9(9)	4(3)	—(—)	—(—)	—(—)	
4. Fukushima Med. Coll.	9(9)	5(3)	3(3)	4(3)	—(—)	—(—)	—(—)	
6. Osaka National Hosp.	33(33)	21(21)	29(29)	20(20)	87.9(87.9)	95.2(95.2)		
7. Gifu Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
8. Shinshu Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
9. Nippon Med. Coll. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
10. Nagasaki Univ.	5(5)	14(13)	5(5)	13(13)	—(—)	—(—)	—(—)	
11. Red Cross Hosp. Tokyo	3(3)	4(3)	3(3)	3(2)	—(—)	—(—)	—(—)	
12. Kumamoto Univ.	6(6)	10(4)	6(6)	9(4)	—(—)	—(—)	—(—)	
13. Nippon Med. Coll.	3(2)	0(0)	3(2)	—(—)	—(—)	—(—)	—(—)	
15. Keio Univ.	16(16)	29(27)	15(15)	21(20)	93.8(93.8)	72.4(74.1)		
16. Kyushu Univ.	6(6)	29(23)	5(5)	24(20)	—(—)	—(—)	82.8(87.0)	
17. Tokyo Univ.	1(1)	5(5)	1(1)	4(4)	—(—)	—(—)	—(—)	
18. Jikei Univ.	9(9)	13(13)	4(4)	5(5)	—(—)	—(—)	—(—)	
19. Tokyo Cancer Inst.	5(5)	23(20)	5(5)	20(19)	—(—)	—(—)	87.0(95.0)	
20. Kyoto Univ.	2(2)	9(9)	2(2)	6(6)	—(—)	—(—)	—(—)	
21. Niigata Univ.	6(6)	7(7)	6(6)	6(6)	—(—)	—(—)	—(—)	
22. Okayama Univ.	17(17)	10(9)	13(13)	8(8)	76.5(76.5)	—(—)	—(—)	
23. Red Cross Hosp. Hiroshima	4(4)	2(2)	4(4)	2(2)	—(—)	—(—)	—(—)	
24. Osaka City Univ.	17(16)	20(4)	12(11)	16(3)	70.6(68.8)	80.0(—)	—(—)	
25. Hirosaki Univ.	9(8)	6(4)	9(8)	2(1)	—(—)	—(—)	—(—)	
27. Kurume Univ.	16(16)	24(19)	10(10)	10(9)	62.5(62.5)	41.7(47.4)		
29. Juntendo Univ.	1(1)	3(3)	0(0)	1(1)	—(—)	—(—)	—(—)	
32. Kagoshima Univ.	14(14)	11(10)	10(10)	8(8)	—(—)	—(—)	—(—)	
33. Hokkaido Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
34. Tokyo Med. Dent. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
35. Miyazaki Pref. Hosp.	5(5)	8(7)	5(5)	7(7)	—(—)	—(—)	—(—)	
38. Shinoda Hosp. (Yamagata)	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
40. Mitsui Kinen Hosp.	2(2)	3(3)	2(2)	2(2)	—(—)	—(—)	—(—)	
41. Sapporo Med. Coll.	7(7)	11(11)	7(7)	8(8)	—(—)	—(—)	—(—)	
42. Red Cross Hosp. Wakayama	13(13)	16(16)	4(4)	4(4)	—(—)	—(—)	25.0(25.0)	
43. Kunii Hosp. (Yamagata)	1(1)	1(1)	1(1)	0(0)	—(—)	—(—)	—(—)	
44. Osaka Univ.	5(4)	29(22)	4(3)	21(16)	—(—)	—(—)	72.4(72.7)	
45. Kyoto Med. Coll.	10(10)	6(6)	9(9)	4(4)	—(—)	—(—)	—(—)	
46. Tokyo Women's Med. Coll.	3(3)	4(3)	3(3)	3(2)	—(—)	—(—)	—(—)	
47. Nagoya Univ.	5(5)	11(10)	3(3)	8(8)	—(—)	—(—)	—(—)	
48. Nagoya City Univ.	3(3)	8(7)	2(2)	6(5)	—(—)	—(—)	—(—)	
49. Kurashiki Central Hosp.	10(10)	6(5)	8(8)	5(4)	—(—)	—(—)	—(—)	
50. Red Cross Hosp. Okayama	12(12)	1(1)	12(12)	1(1)	—(—)	—(—)	—(—)	
53. Iwate Med. Coll.	3(3)	7(6)	3(3)	5(4)	—(—)	—(—)	—(—)	
54. Uchida Hosp. (Kanazawa)	10(10)	8(8)	9(9)	6(6)	—(—)	—(—)	—(—)	
56. Mie Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
57. Kanazawa National Hosp.	0(0)	8(5)	—(—)	6(4)	—(—)	—(—)	—(—)	
58. Kanto Teishin Hosp.	0(0)	1(1)	—(—)	1(1)	—(—)	—(—)	—(—)	
59. Kobe Chuo Muni. Hosp.	22(22)	12(11)	22(22)	10(10)	100.0(100.0)	—(—)	—(—)	
60. Tokyo Koseinenkin Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	
61. Yokohama City Univ.	19(19)	9(9)	17(17)	9(9)	89.5(89.5)	—(—)	—(—)	
63. Tottori Univ.	4(4)	11(10)	3(3)	10(9)	—(—)	—(—)	—(—)	
64. Red Cross Hosp. Morioka	3(3)	4(4)	3(3)	3(3)	—(—)	—(—)	—(—)	

Institution	—A—		—B—		—C—		—D—	
					Alive with no Evidence of the Disease after a Period of Observation of 5 Years		Relative Apparent Recovery Rate at the End of 5 Years	
	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib
67. Hiroshima Univ.	6(5)	14(13)	6(5)	12(12)	—(—)	—(—)	—(—)	—(—)
68. Yamaguchi Univ.	5(5)	11(11)	4(4)	6(6)	—(—)	—(—)	—(—)	—(—)
70. Gunma Univ.	17(15)	22(22)	17(15)	22(22)	100.0(100.0)	100.0(100.0)	100.0(100.0)	100.0(100.0)
73. Osaka Kitano Hosp.	10(10)	8(8)	9(9)	6(6)	—(—)	—(—)	—(—)	—(—)
77. Chiba Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
78. Red Cross Hosp. Matsue	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
79. Kansai Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
80. Kawasaki Hosp. (Okayama)	1(1)	0(0)	1(1)	—(—)	—(—)	—(—)	—(—)	—(—)
81. Touma Hosp. (Saitama)	7(7)	9(7)	6(6)	6(6)	—(—)	—(—)	—(—)	—(—)
84. Nippon Med. Coll. Hosp. (II)	1(1)	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)
85. Nagoya National Hosp.	5(5)	13(13)	4(4)	10(10)	—(—)	—(—)	—(—)	—(—)
86. Kosei Hosp.	5(5)	1(1)	4(4)	1(1)	—(—)	—(—)	—(—)	—(—)
87. Hitachi Sogo Hosp.	0(0)	2(2)	—(—)	1(1)	—(—)	—(—)	—(—)	—(—)
88. Red Cross Hosp. Osaka	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
90. I Red Cross Hosp. Nagoya	2(2)	13(11)	2(2)	11(9)	—(—)	—(—)	—(—)	—(—)
92. National Med. Center Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
94. Kumamoto National Hosp.	13(13)	25(20)	11(11)	19(16)	—(—)	—(—)	76.0(80.0)	76.0(80.0)
95. Nara Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
96. Osaka Med. Coll.	22(22)	19(19)	21(21)	17(17)	95.5(95.5)	89.5(89.5)	95.5(95.5)	89.5(89.5)
97. Kyushu Univ. Seiiken	7(7)	2(0)	7(7)	2(—)	—(—)	—(—)	—(—)	—(—)
98. Tokyo Univ. Hosp.	0(0)	1(1)	—(—)	1(1)	—(—)	—(—)	—(—)	—(—)
100. Yamanashi Pref. Hosp.	2(2)	4(4)	2(2)	2(2)	—(—)	—(—)	—(—)	—(—)
101. National Cancer Center	6(5)	28(23)	6(5)	27(22)	—(—)	—(—)	96.4(95.7)	96.4(95.7)
102. Shizuoka Pref. Hosp.	4(4)	6(6)	4(4)	3(3)	—(—)	—(—)	—(—)	—(—)
103. Osaka Seijinbyo Center	24(24)	17(13)	24(24)	17(13)	100.0(100.0)	100.0(—)	100.0(—)	100.0(—)
105. Saiseikai Hosp. Okayama	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
106. Kokura National Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
107. Shimada Muni. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
110. Osaka Police Hosp.	3(3)	5(5)	3(3)	4(4)	—(—)	—(—)	—(—)	—(—)
111. Hyogo Cancer Center	27(27)	20(15)	25(25)	14(12)	92.6(92.6)	70.0(80.0)	92.6(92.6)	70.0(80.0)
112. Red Cross Hosp. Ohtsu	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
113. Kanbara Hosp. (Shizuoka)	5(5)	1(1)	3(3)	1(1)	—(—)	—(—)	—(—)	—(—)
114. Fukuoka National Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
116. Aichi Cancer Center	3(3)	26(26)	3(3)	23(23)	—(—)	—(—)	88.5(88.5)	88.5(88.5)
117. Kanagawa Seijinbyo Center	11(10)	15(14)	11(10)	11(10)	—(—)	—(—)	73.3(—)	73.3(—)
118. Oita Pref. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
119. Toyama Pref. Hosp.	2(2)	5(3)	1(1)	3(3)	—(—)	—(—)	—(—)	—(—)
120. Tokushima Univ.	7(7)	13(13)	3(3)	6(6)	—(—)	—(—)	—(—)	—(—)
122. Niigata Cancer Center	8(8)	7(7)	8(8)	6(6)	—(—)	—(—)	—(—)	—(—)
123. Hiroshima Muni. Hosp.	6(6)	10(9)	3(3)	3(3)	—(—)	—(—)	—(—)	—(—)
124. I Red Cross Hosp. Kyoto	9(9)	4(4)	8(8)	4(4)	—(—)	—(—)	—(—)	—(—)
125. Yamagata Pref. Hosp.	2(2)	7(6)	2(2)	3(3)	—(—)	—(—)	—(—)	—(—)
126. Wakayama Med. Coll.	1(1)	1(0)	1(1)	0(—)	—(—)	—(—)	—(—)	—(—)
128. Kagawa Pref. Hosp.	9(9)	4(4)	7(7)	3(3)	—(—)	—(—)	—(—)	—(—)
129. Kagoshima Muni. Hosp.	25(25)	26(20)	20(20)	15(12)	80.0(80.0)	57.7(60.0)	80.0(80.0)	57.7(60.0)
130. Fukuyama National Hosp.	5(5)	14(11)	5(5)	13(11)	—(—)	—(—)	—(—)	—(—)
131. Tokyo Med. Univ.	8(8)	12(9)	5(5)	3(2)	—(—)	—(—)	—(—)	—(—)
132. Shikoku Cancer Center	26(26)	19(15)	26(26)	17(14)	100.0(100.0)	89.5(93.3)	100.0(100.0)	89.5(93.3)
133. Kawasaki Muni. Hosp.	5(5)	1(1)	3(3)	0(0)	—(—)	—(—)	—(—)	—(—)
134. Toho Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
136. Onomichi Hosp.	1(1)	4(4)	1(1)	4(4)	—(—)	—(—)	—(—)	—(—)
137. Kumamoto Muni. Hosp.	9(8)	3(3)	9(8)	3(3)	—(—)	—(—)	—(—)	—(—)
138. Microbiol. Disease Osaka Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
139. Kyoundo Hosp.	2(2)	3(3)	2(2)	3(3)	—(—)	—(—)	—(—)	—(—)

Institution	—A—		—B—		—C—		—D—	
					Alive with no Evidence of the Disease after a Period of Observation of 5 Years		Relative Apparent Recovery Rate at the End of 5 Years	
	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib	Stage Ia	Stage Ib
140. Kyushu Koseinenkin Hosp.	7(7)	13(11)	7(7)	10(8)	7(7)	10(8)	—(—)	—(—)
141. Kure National Hosp.	2(2)	14(13)	2(2)	13(13)	2(2)	13(13)	—(—)	—(—)
142. Kochi Pref. Central Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
143. Gunma Pref. Cancer Center	29(29)	13(9)	29(29)	11(8)	29(29)	11(8)	100.0(100.0)	—(—)
145. Fukuoka Univ. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
146. Tenri Yoroze Hosp.	0(0)	13(12)	—(—)	10(9)	—(—)	10(9)	—(—)	—(—)
147. Kasumigaura National Hosp.	2(2)	2(2)	2(2)	1(1)	2(2)	1(1)	—(—)	—(—)
148. Chiba Pref. Cancer Center	13(11)	19(18)	12(10)	14(14)	12(10)	14(14)	—(—)	73.7(77.8)
149. Kyushu Cancer Center	13(13)	20(17)	13(13)	18(15)	13(13)	18(15)	—(—)	90.0(88.2)
150. Red Cross Hosp. Nagano	2(2)	9(6)	2(2)	6(5)	2(2)	6(5)	—(—)	—(—)
151. Chiba Muni. Hosp.	4(4)	2(2)	4(4)	1(1)	4(4)	1(1)	—(—)	—(—)
152. Kanazawa Med. Coll.	0(0)	5(5)	—(—)	3(3)	—(—)	3(3)	—(—)	—(—)
153. Hosyasen Igaku Kenkyujo Hosp.	0(0)	3(0)	—(—)	2(—)	—(—)	2(—)	—(—)	—(—)
154. Ryukyu Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
156. Fukui Pref. Hosp.	3(3)	7(6)	3(3)	7(6)	3(3)	7(6)	—(—)	—(—)
157. Saitama Cancer Center	8(8)	31(26)	8(8)	25(21)	8(8)	25(21)	—(—)	80.6(80.8)
158. Kinki Univ.	41(41)	36(31)	40(40)	30(28)	40(40)	30(28)	97.6(97.6)	83.3(90.3)
159. Nagasaki Atomic Bomb Hosp.	2(2)	7(7)	2(2)	3(3)	2(2)	3(3)	—(—)	—(—)
161. Toritsu Komagome Hosp.	1(1)	13(11)	1(1)	11(9)	1(1)	11(9)	—(—)	—(—)
162. Tottori Pref. Kosei Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
163. Jichi Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
164. Muroran Muni. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
165. Ibaraki National Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
166. Tochigi National Hosp.	3(3)	7(6)	2(2)	6(5)	3(3)	6(5)	—(—)	—(—)
167. St. Marianna Univ.	3(3)	0(0)	2(2)	—(—)	3(3)	—(—)	—(—)	—(—)
168. Kitazato Univ.	9(9)	8(8)	7(7)	7(7)	9(9)	7(7)	—(—)	—(—)
169. Akita Univ.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
170. Kansai Rosai Hosp.	2(2)	12(10)	2(2)	9(8)	2(2)	9(8)	—(—)	—(—)
171. Kyoto Muni. Hosp.	3(3)	7(6)	3(3)	6(6)	3(3)	6(6)	—(—)	—(—)
173. Asahikawa Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
174. Wakayama Rosai Hosp.	9(9)	7(7)	9(9)	6(6)	9(9)	6(6)	—(—)	—(—)
175. Shimane Med. Coll.	11(11)	8(7)	11(11)	7(6)	11(11)	7(6)	—(—)	—(—)
178. Toyama Med. Coll.	1(1)	7(6)	1(1)	5(5)	1(1)	5(5)	—(—)	—(—)
179. Tsukuba Univ.	8(8)	4(3)	7(7)	4(3)	8(8)	4(3)	—(—)	—(—)
180. Hyogo Med. Coll.	4(4)	16(9)	4(4)	12(7)	4(4)	12(7)	—(—)	75.0(—)
181. Aichi Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
182. Bouei Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
183. Kochi Med. Coll.	5(5)	1(1)	3(3)	1(1)	5(5)	1(1)	—(—)	—(—)
184. II Red Cross Hosp. Kyoto	8(8)	4(4)	8(8)	3(3)	8(8)	3(3)	—(—)	—(—)
185. Saga Med. Coll.	3(3)	20(17)	2(2)	17(16)	3(3)	17(16)	—(—)	85.0(94.1)
186. Red Cross Hosp. Nagaoka	2(2)	2(1)	2(2)	1(1)	2(2)	1(1)	—(—)	—(—)
187. Ehime Univ.	4(4)	9(7)	4(4)	8(7)	4(4)	8(7)	—(—)	—(—)
188. Tokushima Muni. Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
189. Teikyo Univ.	1(1)	1(1)	1(1)	1(1)	1(1)	1(1)	—(—)	—(—)
190. Himeji National Hosp.	18(16)	0(0)	18(16)	—(—)	18(16)	—(—)	100.0(100.0)	—(—)
191. Hamamatsu Med. Coll.	1(1)	6(6)	1(1)	6(6)	1(1)	6(6)	—(—)	—(—)
192. Kagawa Med. Coll.	11(11)	5(5)	11(11)	4(4)	11(11)	4(4)	—(—)	—(—)
193. Kouseiren Takaoka Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
194. II Tokyo National Hosp.	8(8)	10(10)	8(8)	8(8)	8(8)	8(8)	—(—)	—(—)
195. Toritsu Fuchu Hosp.	7(6)	3(2)	7(6)	3(2)	7(6)	3(2)	—(—)	—(—)
196. Yamagata Univ.	2(2)	3(3)	2(2)	2(2)	2(2)	2(2)	—(—)	—(—)
197. Yokkaichi Muni. Hosp.	4(4)	2(2)	4(4)	2(2)	4(4)	2(2)	—(—)	—(—)
198. Yamanashi Med. Coll.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
200. Sasebo Kyosai Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
201. Kosei Central Hosp.	0(0)	0(0)	—(—)	—(—)	—(—)	—(—)	—(—)	—(—)
**	908(893)	1,180(1,014)	802(787)	903(800)	88.3(88.1)	76.5(78.9)		

3b. 総 括

① 1986年治療例
(123機関の集計)

1. Stage distribution

Stage		No. of cases (%)	Subtotal No. of cases in each stage (%)
I	a	908 (20.0)	2,203 (48.5)
	b	1,180 (26.0)	
	b"occ"	108 (2.4)	
	not cl.	7 (0.2)	
II	a	276 (6.1)	1,248 (27.5)
	b	965 (21.3)	
	not cl.	7 (0.2)	
III	a	47 (1.0)	837 (18.4)
	b	784 (17.3)	
	not cl.	6 (0.1)	
IV	a	151 (3.3)	249 (5.5)
	b	93 (2.0)	
	not cl.	5 (0.1)	
Ch		1 (0.0)	1 (0.0)
Total		4,538 (100.0)	4,538 (100.0)

※ not cl. : not classified

(123機関)

2. Age distribution

Age Stage		—19		20—29		30—39		40—49		50—59		60—69		70—79		80—		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
I	a	1	0.0	28	0.6	281	6.2	291	6.4	168	3.7	102	2.2	35	0.8	2	0.0	908	20.0
	b	1	0.0	25	0.6	216	4.8	288	6.3	292	6.4	228	5.0	108	2.4	22	0.5	1,180	26.0
	b"occ"	0	—	0	—	26	0.6	34	0.7	21	0.5	20	0.4	7	0.2	0	—	108	2.4
	not cl.	0	—	0	—	2	0.0	3	0.1	0	—	2	0.0	0	—	0	—	7	0.2
	total	2	0.0	53	1.2	525	11.6	616	13.6	481	10.6	352	7.8	150	3.3	24	0.5	2,203	48.5
II	a	0	—	1	0.0	16	0.4	29	0.6	68	1.5	92	2.0	63	1.4	7	0.2	276	6.1
	b	0	—	3	0.1	76	1.7	158	3.5	245	5.4	276	6.1	160	3.5	47	1.0	965	21.3
	not cl.	0	—	0	—	0	—	0	—	2	0.0	2	0.0	2	0.0	1	0.0	7	0.2
	total	0	—	4	0.1	92	2.0	187	4.1	315	6.9	370	8.2	225	5.0	55	1.2	1,248	27.5
III	a	0	—	0	—	1	0.0	2	0.0	7	0.2	18	0.4	16	0.4	3	0.1	47	1.0
	b	0	—	4	0.1	22	0.5	86	1.9	173	3.8	204	4.5	231	5.1	64	1.4	784	17.3
	not cl.	0	—	0	—	0	—	1	0.0	0	—	1	0.0	4	0.1	0	—	6	0.1
	total	0	—	4	0.1	23	0.5	89	2.0	180	4.0	223	4.9	251	5.5	67	1.5	837	18.4
IV	a	5	0.1	0	—	8	0.2	13	0.3	21	0.5	51	1.1	43	0.9	10	0.2	151	3.3
	b	0	—	1	0.0	7	0.2	14	0.3	22	0.5	19	0.4	26	0.6	4	0.1	93	2.0
	not cl.	0	—	0	—	0	—	0	—	0	—	3	0.1	2	0.0	0	—	5	0.1
	total	5	0.1	1	0.0	15	0.3	27	0.6	43	0.9	73	1.6	71	1.6	14	0.3	249	5.5
Ch		0	—	0	—	0	—	0	—	0	—	0	—	1	0.0	0	—	1	0.0
Total		7	0.2	62	1.4	655	14.4	919	20.3	1,019	22.5	1,018	22.4	698	15.4	160	3.5	4,538	100.0

※ not cl. : not classified

(123機関)

3. Type of treatment

Treat- ment Stage		Surgery								Radiation				Chem. Immun. Hormon		Others		Total	
		alone		Rad.		Rad. Chem. Immun. Hormon		Chem. Immun. Hormon		alone		Chem. Immun. Hormon		Chem. Immun. Hormon		Others		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
I	a	758	16.7	55	1.2	10	0.2	70	1.5	10	0.2	1	0.0	2	0.0	2	0.0	908	20.0
	b	455	10.0	246	5.4	142	3.1	169	3.7	119	2.6	27	0.6	16	0.4	6	0.1	1,180	26.0
	b"occ"	49	1.1	23	0.5	15	0.3	21	0.5	0	-	0	-	0	-	0	-	108	2.4
	not cl.	3	0.1	2	0.0	1	0.0	1	0.0	0	-	0	-	0	-	0	-	7	0.2
II	a	37	0.8	77	1.7	44	1.0	27	0.6	60	1.3	23	0.5	4	0.1	4	0.1	276	6.1
	b	66	1.5	268	5.9	216	4.8	50	1.1	260	5.7	93	2.0	10	0.2	2	0.0	965	21.3
	not cl.	2	0.0	1	0.0	0	-	0	-	3	0.1	1	0.0	0	-	0	-	7	0.2
III	a	1	0.0	7	0.2	5	0.1	0	-	17	0.4	15	0.3	1	0.0	1	0.0	47	1.0
	b	3	0.1	22	0.5	28	0.6	4	0.1	456	10.0	260	5.7	5	0.1	6	0.1	784	17.3
	not cl.	0	-	0	-	0	-	0	-	3	0.1	3	0.1	0	-	0	-	6	0.1
IV	a	0	-	1	0.0	2	0.0	0	-	77	1.7	63	1.4	5	0.1	3	0.1	151	3.3
	b	0	-	3	0.1	1	0.0	1	0.0	29	0.6	46	1.0	10	0.2	3	0.1	93	2.0
	not cl.	0	-	0	-	0	-	0	-	3	0.1	2	0.0	0	-	0	-	5	0.1
Ch		0	-	1	0.0	0	-	0	-	0	-	0	-	0	-	0	-	1	0.0
Total		1,374	30.3	706	15.6	464	10.2	343	7.6	1,037	22.9	534	11.8	53	1.2	27	0.6	4,538	100.0

※ Rad.=Radiation Chem.=Chemotherapy Immun.=Immunotherapy
Hormon=Hormon Therapy not cl.: not classified

(123機関)

4. 5 years result treatment started in 1986

5 years result	No. of patients	%
1. Alive at 5 years	2,905	64.0
2. Died of carcinoma of the cervix	785	17.3
3. Lost sight of	578	12.7
4. Died from intercurrent disease	270	5.9
Total	4,538	100.0

(123機関)

5. 5 years survival in the different stages treatment started in 1986

Stage		Patients treated		5 years survival			
		No.	No.	No.	No.	%	%
I	a		908		802		88.3
	b		1,180		903		76.5
	b"occ"	2,203	108	1,800	91	81.7	84.3
	not cl.		7		4		57.1
II	a		276		190		68.8
	b	1,248	965	757	565	60.7	58.5
	not cl.		7		2		28.6
III	a		47		26		55.3
	b	837	784	311	282	37.2	36.0
	not cl.		6		3		50.0
IV	a		151		31		20.5
	b	249	93	36	4	14.5	4.3
	not cl.		5		1		20.0
Ch		1		1		100.0	
Total		4,538		2,905		64.0	

※ not cl.: not classified

(123機関)

6. 5 years survival rate by histological type started in 1986

Histological type	Patients treated		5 years survival	
	No.	%	No.	%
Squamous carcinoma	4,035	88.9	2,614	64.8
Keratinizing	(754)	(16.6)	(474)	(62.9)
Large cell non-keratinizing	(2,470)	(54.4)	(1,632)	(66.1)
Small cell non-keratinizing	(388)	(8.6)	(246)	(63.4)
Not classified	(423)	(9.3)	(262)	(61.9)
Adenocarcinoma	342	7.5	182	53.2
Adenosquamous carcinoma (Adenoacanthoma)	132	2.9	93	70.5
Mesonephroid or clear cell ca.	13	0.3	9	69.2
Others	16	0.4	7	43.8
Total	4,538	100.0	2,905	64.0

(123機関)

7. 5 years survival by stage and histological type treatment started in 1986

Stage	Histology	Patients treated		5 years survival	
		No.	%	No.	%
Ib	Squamous cell ca.	958	31.7	734	76.6
	Adenocarcinoma	204	46.2	157	77.0
	Other	18	38.3	12	66.7
II	Squamous cell ca.	1,088	36.0	672	61.8
	Adenocarcinoma	149	33.7	79	53.0
	Other	11	23.4	6	54.5
III	Squamous cell ca.	762	25.2	294	38.6
	Adenocarcinoma	60	13.6	11	18.3
	Other	15	31.9	6	40.0
IV	Squamous cell ca.	217	7.2	34	15.7
	Adenocarcinoma	29	6.6	2	6.9
	Other	3	6.4	0	-.
Total	Squamous cell ca.	3,025	100.0	1,734	57.3
	Adenocarcinoma	442	100.0	249	56.3
	Other	47	100.0	24	51.1

(123機関)

8. Result of therapy by histological type and treatment applied treatment started in 1986

Stage	Histology	Radiation alone			Surgery alone or comb. other			Others		
		No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival	
			No.	%		No.	%		No.	%
Ib	Squamous cell ca.	115	75	65.2	802	635	79.2	41	24	58.5
	Adenocarcinoma	2	0	0.0	197	154	78.2	5	3	60.0
	Other	2	1	50.0	15	11	73.3	1	0	0.0
II	Squamous cell ca.	303	158	52.1	662	452	68.3	123	62	50.4
	Adenocarcinoma	16	9	56.3	123	69	56.1	10	1	10.0
	Other	4	2	50.0	5	4	80.0	2	0	0.0
III	Squamous cell ca.	440	172	39.1	53	26	49.1	269	96	35.7
	Adenocarcinoma	23	2	8.7	19	8	42.1	18	1	5.6
	Other	13	6	46.2	0	-	-.	2	0	0.0
IV	Squamous cell ca.	100	19	19.0	5	0	0.0	112	15	13.4
	Adenocarcinoma	8	1	12.5	4	0	0.0	17	1	5.9
	Other	1	0	0.0	0	-	-.	2	0	0.0
Total	Squamous cell ca.	958	424	44.3	1,522	1,113	73.1	545	197	36.1
	Adenocarcinoma	49	12	24.5	343	231	67.3	50	6	12.0
	Other	20	9	45.0	20	15	75.0	7	0	0.0

Comb.=combination

(123機関)

9. 5 years survival by TNM group staging

TNM Stage	Patients treated		5 years survival	
	No.	%	No.	%
T1a N0 M0	52	14.1	43	82.7
T1b N0 M0	71	19.2	54	76.1
T2a N0 M0	19	5.1	12	63.2
T2b N0 M0	65	17.6	43	66.2
T3a N0 M0	4	1.1	3	75.0
T1 N0 M0	17	4.6	13	76.5
T2 N0 M0	36	9.7	18	50.0
T3a N1 M0	0	-	-	-
T3b N0 M0	38	10.3	14	36.8
T3b N1 M0	35	9.5	12	34.3
T4 N0 M0	6	1.6	1	16.7
T4 N1 M0	7	1.9	1	14.3
AnyT AnyN M1	20	5.4	2	10.0
Total	370	100.0	216	58.4

(123機関)

10. 5 years survival by pTNM group staging

pTNM Stage	Patients treated		5 years survival	
	No.	%	No.	%
pT1a pN0 pM0	500	21.0	444	88.8
pT1b pN0 pM0	983	41.2	801	81.5
pT2a pN0 pM0	171	7.2	135	78.9
pT2b pN0 pM0	299	12.5	212	70.9
pT3a pN0 pM0	8	0.3	5	62.5
pT1 pN0 pM0	128	5.4	77	60.2
pT2 pN0 pM0	234	9.8	122	52.1
pT3a pN1 pM0	6	0.3	3	50.0
pT3b pN0 pM0	8	0.3	3	37.5
pT3b pN1 pM0	24	1.0	8	33.3
pT4 pN0 pM0	3	0.1	3	100.0
pT4 pN1 pM0	7	0.3	1	14.3
AnypT AnypN pM1	14	0.6	1	7.1
Total	2,385	100.0	1,815	76.1

(123機関)

② 1977年～1986年治療例

(154機関の集計)

総括 1 治療患者数と期別構成

年度 期別	1977～1986		1982～1986	
	例数	%	例数	%
I	22,788	45.5	11,507	47.5
II	14,757	29.5	6,891	28.4
III	10,238	20.5	4,678	19.3
IV	2,241	4.5	1,138	4.7
Ch	31	0.1	20	0.1
計	50,055	100.0	24,234	100.0

(154機関)

総括 2 5年治療成績

予 後		1977～1986		1982～1986	
		例数	%	例数	%
5 年 後 観 察	生 存 者 数	33,464	66.9	15,962	65.9
	癌による死亡	9,531	19.0	4,224	17.4
	行 方 不 明	4,652	9.3	2,760	11.4
	他疾患による死亡	2,408	4.8	1,288	5.3
治 療 数		50,055	100.0	24,234	100.0

(154機関)

総括 3 5 年治癒成績

年度 期別	1977～1986			1982～1986		
	例数	生存 者数	5 年 生存率	例数	生存 者数	5 年 生存率
I	22,788	19,342	84.9	11,507	9,541	82.9
II	14,757	9,657	65.4	6,891	4,383	63.6
III	10,238	4,140	40.4	4,678	1,878	40.1
IV	2,241	308	13.7	1,138	149	13.1
Ch	31	17	54.8	20	11	55.0
計	50,055	33,464	66.9	24,234	15,962	65.9

(154機関)

③ 1979年*～1985年治療例

1. 1979年から1985年の期間に治療された症例の各年度の成績を、累積加算して5年生存率を算定した。したがって、すべての症例の現在までの累積生存率ではない。
2. 各年度の成績の加算につき、有意差検定は行っていない。

1. 5 years survival in the different stages treatment started in 1979—1985

Stage	Number of treated patient	5 years alive	%
I			
Ia	6,589	5,919	89.8
Ib	8,362	6,781	81.1
Ib "occ"	631	561	88.9
I not cl.	52	41	78.8
II			
IIa	2,227	1,566	70.3
IIb	7,670	4,984	65.0
II not cl.	17	9	52.9
III			
IIIa	360	176	48.9
IIIb	6,297	2,655	42.2
III not cl.	52	19	36.5
IV			
IVa	872	168	19.3
IVb	544	30	5.5
not cl.	34	3	8.8
Ch	30	16	53.3
Total	33,737	22,928	68.0

*1979年より Ia を採用，登録様式が変更された

(154機関)

2. 5 years survival (5YS) by TNM group staging in 1979—1985

TNM staging	Patient No.	5YS	%
T1a N0M0	3,437	3,136	91.2
T1b N0M0	4,628	3,879	83.8
T2a N0M0	1,164	848	72.9
T2b N0M0	4,054	2,706	66.7
T3a N0M0	179	96	53.6
T1 N1M0	151	122	80.8
T2 N1M0	426	256	60.1
T3a N1M0	16	5	31.3
T3b N0M0	3,021	1,349	44.7
T3b N1M0	396	141	35.6
T4 N0M0	310	71	22.9
T4 N1M0	84	11	13.1
AnyT AnyN M1	359	31	8.6
Total	18,225	12,651	69.4

3. 5 years survival (5YS) by pTNM group staging in 1979—1985

pTNM staging	Patient No.	5YS	%
pT1apN0 pM0	3,361	2,971	88.4
pT1bpN0 pM0	6,161	5,239	85.0
pT2apN0 pM0	1,174	955	81.3
pT2bpN0 pM0	2,338	1,761	75.3
pT3apN0 pM0	26	19	73.1
pT1 pN1 pM0	742	515	69.4
pT2 pN1 pM0	1,606	877	54.6
pT3apN1 pM0	22	10	45.5
pT3bpN0 pM0	167	95	56.9
pT3bpN1 pM0	173	57	32.9
pT4 pN0 pM0	30	14	46.7
pT4 pN1 pM0	31	7	22.6
AnypT AnypN pM1	146	25	17.1
Total	15,977	12,545	78.5

4. FIGO 分類と TNM 分類の 5 年生存率の比較 (1979—1985)

	FIGO	TNM
stage Ia	89.9	91.2
Ib	81.1	83.8
I(N1)		80.8
IIa	70.3	72.9
IIb	65.0	66.7
II(N1)		60.1
IIIa	48.9	53.6
IIIa(N1)		31.3
IIIb	42.2	44.7
IIIb(N1)		35.6
IVa	19.3	
IVb	5.5	
IV(N0M0)		22.9
IV(N1M0)		13.1
M1		8.6
Total	68.0	69.4

(not cl., Ch を含む)

5. TNM 分類と pTNM 分類での比較 (1979~1985)

	TNM 分類	pTNM 分類
T1a N0M0	92.1	88.4
T1b N0M0	83.8	85.0
T1 N1M0	80.8	69.4
T2a N0M0	72.9	81.3
T2b N0M0	66.7	75.3
T2 N1M0	60.1	54.6
T3a N0M0	53.6	73.1
T3a N1M0	31.3	45.5
T3b N0M0	44.7	56.9
T3b N1M0	35.6	32.9
T4 N0M0	22.9	46.7
T4 N1M0	13.1	22.6
AnyT AnyN M1	8.9	17.1
Total	69.4	78.5

4. 子宮体癌治療成績

4a. 子宮体癌治療成績 (1986年)

Table A 治療患者の期別構成

Table B 5年後における治療成績

Statement for the Year 1985, Inclusive, Corpus.

Table A. Patients Treated, Distributed by Stages.

—A—	—B—	—C—	—D—	—E—	—F—
Institution	Total No. Treated Stages I—IV	Stage I No. of Case %	Stage II No. of Case %	Stage III No. of Case %	Stage IV No. of Case %
1. Kobe Univ.	13	6 46.2	4 30.8	2 15.4	1 7.7
3. Tohoku Univ.	12	10 83.3	1 8.3	0 -	1 8.3
4. Fukushima Univ.	12	9 75.0	2 16.7	1 8.3	0 -
6. Osaka National Hosp.	27	22 81.5	1 3.7	3 11.1	1 3.7
7. Gifu Univ.	8	7 87.5	1 12.5	0 -	0 -
8. Shinshu Univ.	11	8 72.7	2 18.2	0 -	1 9.1
9. Nippon Med. Coll. Hosp.	0	- -	- -	- -	- -
10. Nagasaki Univ.	10	4 40.0	5 50.0	1 10.0	0 -
12. Kumamoto Univ.	9	4 44.4	4 44.4	1 11.1	0 -
13. Nippon Med. Coll.	1	0 -	1 100.0	0 -	0 -
15. Keio Univ.	29	20 69.0	9 31.0	0 -	0 -
16. Kyushu Univ.	8	3 37.5	2 25.0	2 25.0	1 12.5
17. Tokyo Univ.	13	8 61.5	4 30.8	1 7.7	0 -
18. Jikei Univ.	23	12 52.2	6 26.1	3 13.0	2 8.7
19. Tokyo Cancer Inst.	27	24 88.9	3 11.1	0 -	0 -
20. Kyoto Univ.	14	11 78.6	2 14.3	0 -	1 7.1
21. Niigata Univ.	7	4 57.1	2 28.6	0 -	1 14.3
22. Okayama Univ.	25	14 56.0	6 24.0	2 8.0	3 12.0
23. Red Cross Hosp. Hiroshima	2	0 -	2 100.0	0 -	0 -
24. Osaka City Univ.	4	4 100.0	0 -	0 -	0 -
25. Hirosaki Univ.	8	6 75.0	1 12.5	1 12.5	0 -
27. Kurume Univ.	16	10 62.5	5 31.3	1 6.3	0 -
29. Juntendo Univ.	9	7 77.8	0 -	1 11.1	1 11.1
32. Kagoshima Univ.	5	2 40.0	2 40.0	0 -	1 20.0
33. Hokkaido Univ.	0	- -	- -	- -	- -

1997年5月

報 告

293

—A—	—B—	—C—	—D—	—E—	—F—
Institution	Total No. Treated Stages I—IV	Stage I No. of Case %	Stage II No. of Case %	Stage III No. of Case %	Stage IV No. of Case %
34. Tokyo Med. Dent. Coll.	0	- -	- -	- -	- -
35. Miyazaki Pref. Hosp.	5	5 100.0	0 -	0 -	0 -
40. Mitsui Kinen Hosp.	8	7 87.5	0 -	1 12.5	0 -
41. Sapporo Med. Coll.	12	9 75.0	1 8.3	1 8.3	1 8.3
42. Red Cross Hosp. Wakayama	15	11 73.3	2 13.3	1 6.7	1 6.7
43. Kunii Hosp. (Yamagata)	2	2 100.0	0 -	0 -	0 -
44. Osaka Univ.	12	7 58.3	5 41.7	0 -	0 -
45. Kyoto Med. Coll.	9	7 77.8	2 22.2	0 -	0 -
46. Tokyo Women's Med. Coll.	12	11 91.7	0 -	1 8.3	0 -
47. Nagoya Univ.	0	- -	- -	- -	- -
48. Nagoya City Univ.	4	4 100.0	0 -	0 -	0 -
49. Kurashiki Central Hosp.	5	3 60.0	2 40.0	0 -	0 -
50. Red Cross Hosp. Okayama	7	5 71.4	1 14.3	1 14.3	0 -
53. Iwate Med. Coll.	9	9 100.0	0 -	0 -	0 -
54. Uchida Hosp. (Kanazawa)	9	8 88.9	1 11.1	0 -	0 -
57. Kanazawa National Hosp.	8	8 100.0	0 -	0 -	0 -
58. Kanto Teishin Hosp.	0	- -	- -	- -	- -
59. Kobe Chuo Muni. Hosp.	17	13 76.5	3 17.6	1 5.9	0 -
60. Tokyo Koseinenkin Hosp.	0	- -	- -	- -	- -
61. Yokohama City Univ.	12	2 16.7	6 50.0	4 33.3	0 -
63. Tottori Univ.	9	6 66.7	1 11.1	2 22.2	0 -
64. Red Cross Hosp. Morioka	7	7 100.0	0 -	0 -	0 -
67. Hiroshima Univ.	10	6 60.0	2 20.0	1 10.0	1 10.0
68. Yamaguchi Univ.	8	5 62.5	1 12.5	0 -	2 25.0
70. Gunma Univ.	7	6 85.7	1 14.3	0 -	0 -
73. Osaka Kitano Hosp.	13	12 92.3	1 7.7	0 -	0 -
77. Chiba Univ.	0	- -	- -	- -	- -
80. Kawasaki Hosp. (Okayama)	3	3 100.0	0 -	0 -	0 -
81. Touma Hosp. (Saitama)	9	8 88.9	1 11.1	0 -	0 -
84. Nippon Med. Coll. Hosp. (II)	3	1 33.3	0 -	1 33.3	1 33.3
85. Nagoya National Hosp.	14	12 85.7	0 -	2 14.3	0 -
86. Kosei Hosp.	3	1 33.3	0 -	0 -	2 66.7
87. Hitachi Sogo Hosp.	3	3 100.0	0 -	0 -	0 -
88. Red Cross Hosp. Osaka	0	- -	- -	- -	- -
89. Nihon Univ.	0	- -	- -	- -	- -
90. I Red Cross Hosp. Nagoya	9	9 100.0	0 -	0 -	0 -
92. National Med. Center Hosp.	4	3 75.0	0 -	1 25.0	0 -
94. Kumamoto National Hosp.	7	6 85.7	1 14.3	0 -	0 -
96. Osaka Med. Coll.	14	5 35.7	8 57.1	1 7.1	0 -
97. Kyushu Univ. Seiiken	2	2 100.0	0 -	0 -	0 -
98. Tokyo Univ. Hosp.	1	1 100.0	0 -	0 -	0 -
100. Yamanashi Pref. Hosp.	1	1 100.0	0 -	0 -	0 -
101. National Cancer Center	35	27 77.1	4 11.4	2 5.7	2 5.7
102. Shizuoka Pref. Hosp.	4	4 100.0	0 -	0 -	0 -
103. Osaka Seijinbyo Center	18	16 88.9	1 5.6	1 5.6	0 -
105. Saiseikai Hosp. Okayama	0	- -	- -	- -	- -
106. Kokura National Hosp.	0	- -	- -	- -	- -
110. Osaka Police Hosp.	3	3 100.0	0 -	0 -	0 -
111. Hyogo Cancer Center	13	7 53.8	6 46.2	0 -	0 -
116. Aichi Cancer Center	16	16 100.0	0 -	0 -	0 -
117. Kanagawa Seijinbyo Center	22	19 86.4	2 9.1	1 4.5	0 -
118. Oita Pref. Hosp.	0	- -	- -	- -	- -
119. Toyama Pref. Hosp.	11	11 100.0	0 -	0 -	0 -
120. Tokushima Univ.	8	5 62.5	3 37.5	0 -	0 -

—A— Institution	—B— Total No. Treated Stages I—IV	—C— Stage I No. of Case %		—D— Stage II No. of Case %		—E— Stage III No. of Case %		—F— Stage IV No. of Case %	
		No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%
122. Niigata Cancer Center	18	15	83.3	3	16.7	0	—	0	—
123. Hiroshima Muni. Hosp.	0	—	—	—	—	—	—	—	—
124. I Red Cross Hosp. Kyoto	1	1	100.0	0	—	0	—	0	—
125. Yamagata Pref. Hosp.	6	5	83.3	1	16.7	0	—	0	—
126. Wakayama Med. Coll.	3	2	66.7	1	33.3	0	—	0	—
128. Kagawa Pref. Hosp.	2	1	50.0	0	—	1	50.0	0	—
129. Kagoshima Muni. Hosp.	12	3	25.0	7	58.3	2	16.7	0	—
130. Fukuyama National Hosp.	8	6	75.0	1	12.5	1	12.5	0	—
131. Tokyo Med. Univ.	8	6	75.0	2	25.0	0	—	0	—
132. Shikoku Cancer Center	12	9	75.0	1	8.3	1	8.3	1	8.3
133. Kawasaki Muni. Hosp.	10	9	90.0	1	10.0	0	—	0	—
136. Onomichi Hosp.	6	4	66.7	1	16.7	0	—	1	16.7
137. Kumamoto Muni. Hosp.	7	5	71.4	1	14.3	1	14.3	0	—
139. Kyoundo Hosp.	3	2	66.7	1	33.3	0	—	0	—
140. Kyushu Koseinenkin Hosp.	10	9	90.0	1	10.0	0	—	0	—
141. Kure National Hosp.	10	8	80.0	1	10.0	1	10.0	0	—
142. Kochi Pref. Central Hosp.	9	6	66.7	2	22.2	1	11.1	0	—
143. Gunma Pref. Cancer Center	10	2	20.0	3	30.0	4	40.0	1	10.0
146. Tenri Yoroze Hosp.	20	15	75.0	3	15.0	1	5.0	1	5.0
147. Kasumigaura National Hosp.	5	3	60.0	2	40.0	0	—	0	—
148. Chiba Pref. Cancer Center	9	6	66.7	2	22.2	0	—	1	11.1
149. Kyushu Cancer Center	10	10	100.0	0	—	0	—	0	—
150. Red Cross Hosp. Nagano	17	6	35.3	8	47.1	1	5.9	2	11.8
151. Chiba Muni. Hosp.	6	4	66.7	1	16.7	1	16.7	—	—
152. Kanazawa Med. Coll.	0	—	—	—	—	—	—	—	—
154. Ryukyu Univ.	0	—	—	—	—	—	—	—	—
156. Fukui Pref. Hosp.	5	4	80.0	1	20.0	0	—	—	—
157. Saitama Cancer Center	16	9	56.3	4	25.0	1	6.3	2	12.5
158. Kinki Univ.	15	8	53.3	7	46.7	0	—	0	—
159. Nagasaki Atomic Bomb Hosp.	5	3	60.0	2	40.0	0	—	0	—
161. Toritsu Komagome Hosp.	14	8	57.1	5	35.7	1	7.1	0	—
163. Jichi Med. Coll.	0	—	—	—	—	—	—	—	—
166. Tochigi National Hosp.	3	1	33.3	1	33.3	0	—	1	33.3
167. St. Marianna Univ.	2	0	—	2	100.0	0	—	0	—
168. Kitazato Univ.	19	7	36.8	10	52.6	0	—	2	10.5
170. Kansai Rosai Hosp.	2	2	100.0	0	—	0	—	0	—
171. Kyoto Muni. Hosp.	13	7	53.8	3	23.1	0	—	3	23.1
173. Asahikawa Med. Coll.	0	—	—	—	—	—	—	—	—
174. Wakayama Rosai Hosp.	5	4	80.0	1	20.0	0	—	0	—
175. Shimane Med. Coll.	8	6	75.0	2	25.0	0	—	0	—
178. Toyama Med. Coll.	3	1	33.3	1	33.3	1	33.3	0	—
179. Tsukuba Univ.	12	9	75.0	1	8.3	1	8.3	1	8.3
180. Hyogo Med. Coll.	6	4	66.7	1	16.7	0	—	1	16.7
181. Aichi Med. Coll.	0	—	—	—	—	—	—	—	—
182. Bouei Med. Coll.	0	—	—	—	—	—	—	—	—
183. Kochi Med. Coll.	7	2	28.6	1	14.3	4	57.1	0	—
184. II Red Cross Hosp. Kyoto	15	10	66.7	4	26.7	1	6.7	0	—
185. Saga Med. Coll.	4	3	75.0	1	25.0	0	—	0	—
186. Red Cross Hosp. Nagaoka	16	10	62.5	2	12.5	3	18.8	1	6.3
187. Ehime Univ.	7	6	85.7	1	14.3	0	—	0	—
189. Teikyo Univ.	0	—	—	—	—	—	—	—	—
190. Himeji National Hosp.	10	9	90.0	1	10.0	0	—	0	—
191. Hamamatsu Med. Coll.	8	7	87.5	1	12.5	0	—	0	—
192. Kagawa Med. Coll.	6	5	83.3	1	16.7	0	—	0	—

1997年 5 月

報 告

295

—A—	—B—	—C—		—D—		—E—		—F—	
Institution	Total No. Treated Stages I—IV	Stage I		Stage II		Stage III		Stage IV	
		No. of Case	%	No. of Case	%	No. of Case	%	No. of Case	%
194. II Tokyo National Hosp.	15	11	73.3	3	20.0	1	6.7	0	—
195. Toritsu Fuchu Hosp.	0	—	—	—	—	—	—	—	—
196. Yamagata Univ.	9	7	77.8	2	22.2	0	—	0	—
197. Yokkaichi Muni. Hosp.	2	2	100.0	0	—	0	—	0	—
198. Yamanashi Med. Coll.	0	—	—	—	—	—	—	—	—
200. Sasebo Kyosai Hosp.	0	—	—	—	—	—	—	—	—
201. Kosei Central Hosp.	0	—	—	—	—	—	—	—	—
**	1,125	793	70.5	221	19.6	69	6.1	42	3.7

Statement for the Year 1985, Inclusive, Corpus.

Table B. Results of Treatment. **Total.**

—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
1. Kobe Univ.	13	8	2	0	0	0	3
3. Tohoku Univ.	12	7	4	0	0	0	1
4. Fukushima Med. Coll.	12	5	2	0	0	0	5
6. Osaka National Hosp.	27	18	5	3	1	0	0
7. Gifu Univ.	8	4	1	0	0	0	3
8. Shinshu Univ.	11	9	2	0	0	0	0
9. Nippon Med. Coll. Hosp.	0	0	0	0	0	0	0
10. Nagasaki Univ.	10	7	3	0	0	0	0
12. Kumamoto Univ.	9	8	1	0	0	0	0
13. Nippon Med. Coll.	1	0	1	0	0	0	0
15. Keio Univ.	29	27	1	0	0	0	1
16. Kyushu Univ.	8	5	3	0	0	0	0
17. Tokyo Univ.	13	10	3	0	0	0	0
18. Jikei Univ.	23	7	5	0	0	0	11
19. Tokyo Cancer Inst.	27	25	2	0	0	0	0
20. Kyoto Univ.	14	9	2	0	0	0	3
21. Niigata Univ.	7	5	2	0	0	0	0
22. Okayama Univ.	25	17	4	1	0	1	2
23. Red Cross Hosp. Hiroshima	2	2	0	0	0	0	0
24. Osaka City Univ.	4	3	1	0	0	0	0
25. Hirosaki Univ.	8	4	1	0	0	0	3
27. Kurume Univ.	16	5	0	0	0	0	11
29. Juntendo Univ.	9	4	1	0	0	0	4
32. Kagoshima Univ.	5	5	0	0	0	0	0
33. Hokkaido Univ.	0	0	0	0	0	0	0
34. Tokyo Med. Dent. Coll.	0	0	0	0	0	0	0
35. Miyazaki Pref. Hosp.	5	5	0	0	0	0	0
40. Mitsui Kinen Hosp.	8	7	0	0	0	0	1
41. Sapporo Med. Coll.	12	9	0	0	0	0	3
42. Red Cross Hosp. Wakayama	15	3	1	0	0	0	11
43. Kunii Hosp. (Yamagata)	2	2	0	0	0	0	0
44. Osaka Univ.	12	4	1	0	0	0	7
45. Kyoto Med. Coll.	9	9	0	0	0	0	0
46. Tokyo Women's Med. Coll.	12	9	2	0	0	0	1
47. Nagoya Univ.	0	0	0	0	0	0	0
48. Nagoya City Univ.	4	1	0	0	0	0	3
49. Kurashiki Central Hosp.	5	5	0	0	0	0	0
50. Red Cross Hosp. Okayama	7	6	1	0	0	0	0
53. Iwate Med. Coll.	9	8	0	0	1	0	0
54. Uchida Hosp. (Kanazawa)	9	7	1	0	0	0	1
57. Kanazawa National Hosp.	8	7	1	0	0	0	0
58. Kanto Teishin Hosp.	0	0	0	0	0	0	0
59. Kobe Chuo Muni. Hosp.	17	16	1	0	0	0	0
60. Tokyo Koseinenkin Hosp.	0	0	0	0	0	0	0
61. Yokohama City Univ.	12	7	1	0	0	0	4
63. Tottori Univ.	9	4	3	0	0	0	2
64. Red Cross Hosp. Morioka	7	7	0	0	0	0	0
67. Hiroshima Univ.	10	8	1	0	1	0	0

1997年 5 月

報 告

297

—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
68. Yamaguchi Univ.	8	6	1	0	0	0	1
70. Gunma Univ.	7	5	1	0	1	0	0
73. Osaka Kitano Hosp.	13	10	1	0	0	0	2
77. Chiba Univ.	0	0	0	0	0	0	0
80. Kawasaki Hosp. (Okayama)	3	1	1	0	0	1	0
81. Touma Hosp. (Saitama)	9	8	1	0	0	0	0
84. Nippon Med. Coll. Hosp. (II)	3	1	2	0	0	0	0
85. Nagoya National Hosp.	14	12	2	0	0	0	0
86. Kosei Hosp.	3	1	1	0	1	0	0
87. Hitachi Sogo Hosp.	3	3	0	0	0	0	0
88. Red Cross Hosp. Osaka	0	0	0	0	0	0	0
89. Nihon Univ.	0	0	0	0	0	0	0
90. I Red Cross Hosp. Nagoya	9	9	0	0	0	0	0
92. National Med. Center Hosp.	4	3	0	0	1	0	0
94. Kumamoto National Hosp.	7	5	1	0	0	0	1
96. Osaka Med. Coll.	14	13	1	0	0	0	0
97. Kyushu Univ. Seiiken	2	1	0	0	0	0	1
98. Tokyo Univ. Hosp.	1	0	0	0	1	0	0
100. Yamanashi Pref. Hosp.	1	0	1	0	0	0	0
101. National Cancer Center	35	22	11	0	1	0	1
102. Shizuoka Pref. Hosp.	4	2	1	0	0	0	1
103. Osaka Seijinbyo Center	18	12	3	0	2	0	1
105. Saiseikai Hosp. Okayama	0	0	0	0	0	0	0
106. Kokura National Hosp.	0	0	0	0	0	0	0
110. Osaka Police Hosp.	3	3	0	0	0	0	0
111. Hyogo Cancer Center	13	7	5	1	0	0	0
116. Aichi Cancer Center	16	15	0	0	1	0	0
117. Kanagawa Seijinbyo Center	22	14	7	0	1	0	0
118. Oita Pref. Hosp.	0	0	0	0	0	0	0
119. Toyama Pref. Hosp.	11	10	0	0	0	0	1
120. Tokushima Univ.	8	4	1	0	0	0	3
122. Niigata Cancer Center	18	17	0	0	1	0	0
123. Hiroshima Muni. Hosp.	0	0	0	0	0	0	0
124. I Red Cross Hosp. Kyoto	1	0	1	0	0	0	0
125. Yamagata Pref. Hosp.	6	4	0	0	1	0	1
126. Wakayama Med. Coll.	3	1	0	0	1	0	1
128. Kagawa Pref. Hosp.	2	2	0	0	0	0	0
129. Kagoshima Muni. Hosp.	12	6	3	0	0	0	3
130. Fukuyama National Hosp.	8	8	0	0	0	0	0
131. Tokyo Med. Univ.	8	2	0	0	0	1	5
132. Shikoku Cancer Center	12	7	2	0	1	0	2
133. Kawasaki Muni. Hosp.	10	4	1	0	0	0	5
136. Onomichi Hosp.	6	4	1	1	0	0	0
137. Kumamoto Muni. Hosp.	7	4	3	0	0	0	0
139. Kyoundo Hosp.	3	3	0	0	0	0	0
140. Kyushu Koseinenkin Hosp.	10	9	1	0	0	0	0
141. Kure National Hosp.	10	8	2	0	0	0	0
142. Kochi Pref. Central Hosp.	9	7	2	0	0	0	0
143. Gunma Pref. Cancer Center	10	7	1	1	1	0	0
146. Tenri Yoroazu Hosp.	20	17	3	0	0	0	0
147. Kasumigaura National Hosp.	5	2	1	0	2	0	0

—A—	—B—	—C—	—D—	—E—	—F—	—G—	—H—
Institution	Total No. Treated	Alive with no Evidence of the Disease	Died of Carcinoma	Died from Other Malignant Tumor	Died from Intercurrent Disease	Cause of Death Unknown	Lost Sight of or Untraced
148. Chiba Pref. Cancer Center	9	9	0	0	0	0	0
149. Kyushu Cancer Center	10	8	2	0	0	0	0
150. Red Cross Hosp. Nagano	17	9	7	0	1	0	0
151. Chiba Muni. Hosp.	6	6	0	0	0	0	0
152. Kanazawa Med. Coll.	0	0	0	0	0	0	0
154. Ryukyu Univ.	0	0	0	0	0	0	0
156. Fukui Pref. Hosp.	5	2	1	0	2	0	0
157. Saitama Cancer Center	16	11	5	0	0	0	0
158. Kinki Univ.	15	15	0	0	0	0	0
159. Nagasaki Atomic Bomb Hosp.	5	3	1	1	0	0	0
161. Toritsu Komagome Hosp.	14	13	1	0	0	0	0
163. Jichi Med. Coll.	0	0	0	0	0	0	0
166. Tochigi National Hosp.	3	1	0	0	0	0	2
167. St. Marianna Univ.	2	1	0	0	0	0	1
168. Kitazato Univ.	19	13	4	1	0	0	1
170. Kansai Rosai Hosp.	2	2	0	0	0	0	0
171. Kyoto Muni. Hosp.	13	7	0	0	0	0	6
173. Asahikawa Med. Coll.	0	0	0	0	0	0	0
174. Wakayama Rosai Hosp.	5	3	1	0	1	0	0
175. Shimane Med. Coll.	8	8	0	0	0	0	0
178. Toyama Med. Coll.	3	2	1	0	0	0	0
179. Tsukuba Univ.	12	8	4	0	0	0	0
180. Hyogo Med. Coll.	6	2	2	0	0	0	2
181. Aichi Med. Coll.	0	0	0	0	0	0	0
182. Bouei Med. Coll.	0	0	0	0	0	0	0
183. Kochi Med. Coll.	7	4	2	0	0	0	1
184. II Red Cross Hosp. Kyoto	15	10	4	0	0	0	1
185. Saga Med. Coll.	4	2	1	0	1	0	0
186. Red Cross Hosp. Nagaoka	16	12	1	0	1	0	2
187. Ehime Univ.	7	5	1	0	0	0	1
189. Teikyo Univ.	0	0	0	0	0	0	0
190. Himeji National Hosp.	10	10	0	0	0	0	0
191. Hamamatsu Med. Coll.	8	5	1	0	0	0	2
192. Kagawa Med. Coll.	6	5	1	0	0	0	0
194. II Tokyo National Hosp.	15	12	2	0	0	0	1
195. Toritsu Fuchu Hosp.	0	0	0	0	0	0	0
196. Yamagata Univ.	9	8	0	0	1	0	0
197. Yokkaichi Muni. Hosp.	2	1	0	0	0	0	1
198. Yamanashi Med. Coll.	0	0	0	0	0	0	0
200. Sasebo Kyosai Hosp.	0	0	0	0	0	0	0
201. Kosei Central Hosp.	0	0	0	0	0	0	0
**	1,125	794	163	9	26	3	130

4b. 総 括

1986年治療例
(116機関の集計)

1. Stage distribution

Stage		No. of cases (%)	Subtotal No. of Cases in each stage (%)
I	a	488 (43.4)	793 (70.5)
	b	302 (26.8)	
	not cl.	3 (0.3)	
II		221 (19.6)	221 (19.6)
III		69 (6.1)	69 (6.1)
IV	a	13 (1.2)	42 (3.7)
	b	19 (1.7)	
	not cl.	10 (0.9)	
Total			1,125 (100.0)

※ not cl. : not classified

(116機関)

2. Age distribution

Age		—19		20—29		30—39		40—49		50—59		60—69		70—79		80—		Total	
Stage		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
I	a	1	0.1	3	0.3	30	2.7	60	5.3	204	18.1	138	12.3	44	3.9	8	0.7	488	43.4
	b	0	—	2	0.2	16	1.4	83	7.4	102	9.1	68	6.0	26	2.3	5	0.4	302	26.8
	not cl.	0	—	0	—	0	—	0	—	1	0.1	1	0.1	1	0.1	0	—	3	0.3
	total	1	0.1	5	0.4	46	4.1	143	12.7	307	27.3	207	18.4	71	6.3	13	1.2	793	70.5
II		0	—	3	0.3	11	1.0	36	3.2	93	8.3	48	4.3	26	2.3	4	0.4	221	19.6
III		0	—	0	—	3	0.3	11	1.0	25	2.2	19	1.7	10	0.9	1	0.1	69	6.1
IV	a	0	—	0	—	1	0.1	1	0.1	4	0.4	3	0.3	3	0.3	1	0.1	13	1.2
	b	0	—	0	—	0	—	4	0.4	7	0.6	6	0.5	2	0.2	0	—	19	1.7
	not cl.	0	—	0	—	0	—	0	—	6	0.5	3	0.3	1	0.1	0	—	10	0.9
	total	0	—	0	—	1	0.1	5	0.4	17	1.5	12	1.1	6	0.5	1	0.1	42	3.7
Total		1	0.1	8	0.7	61	5.4	195	17.3	442	39.3	286	25.4	113	10.0	19	1.7	1,125	100.0

※ not cl. : not classified

(116機関)

3. Type of treatment

Treatment		Surgery								Radiation				Chem. Immun. Hormon		Others		Total	
		alone		Rad.		Rad. Chem. Immun. Hormon		Chem. Immun. Hormon		alone		Chem. Immun. Hormon							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
I	a	291	25.9	39	3.5	27	2.4	120	10.7	5	0.4	4	0.4	2	0.2	0	-.-	488	43.4
	b	137	12.2	38	3.4	18	1.6	104	9.2	2	0.2	2	0.2	0	-.-	1	0.1	302	26.8
	not cl.	1	0.1	0	-.-	0	-.-	2	0.2	0	-.-	0	-.-	0	-.-	0	-.-	3	0.3
II		64	5.7	53	4.7	36	3.2	59	5.2	5	0.4	3	0.3	1	0.1	0	-.-	221	19.6
III		3	0.3	9	0.8	22	2.0	14	1.2	8	0.7	11	1.0	1	0.1	1	0.1	69	6.1
IV	a	0	-.-	1	0.1	1	0.1	5	0.4	2	0.2	2	0.2	2	0.2	0	-.-	13	1.2
	b	0	-.-	3	0.3	1	0.1	7	0.6	1	0.1	2	0.2	4	0.4	1	0.1	19	1.7
	not cl.	3	0.3	2	0.2	0	-.-	2	0.2	1	0.1	1	0.1	1	0.1	0	-.-	10	0.9
Total		499	44.4	145	12.9	105	9.3	313	27.8	24	2.1	25	2.2	11	1.0	3	0.3	1,125	100.0

 ※ Rad.=Radiation Chem.=Chemotherapy Immun.=Immunotherapy
 Hormon=Hormon Therapy not cl. : not classified

(116機関)

4. 5 years result treatment started in 1986

5 years result	No. of patients	%
1. Alive at 5 years	794	70.6
2. Died of carcinoma of the corpus	163	14.5
3. Lost sight of	109	9.7
4. Died from intercurrent disease	59	5.2
Total	1,125	100.0

(116機関)

5. 5 years survival in the different stages treatment started in 1986

Stage		Patients treated		5 years survival			
		No.	No.	No.	No.	%	%
I	a		488		392		80.3
	b	793	302	620	225	78.2	74.5
	not cl.		3		3		100.0
II		221		144		65.2	
III		69		23		33.3	
IV	a		13		2		15.4
	b	42	19	7	3	16.7	15.8
	not cl.		10		2		20.0
Total		1,125		794		70.6	

※ not cl.: not classified

(116機関)

6. 5 years survival by histological type treatment started in 1986

Histological type	Patients treated		5 years survival	
	No.	%	No.	%
Adenocarcinoma	970	86.3	700	72.2
Grade 1	515	45.8	415	80.6
Grade 2	289	25.7	198	68.5
Grade 3	89	7.9	42	47.2
Not graded	77	6.9	45	58.4
Adenosquamous carcinoma (Adenoacanthoma)	79	7.0	51	64.6
Mixed mesodermal tumors	29	2.6	14	48.3
Squamous carcinoma	26	2.3	20	76.9
Others	20	1.8	9	45.0
Total	1,124	100.0	794	70.6

(116機関)

7. 5 years survival by stage and histological type treatment started in 1986

Stage	Histology	Patients treated		5 years survival	
		No.	%	No.	%
I	Adenocarcinoma	698	72.0	550	78.8
	Adenosquamous ca.	48	60.8	37	77.1
	Others	47	61.8	33	70.2
II	Adenocarcinoma	190	19.6	126	66.3
	Adenosquamous ca.	19	24.1	12	63.2
	Others	12	15.8	6	50.0
III	Adenocarcinoma	49	5.1	17	34.7
	Adenosquamous ca.	9	11.4	2	22.2
	Others	11	14.5	4	36.4
IV	Adenocarcinoma	33	3.4	7	21.2
	Adenosquamous ca.	3	3.8	0	0.0
	Others	6	7.9	0	0.0
Total	Adenocarcinoma	970	100.0	700	72.2
	Adenosquamous ca.	79	100.0	51	64.6
	Others	76	100.0	43	56.6

(116機関)

8a. Results of therapy by histological type and treatment applied started in 1986

Stage	Treatment Histology	Surgery											
		Alone			Radiation			Radiation other comb.			Chem. Immun. Hormon		
		No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival	
			No.	%		No.	%		No.	%		No.	%
I	Adenocarcinoma	393	325	82.7	66	47	71.2	38	28	73.7	188	146	77.7
	Adenosquamous ca.	16	15	93.8	9	6	66.7	6	3	50.0	15	13	86.7
	Others	20	14	70.0	2	1	50.0	1	1	100.	23	17	73.9
II	Adenocarcinoma	57	40	70.2	47	36	76.6	31	19	61.3	47	28	59.6
	Adenosquamous ca.	3	2	66.7	4	1	25.0	3	1	33.3	9	8	88.9
	Others	4	1	25.0	2	2	100.0	2	1	50.0	3	1	33.3
III	Adenocarcinoma	2	1	50.0	7	3	42.9	14	6	42.9	11	6	54.5
	Adenosquamous ca.	0	-	-.-	1	0	0.0	5	2	40.0	0	-	-.-
	Others	1	1	100.0	1	0	0.0	3	1	33.3	3	2	66.7
IV	Adenocarcinoma	1	0	0.0	5	1	20.0	1	0	0.0	11	3	27.3
	Adenosquamous ca.	1	0	0.0	0	-	-.-	0	-	-.-	1	0	0.0
	Others	1	0	0.0	1	0	0.0	1	0	0.0	2	0	0.0
Total	Adenocarcinoma	453	366	80.8	125	87	69.6	84	53	63.1	257	183	71.2
	Adenosquamous ca.	20	17	85.0	14	7	50.0	14	6	42.9	25	21	84.0
	Others	26	16	61.5	6	3	50.0	7	3	42.9	31	20	64.5

8b. Results of therapy by histological type and treatment applied started in 1986

Stage	Treatment Histology	Radiation alone or comb. others			Chem. Immun. Hormon			Others		
		No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival	
			No.	%		No.	%		No.	%
I	Adenocarcinoma	11	4	36.4	1	0	0.0	1	0	0.0
	Adenosquamous ca.	1	0	0.0	1	0	0.0	0	-	-.-
	Others	1	0	0.0	0	-	-.-	0	-	-.-
II	Adenocarcinoma	8	3	37.5	0	-	-.-	0	-	-.-
	Adenosquamous ca.	0	-	-.-	0	-	-.-	0	-	-.-
	Others	0	-	-.-	1	1	100.0	0	-	-.-
III	Adenocarcinoma	14	1	7.1	1	0	0.0	0	-	-.-
	Adenosquamous ca.	2	0	0.0	0	-	-.-	1	0	0.0
	Others	3	0	0.0	0	-	-.-	0	-	-.-
IV	Adenocarcinoma	8	2	25.0	6	1	16.7	1	0	0.0
	Adenosquamous ca.	1	0	0.0	0	-	-.-	0	-	-.-
	Others	0	-	-.-	1	1	100.0	0	-	-.-
Total	Adenocarcinoma	41	10	24.4	8	1	12.5	2	0	0.0
	Adenosquamous ca.	4	0	0.0	1	0	0.0	1	0	0.0
	Others	4	0	0.0	2	1	50.0	0	-	-.-

(116機関)

9. 5 years survival by TNM group staging

TNM Stage	Patients treated		5 years survival	
	No.	%	No.	%
T1a N0 M0	29	30.9	23	79.3
T1b N0 M0	20	21.3	15	75.0
T2b N0 M0	23	24.5	16	69.6
T1 N1 M0	4	4.3	1	25.0
T2 N1 M0	5	5.3	4	80.0
T3 AnyN M0	7	7.4	3	42.9
T4 AnyN M0	4	4.3	0	0.0
AnyT AnyN M1	2	2.1	0	0.0
Total	94	100.0	62	66.0

(116機関)

10. 5 years survival by pTNM group staging

pTNM Stage	Patients treated		5 years survival	
	No.	%	No.	%
T1a N0 M0	292	38.2	249	85.3
T1b N0 M0	191	25.0	149	78.0
T2b N0 M0	126	16.5	96	76.2
T1 N1 M0	40	5.2	21	52.5
T2 N1 M0	19	2.5	6	31.6
T3 AnyN M0	64	8.4	31	48.4
T4 AnyN M0	10	1.3	1	10.0
AnyT AnyN M1	22	2.9	4	18.2
Total	764	100.0	557	73.0

(116機関)

11. Adenocarcinoma of the corpus uteri, mean age by stage and grade of differentiation

Grade of differentiation	Stage I	Stage II	Stage III	Stage IV
Grade 1	55.2	56.8	61.1	57.8
Grade 2	57.4	55.7	58.0	62.3
Grade 3	59.5	57.7	56.3	63.9
Not graded	56.9	56.2	61.3	55.5

(116機関)

12. Adenocarcinoma of the corpus uteri, 5 years survival by histological grade and stage of disease

Histological Grade.	Stage Ia			Stage Ib			Stage I not cl.		
	No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival	
		No.	%		No.	%		No.	%
Grade 1	267	227	85.0	147	117	79.6	0	-	-
Grade 1	113	89	78.8	71	53	74.6	1	1	100.0
Grade 1	27	16	59.3	12	9	75.0	1	1	100.0
Not graded	34	21	61.8	24	15	62.5	1	1	100.0
Total	441	353	80.0	254	194	76.4	3	3	100.0

Histological Grade.	Stage II			Stage III			Stage IV		
	No. Treated	5 years survival		No. Treated	5 years survival		No. Treated	5 years survival	
		No.	%		No.	%		No.	%
Grade 1	86	66	76.7	10	4	40.0	5	1	20.0
Grade 2	70	43	61.4	19	8	42.1	15	4	26.7
Grade 3	24	10	41.7	14	5	35.7	11	1	9.1
Not graded	10	7	70.0	6	0	0.0	2	1	50.0
Total	190	126	66.3	49	17	34.7	33	7	21.2

(116機関)

5. 婦人科腫瘍委員会委員 委員長 工藤 隆一

副委員長 薬師寺道明

 委 員 大濱 紘三, 後藤 節子, 園田 隆彦, 高山 雅臣, 塚本 直樹
 寺川 直樹, 野澤 志朗, 荷見 勝彦

6. 既刊会報目録

1. 子宮癌の管理と登録 (単行本)

	委員会創立10周年記念出版
子宮頸癌 Ia 期分類基準試案	八木日出雄編著「診断と治療社」発行昭和38年 9 月 1 日
子宮頸癌登録実施要項	子宮頸癌 Ia 期検討委員会編 篠原出版 K.K. 発行昭和52年12月 5 日
子宮体癌登録実施要項	子宮癌登録委員会 昭和54年12月 1 日
	子宮癌登録委員会 昭和58年12月 1 日
2. 第 5 回治療年報, 1953~1957年に治療した子宮頸癌の 5 年及び 7 年治癒成績並びに子宮体癌の 5 年治癒成績

	日産婦誌 16巻 3 号175頁掲載, 昭和39年 3 月 1 日 (No. 25)
--	--
- 第 6 回治療年報, 1953~1958年に治療した子宮頸癌の 5 年及び 7 年治癒成績並びに子宮体癌の 5 年治癒成績

	日産婦誌 17巻 3 号245頁掲載, 昭和40年 3 月 1 日 (No. 28)
--	--
- 第 7 回治療年報, 1953~1959年に治療した子宮頸癌の 5 年及び 7 年治癒成績並びに子宮体癌の 5 年治癒成績

	日産婦誌 18巻 3 号219頁掲載, 昭和41年 3 月 1 日 (No. 30)
--	--
- 第 8 回治療年報, 1953~1960年に治療した子宮頸癌の 5 年及び 7 年治癒成績並びに子宮体癌の 5 年治癒成績

	日産婦誌 19巻 3 号299頁掲載, 昭和42年 3 月 1 日 (No. 32)
--	--
- 第 9 回治療年報, 1953~1961年に治療した子宮頸癌の 5 年及び 7 年治癒成績並びに子宮体癌の 5 年治癒成績

	日産婦誌 20巻 3 号285頁掲載, 昭和43年 3 月 1 日 (No. 34)
--	--
- 第10回治療年報, 1953~1962年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 21巻 4 号285頁掲載, 昭和44年 4 月 1 日 (No. 36)
--	--
- 第11回治療年報, 1954~1963年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 22巻 3 号263頁掲載, 昭和45年 3 月 1 日 (No. 38)
--	--
- 第12回治療年報, 1955~1964年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 23巻 4 号327頁掲載, 昭和46年 4 月 1 日 (No. 40)
--	--
- 第13回治療年報, 1956~1965年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 24巻 4 号291頁掲載, 昭和47年 4 月 1 日 (No. 42)
--	--
- 第14回治療年報, 1957~1966年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 25巻 4 号311頁掲載, 昭和48年 4 月 1 日 (No. 44)
--	--
- 第15回治療年報, 1958~1967年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 26巻 5 号417頁掲載, 昭和49年 5 月 1 日 (No. 46)
--	--
- 第16回治療年報, 1959~1968年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 27巻 4 号289頁掲載, 昭和50年 4 月 1 日 (No. 48)
--	--
- 第17回治療年報, 1960~1969年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 28巻 5 号531頁掲載, 昭和51年 5 月 1 日 (No. 50)
--	--
- 第18回治療年報, 1961~1970年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 29巻 6 号753頁掲載, 昭和52年 6 月 1 日 (No. 52)
--	--
- 第19回治療年報, 1962~1971年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 30巻 6 号609頁掲載, 昭和53年 6 月 1 日 (No. 54)
--	--
- 第20回治療年報, 1963~1972年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 31巻 6 号763頁掲載, 昭和54年 6 月 1 日 (No. 56)
--	--
- 第21回治療年報, 1964~1973年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 32巻 7 号967頁掲載, 昭和55年 7 月 1 日 (No. 58)
--	--
- 第22回治療年報, 1965~1974年に治療した子宮頸癌の 5 年, 7 年及び10年治癒成績並びに子宮体癌の 5 年, 7 年及び10年治癒成績

	日産婦誌 33巻 6 号849頁掲載, 昭和56年 6 月 1 日 (No. 60)
--	--

- 第23回治療年報, 1966～1975年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 34巻 7 号991頁掲載, 昭和57年 7 月 1 日 (No. 62)
- 第24回治療年報, 1967～1976年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 35巻 7 号1011頁掲載, 昭和58年 7 月 1 日 (No. 64)
- 第25回治療年報, 1968～1977年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 36巻10号1977頁掲載, 昭和59年10月 1 日 (No. 66)
- 第26回治療年報, 1969～1978年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 37巻 7 号1247頁掲載, 昭和60年 7 月 1 日 (No. 68)
- 第27回治療年報, 1970～1979年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 38巻12号2309頁掲載, 昭和61年12月 1 日 (No. 70)
- 第28回治療年報, 1971～1980年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 40巻 2 号271頁掲載, 昭和63年 2 月 1 日 (No. 72)
- 第29回治療年報, 1972～1981年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 45巻 2 号161頁掲載, 平成 5 年 2 月 1 日 (No. 75)
- 第30回治療年報, 1973～1982年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 45巻 3 号275頁掲載, 平成 5 年 3 月 1 日 (No. 76)
- 第31回治療年報, 1974～1983年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 46巻 2 号149頁掲載, 平成 6 年 2 月 1 日 (No. 79)
- 第32回治療年報, 1975～1984年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 46巻 9 号935頁掲載, 平成 6 年 9 月 1 日 (No. 81)
- 第33回治療年報, 1976～1985年に治療した子宮頸癌の 5 年, 7 年及び10年治療成績並びに子宮体癌の 5 年, 7 年及び10年治療成績 日産婦誌 47巻 9 号967頁掲載, 平成 7 年 9 月 1 日 (No. 82)

3. 委員会会報 No. 1～No. 23までは「子宮癌の管理と登録」に記載
- No. 24 日産婦誌 15巻12号1197頁, 昭和38年10月 1 日
- No. 26 日産婦誌 16巻 5 号 353頁, 昭和39年 5 月 1 日
- No. 27 日産婦誌 16巻 9 号 915頁, 昭和39年 9 月 1 日
- No. 29 日産婦誌 17巻 8 号 925頁, 昭和40年 8 月 1 日
- No. 31 日産婦誌 18巻 7 号 679頁, 昭和41年 7 月 1 日
- No. 33 日産婦誌 19巻 7 号 683頁, 昭和42年 7 月 1 日
- No. 35 日産婦誌 20巻 9 号1233頁, 昭和43年 9 月 1 日
- No. 37 日産婦誌 21巻 9 号1183頁, 昭和44年 9 月 1 日
- No. 39 日産婦誌 22巻 9 号1093頁, 昭和45年 9 月 1 日
- No. 41 日産婦誌 23巻 9 号 928頁, 昭和46年 9 月 1 日
- No. 43 日産婦誌 24巻10号1163頁, 昭和47年10月 1 日
- No. 45 日産婦誌 25巻11号1287頁, 昭和48年11月 1 日
- No. 47 日産婦誌 26巻10号1167頁, 昭和49年10月 1 日
- No. 49 日産婦誌 27巻10号1167頁, 昭和50年11月 1 日
- No. 51 日産婦誌 28巻12号1537頁, 昭和51年12月 1 日
- No. 53 日産婦誌 29巻12号1779頁, 昭和52年12月 1 日
- No. 55 日産婦誌 30巻11号1469頁, 昭和53年11月 1 日
- No. 57 日産婦誌 31巻11号1961頁, 昭和54年11月 1 日
- No. 59 日産婦誌 33巻 4 号 545頁, 昭和56年 4 月 1 日
- No. 61 日産婦誌 34巻 3 号 401頁, 昭和57年 3 月 1 日
- No. 63 日産婦誌 35巻 5 号 737頁, 昭和58年 5 月 1 日

No. 65	日産婦誌	36巻3号	467頁, 昭和59年3月1日
No. 67	日産婦誌	37巻5号	825頁, 昭和60年5月1日
No. 69	日産婦誌	38巻6号	983頁, 昭和61年6月1日
No. 71	日産婦誌	39巻10号	1927頁, 昭和62年10月1日
No. 73	日産婦誌	44巻11号	1487頁, 平成4年11月1日
No. 74	日産婦誌	45巻1号	57頁, 平成5年1月1日
No. 77	日産婦誌	45巻5号	483頁, 平成5年5月1日
No. 78	日産婦誌	45巻9号	1053頁, 平成5年9月1日
No. 80	日産婦誌	46巻4号	369頁, 平成6年4月1日
No. 81	日産婦誌	47巻2号	177頁, 平成7年2月1日
No. 82	日産婦誌	48巻6号	441頁, 平成8年6月1日
No. 83	日産婦誌	49巻1号	41頁, 平成9年1月1日

*臨時報告 現在の治療方法(1969年)に関する記述

日産婦誌 22巻9号1093頁, 昭和45年9月1日

登録に関する原則

日産婦誌 31巻6号 761頁, 昭和54年6月1日

進行期について

日産婦誌 23巻1号 68頁, 昭和46年1月1日

日産婦誌 23巻7号 593頁, 昭和46年7月1日

日産婦誌 27巻7号 589頁, 昭和50年7月1日

日産婦誌 29巻6号 749頁, 昭和52年6月1日

日産婦誌 30巻12号1755頁, 昭和53年12月1日

編 集 後 記

遅れていた治療年報の作成がやっと進み始めました。特に今回は大幅な縮小および総括の充実をとの要求を受けて登録実務委員会で何度も検討を行い、婦人科腫瘍委員会でも検討を加えた結果です。縮小の面からはかなりスリムにできたと思われませんが、総括の充実の面では不満の残る部分もあります。しかし、現状のデーター保存形態ではこの程度が限界かと思われました。今後は遅れを取り戻すべく作業を進めているところです。今後も、皆さまのご協力をお願い致します。

平成9年3月

子宮癌登録実務委員会

委員長 薬師寺道明