

Technical Reports of
Japan Marine Science and Technology Center
(JAMSTEC)

— The 3rd Symposium on Deep-sea Research
Using the Submersible "SHINKAI 2000" System —

Special Issue

August 1987

CONTENTS

1. The results of a diving survey by the submersible "SHINKAI 2000" at the upper slope of the northernmost end of Suruga Trough, off the mouth of the Fuji River	1
Mikio Satomura, Ken-ichi Ohtsuka and Nobuaki Niitsuma	
2. Precise Gravity Measurement on the Floor of the Suruga Trough, and Results of Geological Observations on the Trough Floor and Its Shizuoka Slope	15
Mikio Satomura, Ken-ichi Ohtsuka and Nobuaki Niitsuma	
3. Development of a Deep-sea Current Meter for "SHINKAI 2000"	25
Hiroharu Hagiwara, Toshiyuki Nakanishi, Hideyuki Morihana, Koki Midorikawa and Satoshi Suyama	
4. Ecological Observation of <i>Sergia lucens</i> and other deep-sea organisms at 300-400 m depth in Suruga Bay	31
Fumio Muranaka	
5. Surveys of the deep-sea communities dominated by the giant clam, <i>Calyptogena soyoae</i> , along the slope foot of Hatsushima Island, Sagami Bay	37
Jun Hashimoto, Takeo Tanaka, Seiji Matsuzawa and Hiroshi Hotta	
6. Report on multi-Disciplinary investigations of the <i>Calyptogena</i> communities at the Hatsushima site-I	51
Suguru Ohta, Hitoshi Sakai, Asahiko Taira, Kouichi Ohwada, Teruaki Ishii, Masachika Maeda, Kantaro Fujioka, Toshiro Saino, Kazuhiro Kogure, Toshitaka Gamo, Yoshihisa Shirayama, Toshio Furuta, Tokio Ishizuka, Keiko Endow, Takayuki Sumi, Hiroshi Hotta, Jun Hashimoto, Nobuhiko Handa, Toshiyuki Masuzawa and Masuoki Horikoshi	
7. A simple detection method for symbiotic bacteria in epoxy resin-embedded tissues using acridine orange staining	61
Keiko Endow, Hitoshi Sakai and Suguru Ohta	
8. Ecological studies of meiobenthos in a <i>Calyptogena</i> -dominant community developing off Hatsushima, Central Japan	69
Yoshihisa Shirayama	
9. <i>Calyptogena</i> colonies on the seabed off Hatsushima, Sagami Bay	75
— A geochemical study with "SHINKAI 2000" —	
Hitoshi Sakai, Toshitaka Gamo, Keiko Endow, Jun-ichiro Ishibashi, Fumitaka Yanagisawa, Minoru Kusakabe, Tasuku Akagi, Toshio Ishizuka, Masako Kidera, George Igarashi and Suguru Ohta	
10. Preliminary studies on the chemical nature of organic materials in the deep-sea sediment associated with benthic communities off Hatsushima Island of Sagami Bay	91
Nobuhiko Handa and Toshiyuki Masuzawa	
11. Pore water chemistry of sediment cores collected from a giant clam colony off Hatsushima Island, Sagami Bay, Japan	99
Toshiyuki Masuzawa and Nobuhiko Handa	
12. A γ -Ray Spectral Survey on Giant Clam (<i>Calyptogena soyoae</i>) Colonies Using the Submersible "SHINKAI 2000"	105
Norio Yoshida and Hiroaki Tsukahara	
13. An investigation of the behavior of <i>Metanephrops japonicus</i> in the presence of fishing gear	113
Yutaka Sugo and Kimiaki Egawa	
14. Observations on the behavior and ecology of the Japanese lobster, <i>Metanephrops japonicus</i> , in Sagami Bay	121
Kikuo Hiramoto	
15. Geology and microtopography of the northern part of the Hachijyo depression	127
Jiro Naka, Takeo Tanaka, Hiroyasu Momma, Hiroshi Hotta and Alexander Malahoff	
16. Submarine andesite knoll — A deep-sea survey by "SHINKAI 2000" in the Mikura basin —	139
Kantaro Fujioka, Takeo Tanaka, Yo Iwabuchi, Kazuhide Koga and Hiroshi Hotta	

17. Research on the distribution and behavior of bottom fishes in the kurose area Takuo Takenouchi	159
18. Submersible "SHINKAI 2000" Study on the Central Rift in the Middle Okinawa Trough Masaaki Kimura, Yuzo Kato, Takeo Tanaka, Jiro Naka, Toshitake Gamo, Makoto Yamano, Masataka Ando, Seiya Ueda, Hitoshi Sakai, Tamotsu Oomori, Eiji Izawa, Masaru Kanenaga, Tomonori Ono and Atsushi Oshida	165
19. Major and trace element abundances and D/H, $^{18}\text{O}/^{16}\text{O}$, $^{87}\text{Sr}/^{86}\text{Sr}$ and $^{143}\text{Nd}/^{144}\text{Nd}$ ratios in rocks of the Okinawa Trough Hiroji Honma, Minoru Kusakabe, Hiroo Kagami, Shigeru Iizumi, Hitoshi Sakai, Sachio Kodama and Masaaki Kimura	197
20. Geochemistry of hydrothermal solutions in the Okinawa Trough : Report on Dive 235 of the "SHINKAI 2000" Toshitaka Gamo, Jun-ichiro Ishibashi, Hitoshi Sakai, Masako Kodera, George Igarashi, Minoru Ozima, Tasuku Akagi and Akimasa Masuda	213
21. Oxygen isotope ratio and trace element composition of hydrothermal sediments from Okinawa Trough, collected with "SHINKAI 2000", Dive 231 Harue Masuda, Jun-ichiro Ishibashi, Yuzo Kato, Toshitaka Gamo and Hitoshi Sakai	225
22. Deformed micro scale topography in the epicentral area of the Nihon-kai Chubu earthquake, 1983 Takeo Tanaka, Hiroyasu Momma, Takeshi Matsumoto and Hiroshi Hotta	233
23. A Survey Deep-sea Megalo-epibenthos in the Mogami Trough Using the Deep-sea Research Submersible "SHINKAI 2000" and the Deep-Towed Color TV System Seiji Matsuzawa and Jun Hashimoto	251
24. Distribution and Ecology of Deep-sea Organisms in the Japan Sea — Especially the Western Region of the Tsugaru Straits — Toshiaki Wakutsubo and Eiichi Koganezaki	261
25. Distribution and Ecology of the Pink shrimp, <i>Pandalus borealis</i> Kroyer, in the Yamato Bank Shinya Yasuda	267
26. A dive list using the submersible "SHINKAI 2000" (after 1985)	273