

Izutsu, K., Fujimaki, Y., Kuwabara, A. and Aoyagi, N.: **Effect of counterions on the physical properties of L-arginine in frozen solutions and freeze-dried solids.**
Int. J. Pharm., **301**, 161-169 (2005).

Keywords: freeze-drying, molecular interaction, amorphous, formulation

Izutsu, K., Fujimaki, Y., Kuwabara, A., Hiyama, Y., Yomota, C. and Aoyagi, N.: **Near-infrared analysis of protein secondary structure in aqueous solutions and freeze-dried solids.**
J. Pharm. Sci., **95**, 781-789 (2006).

Keywords: freeze-drying, secondary structure, near-infrared spectroscopy, protein formulation

Yoshioka, S., Aso, Y. and Miyazaki, T.: **Negligible contribution of molecular mobility to the degradation rate of insulin lyophilized with poly(vinylpyrrolidone).**
J. Pharm. Sci., **95**, 939-643 (2006).

Keywords: solid state stability, glass transition, molecular mobility

Yoshioka, S. and Aso, Y.: **Comparison of the glass transition temperature and fragility parameter of isomalto-oligomer predicted by molecular dynamics simulations with those measured by differential scanning calorimetry.**
Chem. Pharm. Bull., **53**, 1443-1445 (2005).

Keywords: molecular dynamics simulation, glass transition, fragility

Yoshioka, S. and Aso, Y.: **A quantitative assessment of the significance of molecular mobility as a determinant for the stability of lyophilized insulin formulations.**
Pharm. Res., **22**, 1358-1364 (2005).

Keywords: molecular mobility, glass transition temperature, insulin

Aso, Y. and Yoshioka, S.: **Molecular Mobility of Nifedipine-PVP and Phenobarbital-PVP Solid Dispersions as Measured by ¹³C-NMR Spin-Lattice Relaxation Time.**
J. Pharm. Sci., **95**, 318-325 (2006).

Keywords: Spin-lattice relaxation time, Solid dispersion, Stability

小山靖人, 檜山行雄: **医薬品製剤GMPガイドライン - これからのGMPのあるべき姿と国際調和**

PHARMA TECH JAPAN, **21**, 1365-1376 (2005).

Keywords: GMP, guideline, pharmaceutical quality

檜山行雄, 坂本知昭: **GMPをめぐる動向について**
医薬品研究, **37**(1), 42-56 (2006).

Keywords: pharmaceutical quality, GMP, ICH

檜山行雄: **品質に関するトピックの動向 - Q9 -**
医薬品研究, **37**(2), 131-139 (2006).

Keywords: ICH, risk management, pharmaceutical quality

Tagawa, H.* , Kizuka, Y.* , Ikeda, T.* , Itoh, S., Kawasaki, N., Kurihara, H.* , Onozato, H.* , Tojo, A.* , Sakai, T.* , Kawasaki, T.* and Oka, S.* : **A non-sulfated form of the NHK-1 carbohydrate is specifically expressed in mouse kidney.**

J. Biol. Chem., **280**, 23876-23883 (2005).

Keywords: HNK-1, glucuronyltransferases, CD13/aminopeptidase N

*京都大学大学院

Hirano, M.* , Ma, B. Y.* , Kawasaki, N., Okimura, K.* , Baba, M.* , Nakagawa, T.* , Miwa, K.* , Kawasaki, N.* , Oka, S.* and Kawasaki, T.* : **Mannan-binding (and protein blocks the activation of metalloproteases meprin.**

J. Immunol., **175**, 3177-3185 (2005).

Keywords: meprin, mannan-binding protein, MBP ligands
*京都大学大学院

Hashii, N., Kawasaki, N., Itoh, S., Hyuga, M., Kawanishi, T. and Hayakawa, T.: **Glycomic/glycoproteomic analysis by LC/MS: Analysis of glycan structural alternation in the cells.**

Proteomics, **5**, 4665-4672 (2005).

Keywords: LC/MS, N-acetylglucosaminyltransferase III, oligosaccharide

Itoh, S., Kawasaki, N., Harazono, A., Hashii, N., Matsuishi, Y., Kawanishi, T. and Hayakawa, T.: **Characterization of a gel-separated unknown glycoprotein by liquid chromatography/ multiple tandem mass spectrometry. Analysis of rat brain Thy-1 separated by sodium dodecyl sulfate-polyacrylamide gel electrophoresis.**

J. Chromatogr. A, **1094**, 105-1017 (2005).

Keywords: LC/MS, SDS-PAGE, Thy-1

Itoh, S., Kawasaki, N., Hashii, N., Harazono, A., Matsuishi, Y., Hayakawa, T. and Kawanishi, T.: **N-linked oligosaccharide analysis by liquid chromatography with graphitized carbon column/ liner ion trap-Fourier transform ion cyclotron resonance mass spectrometry in positive and negative ion modes.**

J. Chromatogr. A, **1103**, 296-306 (2006).

Keywords: LC/MS, FT-ICR-MS, Thy-1

Harazono, A., Kawasaki, N., Itoh, S., Hashii, N., Ishii-Watabe, A., Kawanish, T. and Hayakawa, T.: **Site-specific N-glycosylation analysis of human plasma ceruloplasmin using liquid chromatography/ electrospray ionization tandem mass spectrometry.**

Anal. Biochem., **348**, 259-268 (2006).

Keywords: LC/MS, ceruloplasmin, site-specific glycosylation analysis

Hashii, N., Kawasaki, N., Itoh, S., Harazono, A., Matsuishi, Y., Hayakawa, T. and Kawanishi, T.: **Specific detection of Lewis x-carbohydrates in biological samples using liquid chromatography/multiple-stage tandem mass spectrometry.**

Rapid commun. Mass spectrom., **19**, 3315-3321 (2005).

Keywords: LC/MS, Lewis x, oligosaccharide

Niimi, S., Harashima, M.*, Takayama, K.*, Hara, M.* , Hyuga, M., Seki, T.* , Ariga, T.* , Kawanishi, T. and Hayakawa, T.: **Thrombomodulin enhances the invasive activity of mouse mammary tumor cells.**

J. Biochem., **137**, 579-586 (2005).

Keywords: thrombomodulin, thrombin, invasion

*日本大学生物資源科学部

後藤洋子*, 新見伸吾: **ラクトース修飾絹フィブロイン基材上の初代培養ラット肝細胞の形態および機能に及ぼすインスリンとデキサメタゾンの作用**

高分子論文集(Kobunshi Ronbunshu), **62**(7), 326-330 (2005)

Keywords: Lactose-Silk Fibroin conjugates, Rat hepatocytes, Morphology

*農業生物資源研究所

Kumagai, Y.* , Hyuga, S.* , Hyuga, M., Watanabe, K.* , Kawanishi, T. and Hanawa, T.* : **Estrogen-like activity in Kampo medicines used for menopausal symptoms and gynecological diseases.**

J. Trad. Med., **22**, 228-236 (2005).

Keywords: estrogen, menopausal symptoms, gynecological diseases

*北里研究所東洋医学総合研究所

Tanaka, H.* , Namekata, I.* , Takeda, K.* , Kazama, A.* , Shimizu, Y.* , Moriwaki, R.* , Hirayama, W.* , Sato, A.* , Kawanishi, T. and Shigenobu, K.* : **Unique excitation - contraction characteristics of mouse myocardium as revealed by SEA0400, a specific inhibitor of Na⁺-Ca²⁺ exchanger.**

Naunyn Schmiedebergs Arch. Pharmacol., **371**, 526-534 (2005).

Keywords: sodium, calcium, myocardium

*東邦大学薬学部

Kawanishi, T.: **Regulatory perspectives from Japan - comparability of biopharmaceuticals.**

Biologicals, **34**, 65-68 (2006).

Keywords: regulation, biopharmaceuticals, comparability

Tanaka, R., Sakano, Y.* , Shimizu, K., Shibuya, M.* ,

Ebizuka, Y.* and Goda, Y.: **Inhibition of human lanosterol synthase by constituents of Laurus nobilis L.** *Journal of Natural Medicines*, **60**, 78-81 (2006).

Keywords: Laurus nobilis, lanosterol synthase inhibition, bay leaf

*東大院薬

Shoji, T.* , Masumoto, S.* , Moriichi, N.* , Akiyama, H., Kanda, T.* , Otake, Y.* , Goda, Y.: **Apple procyanidin oligomers absorption in rats after oral administration: analysis of procyanidins in plasma using the Porter method and high-performance liquid chromatography/tandem mass spectrometry.**

J. Agric. Food Chem., **54**, 884-892 (2005).

Keywords: absorption, apple procyanidins, HPLC/MS/MS

*アサヒビール基盤研究所

Tanaka, R.* , Morimoto, T.* , Nakamura, M.* and Goda, Y.: **Component determination and specification of a food additives, "Methyl Hesperidin".**

Japanese Journal of Food Chemistry, **12**, 71-75 (2005).

Keywords: hesperidin, hesperetin, flavonoid

*三栄源FFI

Uchiyama, N., Kim, I. H., Kawahara, N. and Goda, Y.: **HPLC separation of hesperidin and the C-2 epimer in commercial hesperidin samples and herbal medicines.** *Chirality*, **17**, 373-377 (2005).

Keywords: hesperidin, diastereomer separation, online CD detection

Sato, M.* , Anetai, M.* and Goda, Y.: **Organophosphorus pesticide residues in decoctions of crude drugs.**

Iyakuhin Kenkyu, **37**, 245-250 (2006).

Keywords: organophosphorus pesticide residues, decoction, Kampo extracts

*北海道立衛生研究所

Kinoshita, T.* , Haga, Y.* , Narimatsu, S.* , Shimada, M.* and Goda, Y.: **The isolation and structure elucidation of new cassane diterpene-acids from *Caesalpinia crista* L. (Fabaceae), and review on nomenclature of some *Caesalpinia* species.**

Chem Pharm. Bull., **53**, 717-720 (2005).

Keywords: *Caesalpinia crista*, Fabaceae, cassane diterpene

*帝京大学薬学部

Yamamoto, K.* , Yamamoto, T.* , Kondo, S.* , Tamura, M.* , Shibata, Y.* , Umeda, K.* , Akiba, S.* , Kawakami, T.* , Saito, F.* , Sugimoto, T.* , Nakashima, Y.* , Tahara, M., Hayashi, K.* , Sudo, M.* , Nakanishi, K.* , Isozaki, O.* , Kawahara, N. and Goda, Y.: **Assay of ginsenoside Rg1 and ginsenoside Rb1 in Ginseng and Red Ginseng by high-performance liquid chromatography.**

Iyakuhin Kenkyu, **36**, 211-222 (2005).

Keywords: ginsenoside quantification method, Japanese Pharmacopoeia, validation data

* 日本漢方生薬製剤協会

Saito, K.*, Toyo'oka, T.* , Kato, M.* , Fukushima, T.* , Shiota, O. and Goda, Y.: **Determination of psilocybin in hallucinogenic mushrooms by reversed-phase liquid chromatography with fluorescence detection.**

Talanta, **66**, 562-568 (2005).

* 静岡県立大学薬学部

Sasaki, N.* , Abe, Y.* , Wada, K.* , Koda, T.* , Goda, Y., Adachi, T.* and Ozeki, Y.*: **Amaranthin in geather cockscombs is synthesized via glucuronylation at the cyclo-DOPA glucoside step in the betacyanin biosynthetic pathway.**

J. Plant Res., **118**, 439-442 (2005).

Keywords: amaranthin, betacyanin biosynthetic pahway, cyclo-DOPA glucoside step

* 東京農工大学工学部生命工学科

Anjiki, N., Kawahara, N. and Goda, Y.: **Evaluation for the Taste of Kampo Formulae by Taste-Sensing System (1).** *Natural Medicines*, **59** (4), 164-170 (2005).

Keywords: taste evaluation, Kampo formula, taste-sensing system

Totsuka, Y.* , Nishigaki, R.* , Enomoto, S.* , Takamura-Enya, T.* , Masumura, K., Nohmi, T., Kawahara, N., Sugimura, T.* and Wakabayashi, K.*: **Structures and Biological Properties of DNA Adducts Derived from N-Nitroso Bile Acid Conjugates.**

Chemical Research in Toxicology, 1553-1562 (2005).

Keywords: DNA adducts, *N*-nitrosobile acid, *N*-nitrosotaurocholic acid

* 国立がんセンター研究所

Takamura-Enya, T.*¹, Mano, N.*², Kawahara, N., Goto, J.*³ and Wakabayashi, K.*¹: **Formation of DNA Adducts with Cholyl Adenylate, a Putative Intermediate for Biosynthesis of Cholyl-CoA.**

Chemical Research in Toxicology, 1715-1720 (2005).

Keywords: DNA adducts, cholyl adenylate, cholyl-CoA

*¹ 国立がんセンター研究所

*² 東北大学大学院薬学研究科

*³ 東北大学医学部付属病院薬剤部

Sakai, S., Toida, T., Kawahara, N. and Goda, Y.: **Purification and Characterization of Major Components in "Eucalyptus Leaf Extract" as a Natural Food Additive.** *Jpn. J. Food Chem.*, **12** (3), 135-139 (2005).

Keywords: Eucalyptus leaf extract, existing food additive, globuluside

Kuroyanagi, M.*¹, Shimomae, M.*¹, Nagashima, Y.*¹, Muto, N.*¹, Okuda, T.*¹, Kawahara, N., Nakane, T.*² and Sano, T.*³: **New Diarylheptanoids from *Alnus japonica* and Their Antioxidative Activity.**

Chem. Pharm. Bull., **53** (12), 1519-1523 (2005).

Keywords: *Alnus japonica*, Betulaceae, diarylheptanoid

*¹ 広島県立大学

*² 昭和薬科大学

*³ 広島県林業センター

Kim, I-H., Kaneko, N., Uchiyama, N., Lee, J-E.* , Takeya, K.* , Kawahara, N. and Goda, Y.: **Two phenylpropanoid glycosides from *Neopicrorhiza scrophulariiflora*.**

Chem. Pharm. Bull., **54** (2), 275-277 (2006).

Keywords: *Neopicrorhiza scrophulariiflora*, Scrophulariaceae, phenylpropanoid glycoside

* 東京薬科大学

Otsuki, T.*¹, Sato, M.*¹, Kayano, T.*², Kowithayakorn, T.*³, Kawahara, N., Goda, Y. and Ishibashi, M.*¹: **Steroidal saponins from *Calamus insignis*, and their cell growth and cell cycle inhibitory activities.**

Bioorganicand Medicinal Chemistry, **14** (3), 659-665 (2006).

Keywords: Agavaceae, *Agave fourcroydes*, Steroidal saponin

*¹ 千葉大学薬学部

*² テムコ

*³ コンケン大農

Anjiki, N., Suzuki, A., Kawahara, N. and Goda, Y.: **Evaluation of the Taste of Kampo Formula by Taste-Sensing System (2), Taste of Kakkonto.**

The Japanese Journal of Pharmacognosy, **60** (1) 21-27 (2006).

Keywords: taste evaluation, Kakkonto, taste-sensing system

Kawahara, N., Sakai, E.*¹, Itokazu, N., Satake, M.*² and Goda, Y.: **Comparative Study on Testing Methods and Specification Values for Crude Drugs Used in Monographs Among Four Western Pacific Regional Countries (Japan, China, Korea and Vietnam).**

The Japanese Journal of Pharmacognosy, **60** (1) 39-50 (2006).

Keywords: FHH, Comparative table, Testing method

*¹ 岐阜薬科大学

*² お茶の水女子大

Guo Y.*¹, Kondo K.*², Terabayashi S.*², Yamamoto Y.*³, Shimada H.*³, Fujita M.*⁴, Kawasaki T.*⁴, Maruyama T., Goda Y. and Mizukami H.*¹: **DNA authentication of So-jutsu (*Atractylodes Lancea* Rhizome) and Byaku-jutsu (*Atractylodes* Rhizome) obtained in the market based on nucleotide sequence of the 18S-5.8S rDNA Internal Transcribed Spacer region.**

J. Natural Med., **60**, 149-156 (2006).

Keywords: DNA authentication of crude drug, *Atractylodes lancea* rhizome, *Atractylodes* rhizome

*¹ 名市大薬

*² (株)ツムラ

*³ (株)橋本天海堂

*⁴ (株)ウチダ和漢薬

Maruyama, T., Sakai, S., Kawahara, N. and Goda, Y.: **Chemical and DNA Analyses of Alkanet Color, a Natural Food Color.**

Jpn. J. Food Chem., **12** (2), 76-79 (2005).

Keywords: alkanet color, optical isomer ratio, DNA analysis

Kikura-Hanajiri, R., Hayashi, M., Saisho, K. and Goda, Y.: **Simultaneous Determination of 19 Hallucinogenic Tryptamines/β-calbolines and Phenethylamines using GC-MS and LC-ESI-MS.**

J. Chromatogr. B., **825**(1), 29-37 (2005).

Keywords: tryptamines, phenethylamines, non-controlled substances, GC-MS, LC-ESI-MS

Sato, Y., Nakamura, R., Satoh, M.*¹, Fujishita, K., Mori, S., Ishida, S., Yamaguchi, T., Inoue, K., Nagao, T. and Ohno, Y.: **Thyroid hormone targets matrix Gla protein gene associated with vascular smooth muscle calcification.**

Circ. Res., **97**, 550-557 (2005).

Keywords: calcium, gene expression, nuclear receptors, vascular smooth muscle, thyroid hormone

*¹ 東邦大学薬学部

Minamisawa, S.*¹, Uemura, N.*^{1,2}, Sato, Y., Yokoyama, U.*¹, Yamaguchi, T., Inoue, K., Nakagome, M.*¹, Bai, Y.*¹, Hori, H.*¹, Shimizu, M.*², Mochizuki, S.*² and Ishikawa, Y.*^{1,3}: **Post-transcriptional down-regulation of sarcolipin mRNA by triiodothyronine in the atrial myocardium**

FEBS Lett., **580**, 2247-2252 (2006).

Keywords: thyroid hormone, calcium, gene expression, cardiomyocyte, sarcoplasmic reticulum

*¹ 横浜市立大学医学部

*² 東京慈恵会医科大学

*³ University of Medicine and Dentistry of New Jersey

Sakurai, F.*¹, Kawabata, K.*¹, Yamaguchi, T., Hayakawa, T.*² and Mizuguchi, H.*^{1,3}: **Optimization of adenovirus serotype 35 vectors for efficient transduction in human hematopoietic progenitors: comparison of promoter activities.**

Gene Ther., **12**, 1424-1433 (2005).

Keywords: adenovirus vector, gene therapy, hematopoietic stem cell

*¹ 医薬基盤研究所

*² 医薬品医療機器総合機構

*³ 大阪大学大学院薬学系研究科

Mizuguchi, H.*^{1,2}, Xu, Z-L., Sakurai, F.*¹, Kawabata, K.*¹, Yamaguchi, T. and Hayakawa, T.*³: **Efficient regulation of gene expression using self-contained fiber-modified adenovirus vectors containing the tet-off system.**

J. Control Release, **110**, 202-211 (2005).

Keywords: adenovirus vector, gene therapy, CD46

*¹ 医薬基盤研究所

*² 大阪大学大学院薬学系研究科

*³ 医薬品医療機器総合機構

Kawabata, K.*¹, Sakurai, F.*¹, Yamaguchi, T., Hayakawa, T.*² and Mizuguchi, H.*^{1,3}: **Efficient gene transfer into mouse embryonic stem cells with adenovirus vectors.**

Mol. Ther., **12**, 547-554 (2005).

Keywords: adenovirus vector, gene therapy, ES cell

*¹ 医薬基盤研究所

*² 医薬品医療機器総合機構

*³ 大阪大学大学院薬学系研究科

Yamada, K., Suzuki, T., Kohara, A.*¹, Kato, T.A.*², Hayashi, M., Mizutani, T.*² and Saeki, K.*²: **Nitrogen-substitution effect on in vivo mutagenicity of chrysene.**

Mutat. Res., **586**, 1-17 (2005).

Keywords: chrysene, mutation spectrum, MutaTMMouse

*¹ 医薬基盤研究所

*² 名古屋市立大学大学院薬学研究科

Kawakami, T.*¹, Hoshida, Y.*¹, Kanai, F.*¹, Tanaka, Y.*¹, Tateishi, K.*¹, Ikenoue, T.*¹, Obi, S.*¹, Sato, S.*¹, Teratani, T.*¹, Shiina, S.*¹, Kawabe, T.*¹, Suzuki, T., Hatano, N.*², Taniguchi, H.*³ and Omata, M.*¹: **Proteomic analysis of sera from hepatocellular carcinoma patients after radiofrequency ablation treatment.**

Proteomics, **16**, 4287-4295 (2005).

Keywords: proteomics, 2D-electrophoresis, HCC

*¹ 東京大学医学部

*² 香川大学医学部

*³ 理化学研究所播磨研究所

水沢左衛子*^{1,2}, 岡田義昭*^{1,2,3}, 堀内善信*^{1,2}, 田中建志*^{2,4}, 佐藤功栄*^{2,4}, 金子健二*^{2,3,5}, 佐々木祐子*^{2,6}, 田中利明*^{3,7}, 伴野丞計*^{3,8}, 友水健雄*^{2,5}, 速水照一*^{2,3,6}, 土方美奈子*^{2,9}, 平子一郎*^{2,3,10}, 真弓忠範*^{3,11}, 三上貢一*^{2,3,12}, 三代俊治*^{2,3,9}, 宮本誠二*^{2,3,13}, 犀田健吾*^{2,13}, Weimer, T.*^{2,14}, Gierman, T.*^{2,15}, 小室勝利*^{1,3}, 山口照英*³: **C型肝炎ウイルスRNAの遺伝子検査法のための第一次国内標準品の作製.**

日本輸血学会雑誌, **51**, 515-519 (2005).

Keywords: HCV, The WHO International Standard, National Standard, nucleic acid amplification technology (NAT) assay, blood safety

*¹ 国立感染症研究所

*² NAT国内標準品作製のための共同研究グループ

*³ 血液事業部会安全技術調査会 血漿分画製剤の安全性確保対策の検討小委員会(委員長: 山口照英)

- *⁴埼玉県赤十字血液センター
- *⁵日本製薬株
- *⁶(株)ベネシス
- *⁷バクスター(株)バイオサイエンス事業部
- *⁸日本赤十字社血漿分画センター
- *⁹東芝病院
- *¹⁰バイエル薬品株
- *¹¹自治医科大学
- *¹²アベンティス ファーマ(株)
- *¹³(財)化学及血清療法研究所
- *¹⁴Aventis Behring
- *¹⁵Bayer HealthCare

Ito, R.^{*1}, Seshimo, F.^{*1}, Haishima, Y., Hasegawa, C., Isama, K., Yagami, T., Nakahashi, K.^{*2}, Yamazaki, H.^{*1}, Inoue, K.^{*1}, Yoshimura, Y.^{*1}, Saito, K.^{*1}, Tsuchiya, T. and Nakazawa, H.^{*1}: **Reducing the migration of di-2-ethylhexyl phthalate from polyvinyl chloride medical devices.**

Int. J. Pharm., **303**, 104-112 (2005).

Keywords: DEHP, PVC, medical device, UV-irradiation

*¹星薬大

*²テルモ

中島晴信*, 鹿庭正昭 : 日本における化学物質等安全データシート (MSDS) の整備状況と安全性情報の開示度に関する調査研究 .

大阪府立公衆衛生研究所所報 , **42** , 31-42 (2004) .

Keywords: questionnaire research, material safety data sheet, safety information disclosure

*大阪府立公衆衛生研究所

Matsuoka, A., Isama, K. and Tsuchiya, T.: **In vitro induction of polyploidy and chromatid exchanges by culture medium extracts of natural rubbers compounded with 2-mercaptopbenzothiazole as a positive control candidate for genotoxicity tests.**

J. Biomed. Mater. Res., Part A **75**, 439-444 (2005).

Keywords: natural rubber, endoreduplication

Nakaoka, R., Ahmed, S. and Tsuchiya, T.: **Hydroxy Apatite Microspheres Enhance Gap Junctional Intercellular Communication of Human Osteoblasts Composed of Connexin 43 and 45.**

J. Biomed. Mater. Res., **74A**, 181-185 (2005).

Keywords: Osteoblasts, Hydroxy apatite, Connexin

Nakaoka, R. and Tsuchiya, T.: **Enhancement of differentiation and homeostasis of human osteoblasts by interaction with hydroxyapatite in microsphere form.**

Key Engineering Materials, **309-311**, 1293-1296 (2006).

Keywords: Osteoblast differentiation, Homeostasis, Hydroxyapatite

Tamai, M., Nakaoka, R. and Tsuchiya, T.: **Cytotoxicity**

of various calcium phosphate ceramics.

Key Engineering Materials, **309-311**, 263-266 (2006).

Keywords: Calcium phosphate ceramics, Cytotoxicity

Tamai, M., Nakaoka, R., Isama, K. and Tsuchiya, T.: **Novel calcium phosphate ceramics: The remarkable promoting action on the differentiation of the normal human osteoblasts.**

Key Engineering Materials, **309-311**, 97-100 (2006).

Keywords: Hydroxyapatite, Niobium ion, Osteoblasts

Tamai, M., Nakaoka, R., Tsuchiya, T.: **In vitro study on the osteogenesis of normal human osteoblasts cultured on the discs of various kinds of calcium phosphate ceramics.** *Arch. BioCeramics Res.*, **5**, 158-161 (2005).

Keywords: Calcium phosphate ceramics, Osteogenesis, Cytotoxicity

Seto, Y.^{*1}, Tomita, N.^{*2}, Harada, Y.^{*2}, Sakoda H. and Takakura, Y.^{*1}: **Regenerated soft tissue survival using repulsive force of magnetized devices: preliminary report** *J. Orthopaedic Sci.* **11**, 58-63 (2006).

*¹Department of Orthopaedic Surgery, Nara Medical University

*²International Innovation Center, Kyoto University

*³Nakashima Medical Division, Nakashima Propeller Co.

Nonami, A.^{*1,2}, Taketomi, T.^{*1}, Kimura, A.^{*1}, Saeki, K.^{*1}, Takaki, H.^{*1}, Sanada, T.^{*1}, Taniguchi, K.^{*1}, Harada, M.^{*2}, Kato, R. and Yoshimura, A.^{*1}: **The Sprouty-related protein, Spred-1, localizes in a lipid raft/caveola and inhibits ERK activation in collaboration with caveolin-1.** *Genes Cells*, **10**, 887-895 (2005).

Keywords: raft/caveola, hematopoietic cells, ERK activation, negative regulator

*¹九大・生医研・免疫制御

*²九大・院医・内科

Taketomi, T.^{*1,2}, Yoshiga, D.^{*1,2}, Taniguchi, K.^{*1}, Kobayashi, T.^{*1}, Nonami, A.^{*1}, Kato, R., Sasaki, M.^{*1}, Sasaki, A.^{*1}, Ishibashi, H.^{*3}, Moriyama, M.^{*4}, Nakamura, K.^{*5}, Nishimura, J.^{*6} and Yoshimura, A.^{*1}: **Loss of mammalian Sprouty2 leads to enteric neuronal hyperplasia and esophageal achalasia.** *Nature Neuroscience*, **8**, 855-857 (2005).

Keywords: neonatal development, enteric nerve cells, GDNF, ERK activation, negative regulator

*¹九大・生医研・免疫制御

*²九大・院医・口腔外科

*³九大・医・生理学

*⁴久留米医大・麻酔科

*⁵久留米医大・解剖学

*⁶九大・院医・循環器科

Inoue, I.^{*1}, Kato, R., Fukuyama, S.^{*1,2}, Nonami, A.^{*2},

Taniguchi, K.^{*2}, Matsumoto, K.^{*1}, Nakano, T.^{*1}, Tsuda, M.^{*1}, Matsumura, M.^{*1}, Kubo, M.^{*4}, Ishikawa, I.^{*3}, Moon, B.^{*5}, Takatsu, K.^{*5}, Nakanishi, Y.^{*1} and Yoshimura, A.^{*2}, (H. Inoue, R. Kato, and S. Fukuyama contributed equally to this work.): **Spred-1 negatively regulates allergen-induced airway eosinophilia and hyperresponsiveness.**

J. Exp. Med., **201**, 73-82 (2005).

Keywords: eosinophil, allergic asthma, IL-5, ERK activation, negative regulator

^{*1}九大・大学院附属胸部疾患研究施設

^{*2}九大・生医研・免疫制御

^{*3}九大・第一内科

^{*4}理研・免疫・アレルギー科学 総合研究センター・シグナルネットワーク

^{*5}東大・医科研・免疫大部門

大森英二^{*1}, 米田健二^{*1}, 横山繁樹^{*2}, 新谷英晴: **過酢酸と過酸化水素との混合ガスに拠る医薬品製造ゾーン内の滅菌効果について。**

防菌防黴, **33**, 643-650 (2005)

Keywords: clean room, peracetic acid, hydrogen peroxide

^{*1}住友製薬株式会社

^{*2}ミンテックジャパン

Shintani, H., Yamase, Y.* and Yamaguchi, T.*: **Characterization of radiation sterilization-tolerant polysulfones free from bisphenol A.**

Biocontrol Science, **10**, 131-138 (2005).

Keywords: radiation-resistant, polysulfone, gamma-radiation sterilization

* Electron beam irradiation service Co. Ltd.

Shintani, H., Hayashi, F.^{*1}, Sakakibara, Y.^{*1}, Kurosu, S.^{*2}, Miki, A.^{*2} and Furukawa, T.^{*2}: **Relationship between the Contamination of the Nurse's Caps and Their Period of Use in Terms of Microorganism Numbers.**

Biocontrol Science, **11**, 11-16 (2006).

Keywords: nurse's cap, nosocomial infection, contamination

^{*1}Namiki Clinic

^{*2}Minofagen Co. Zama factory

Shintani, H., Kurosu, S.^{*1}, Miki, A.^{*1}, Hayashi, F.^{*2} and Kato, S.^{*3}: **Serilization Efficiency of the Photocatalys against Environmental Microorganisms in Health Care Facility.**

Biocontrol Science, **11**, 17-26 (2006).

Keyword: photocatalyst, nosocomial infection, environmental microorganisms

^{*1}Minofagen Co. Zama factory

^{*2}Namiki Clinic

^{*3}Photocatalyst Co.

Banu, N., Tsuchiya, T. and Sawada, R.: **Effects of biodegradable polymer synthesized with inorganic tin on the chondrogenesis of human articular chondrocytes.**

J. Biomed. Mater. Res. A, **77**, 84-89 (2005).

Keywords: poly (glycolic acid), inorganic tin catalyst, human articular cartilage, chondrogenesis, micromass culture

Banu, N., Banu, Y., Sakai, M.^{*1}, Mashino, T.^{*2} and Tsuchiya, T.: **Biodegradable polymers in chondrogenesis of human articular chondrocytes.**

J. Artif. Organs, **8** (3), 184-191 (2005).

Keywords: Human articular chondrocytes, Differentiation, Biodegradable polymers, Matrix gene, Connexin 43

^{*1}株式会社ウベ循研 高分子研究所(千葉)

^{*2}共立薬科大学

Nagira, T., Matthew, S. B., Yamakoshi Y.* and Tsuchiya, T.: **Enhancement of Gap Junctional Intercellular Communication of Normal Human Dermal Fibroblasts Cultured on Polystyrene Dishes Grafted with Poly-N-isopropylacrylamide (PIPAAm).**

Tissue Engineering, **11**, 1392-1397 (2005).

Keywords: Gap junction, Poly-N-isopropylacrylamide, Normal Human Dermal Fibroblasts

^{*1}カリフォルニア大学 サンタバ - バラ校

Li, Y., Nagira, T. and Tsuchiya T.: **The effect of hyaluronic acid on insulin secretion in HIT-T15 cells through the enhancement of gap junctional intercellular communications.**

Biomaterials, **27**, 1437-1443 (2006).

Keywords: Hyaluronic acid, Gap junctional intercellular communications, HIT-T15 cells, Insulin, Bioartificial pancreas

Ahmed, S., Tsuchiya, T. and Kariya, Y.*: **Studies on the efficacy, safety and quality of the tissue engineered products: Enhancement of proliferation of human mesenchymal stem cells by the new polysaccharides.**

Animal Cell Technology, **14**, 81-85 (2006).

Keywords: gap junctional intercellular communication, proliferation, human mesenchymal stem cells.

^{*1}生化学工業株式会社

Banu, N., Tsuchiya, T., Ahmed, S. and Sawada, R.: **Studies on the efficacy, safety and quality of the tissue engineered products: effects of a catalyst used in the synthesis of biodegradable polymer on the chondrogenesis of human articular cartilage.**

Animal Cell Technology, **14**, 87-92 (2006).

Keywords: human articular cartilage, poly (glycolic acid), tin catalyst

Li, Y. P., Nagira, T. and Tsuchiya, T.: **Increase in the insulin secretion of HIT-T15 cells: Gap Junctional Intercellular Communications Enhanced by Hyaluronic Acid.**

Animal Cell Technology, **14**, 263-269 (2006).

Keywords: hyaluronic acid, gap junction, insulin secretion

Sawada, R., Ito, T., Matsuda, Y. and Tsuchiya, T.: **Safety evaluation of tissue engineered medical devices using normal human mesenchymal stem cells.**

Animal Cell Technology, **14**, 325-329 (2006).

Keywords: human mesenchymal stem cells, connexines, tumorigenesis

Nakamura, N. and Tsuchiya, T.: **Effect of biodegradable polymer poly(L-LACTIC ACID) on the cellular function of human astrocytes.**

Animal Cell Technology, **14**, 331-337 (2006).

Keywords: astrocyte, poly (L-lactic acid), proliferation, development

Tsuchiya, T. ^{*1}, Tanaka-Kagawa, T., Jinno, H., Tokunaga, H., Sakimoto, K. ^{*1}, Ando, M. ^{*2} and Umeda, M. ^{*3}: **Inorganic arsenic compounds and methylated metabolites induce morphological transformation in two-stage BALB/c 3T3 cell assay and inhibit metabolic cooperation in V79 cell assay.**

Toxicol. Sci., **84**, 344-351 (2005).

Keywords: arsenic compounds, BALB/c 3T3, initiating activity

^{*1} Safety Evaluation Center, Showa Denko K.K.

^{*2} Faculty of Pharmacy, Musashino University

^{*3} Hatano Research Institute, Food and Drug Safety Center

Marcos, R. ^{*1}, Martinez, V. ^{*1}, Hernandez, A. ^{*1}, Creus, A. ^{*1}, Sekara, C. ^{*2}, Tokunaga, H. and Quinteros, D. ^{*3}: **Metabolic profile in workers occupationally exposed to arsenic: Role of GST polymorphisms.**

J. Occup. Environ. Med., **48**, 334-341 (2006).

Keywords: arsenic, arsenic metabolites, GST polymorphisms

^{*1} Universitat Autonoma de Barcelona

^{*2} National University of Gifu

^{*3} Corporacion del Cobre de Chile

Uchiyama, S. ^{*1}, Matsuhashima, E., Tokunaga, H., Otubo, Y. ^{*1}, and Ando, M. ^{*2}: **Determination of orthophthalaldehyde in air using 2, 4-dinitrophenylhydrazine-impregnated silica cartridge and high-performance liquid chromatography.**

J. Chromatog. A., **1116**, 165-171 (2006).

Keywords: orthophthalaldehyde, 2,4-dinitrophenylhydrazine, workplace air

^{*1} Faculty of Engineering, Chiba University

^{*2} Faculty of Pharmacy, Musashino University

Ikarashi, Y., Toyoda, K. ^{*1}, Kobayashi, E. ^{*2}, Doi, H. ^{*2}, Yoneyama, T. ^{*2}, Hamanaka, H. ^{*2} and Tsuchiya, T.: **Improved biocompatibility of titanium-zirconium (Ti-Zr) alloy: tissue reaction and sensitization to Ti-Zr alloy compared with pure Ti and Zr in rat implantation study.**

Materials Transactions, **46**, 2260-2267 (2005).

Keywords: titanium alloy, titanium, biocompatibility

^{*1} Japan Tabacco Inc.

^{*2} Institute of Biomaterials and Bioengineering, Tokyo Dental and Medical University

Ikarashi, Y., Kaniwa, M., and Tsuchiya, T.: **Monitoring of polycyclic aromatic hydrocarbons and water-extractable phenols in creosotes and creosote-treated woods made and procurable in Japan.**

Chemosphere, **60**, 1279-1287 (2005).

Keywords: polycyclic aromatic hydrocarbons, creosote, GC-MS

Ikarashi, Y., Kaniwa, M., and Tsuchiya, T.: **Determination of benzo[a]pyrene, benz[a]anthracene and dibenz[a,h]anthracene in creosotes and creosote-treated woods.**

J. Health Sci., **51**, 597-606 (2005).

Keywords: creosote, benzo[a]pyrene, GC-MS

Uchino, T., Roychowdhury, T., Tokunaga, H. and Ando, M. ^{*}: **Intake of arsenic from water, food composites and excretion through urine, hair from a studied population in West Bengal, India.**

Food and Chemical Toxicology, **44**, 455-461 (2006).

Keywords: arsenic in tubewell water, food composites, human hair and urine

^{*} Faculty of Pharmacy, Musashino University

Nishimura, T., Iizuka, S. ^{*1}, Kibune, N. ^{*1}, Ando, M. ^{*2} and Magara, Y. ^{*3}: **Study of 1,4-Dioxane Intake in the Total Diet.**

J. Health Sci., **51**, 514-517 (2005).

Keywords: 1,4-dioxane, total diet, total meal

^{*1} Section of Applied Testing, Japan Food Research Laboratories Osaka Branch

^{*2} Faculty of Pharmacy, Musashino University

^{*3} School of Engineering, Hokkaido University

Matsumura, N. ^{*1}, Ishibashi, H. ^{*1}, Hirano, M. ^{*1}, Nagao, Y. ^{*1}, Watanabe, N. ^{*1}, Shiratsuchi, H. ^{*1}, Kai, T. ^{*1}, Nishimura, T., Kashiwada, A. ^{*2} and Arizono K. ^{*1}: **Effects of Nonylphenol and Triclosan on Production of Plasma Vitellogenin and Testosterone in Male South African Clawed Frogs (*Xenopus laevis*).**

Biol. Pharm. Bull., **28**, 1748-1751 (2005).

Keywords: *Xenopus laevis*, vitellogenin, biomarker

^{*1} Faculty of Environmental and Symbolic Sciences, Prefectural University of Kumamoto

^{*2} Graduate school of Science, Hiroshima University

Tahara, M., Kubota, R., Nakazawa, H. ^{*}, Tokunaga, H., and Nishimura, T.: **Use of Cholinesterase Activity as an Indicator for the Effects of Combinations of Organophosphorus Pesticides in Water from Environmental**

Sources.

Water Research, **39**, 5112-5118 (2005).

Keywords: organophosphorus pesticides, cholinesterase activity, *in vitro* method

* Department of Analytical Chemistry, Hoshi University

Nagaoka, M. H., Taneike, Y.* , Akiyama, H. and Maitani, T.: **Application of speciation analysis by hydride generation-cold trap-atomic absorption spectrometry to arsenic in foods.**

Journal of the Pharmaceutical Society of Japan, **125 Suppl.1**, 69-70 (2005).

Keywords: inorganic arsenic, speciation, hydride generation-cold trap-atomic absorption spectrometry

* Shimadzu Company

Nagaoka, M. H., and Maitani, T.: **Binding affinity of aluminium to human serum transferrin and effects of carbohydrate chain modification as studied by HPLC/high-resolution ICP-MS-speciation of aluminium in human serum.**

J. Inorg. Biochem., **99**, 1887-1894 (2005).

Keywords: aluminium, transferrin, ICP-MS

Nagaoka, M.H., Nagaoka, H.* , Kondo, K., Akiyama, H., and Maitani, T.: **Measurement of a genotoxic hydrazine, agaritine, and its derivatives by HPLC with fluorescence derivatization in the Agaricus mushroom and its products.**

Chemical and Pharmaceutical Bulletin, **54**, 922-924 (2006).

Keywords: agaritine, fluorescence derivatization, mushroom

* Nagasaki International University

Agusa, T.*¹, Matsumoto, T.*¹, Ikemoto, T.*¹, Anan, Y.*¹, Kubota, R., Yasunaga, G.*¹, Kunito, T.*², Tanabe, S.*¹, Ogi, H.*³ and Shibata, Y.*⁴: **Body distribution of trace elements in black-tailed gulls from Rishiri Island, Japan: age-dependent accumulation and transfer to feathers and eggs.**

Environ. Toxicol. Chem., **24**, 2107-2120 (2005).

Keywords: seabirds, trace elements, heavy metals

*¹ Center for Marine Environmental Studies, Ehime University

*² Faculty of Science, Shinshu University

*³ Faculty of Fisheries, Hokkaido University

*⁴ National Institute for Environmental Studies

Kubota, R., Kunito, T.*¹, Fujihara, J.*², Tanabe, S.*², Yang, J.*³ and Miyazaki, N.*³: **Placental transfer of arsenic to fetus of Dall's porpoise (*Phocoenoides dalli*).**

Mar. Pollut. Bull., **51** (8-12), 845-849 (2005).

Keywords: arsenic, arsenobetaine, placental transfer

*¹ Faculty of Science, Shinshu University

*² Center for Marine Environmental Studies, Ehime University

*³ Ocean Research Institute, The University of Tokyo

Agusa, T.*¹, Kunito, T.*², Fujihara, J.*¹, Kubota, R., Minh, T. B.*¹, Trang, P. T. K.*³, Iwata, H.*¹, Subramaniam, A.*¹, Viet, P. H.*³ and Tanabe, S.*¹: **Contamination by arsenic and other trace elements in tube-well water and its risk assessment in Hanoi, Vietnam.**

Environ. Pollut., **139**, 1, 95-106 (2005).

Keywords: arsenic, manganese, groundwater

*¹ Center for Marine Environmental Studies, Ehime University

*² Faculty of Science, Shinshu University

*³ Hanoi University of Science

Agusa, T.*¹, Inoue, S.*¹, Kunito, T.*², Kubota, R., Minh, T. B.*¹, Trang, P. T. K.*³, Subramanian, A.*¹, Iwata, H.*¹, Viet, P. H.*¹ and Tanabe, S.*¹: **Widely-distributed arsenic pollution in groundwater in the Red River Delta, Vietnam.**

Biomed. Res. Trace Elements, **16** (4), 296-298 (2005).

Keywords: arsenic, groundwater, human hair

*¹ Center for Marine Environmental Studies, Ehime University

*² Faculty of Science, Shinshu University

*³ Hanoi University of Science

Kubota, R., Kunito, T.*¹, Agusa, T.*², Fujihara, J.*², Monirith, I.*², Iwata, H.*², Subramanian, A.*², Tana, T. S.*³ and Tanabe, S.*²: **Urinary 8-hydroxy-2-deoxyguanosine in inhabitants chronically exposed to arsenic in groundwater in Cambodia.**

J. Environ. Monit., **8**, 293-299 (2006).

Keywords: arsenic, 8-OHdG, oxidative DNA damage

*¹ Faculty of Science, Shinshu University

*² Center for Marine Environmental Studies, Ehime University

*³ Economic, Social and Cultural Observation Unit, Office of the Council of Ministers, Cambodia

今澤 剛*, 飯田智成*, 松野伸広*, 加藤文秋*, 伊藤 武*, 佐々木久美子: **HPLCによる農産物中のフエンメディファムの分析.**

食品衛生学雑誌, **46**, 277-281 (2005)

Keywords: herbicide, phenmedipham, HPLC

* 東京顯微鏡院

Amakura, Y., Tsutsumi, T., Sasaki, K., Nakamura, M.*¹, Ito, H.*², Hatano, T.*², Yoshida, T.*² and Maitani, T.: **Interaction of the aryl hydrocarbon receptor with several constituents from spinach and komatsuna extracts determined using in vitro bioassay.**

J. Health Sci., **51**, 715-719 (2005).

Keywords: aryl hydrocarbon receptor, spinach, komatsuna

*¹ Hiyoshi Corporation

*² Okayama University

Amakura, Y., Tsutsumi, T., Iida, T.^{*1}, Nakagawa, R.^{*1}, Hori, T.^{*1}, Tobiishi, K.^{*1}, Uchibe, H.^{*2}, Nakamura, M.^{*2}, Yanagi, T.^{*2}, Kono, Y.^{*2}, Toyoda, M.^{*3}, Sasaki, K. and Maitani, T.: **Contamination levels of PCDDs, PCDFs and Co-PCBs in commercial baby foods in Japan.**

J. Food Hyg. Soc. Japan, **46**, 148-152 (2005).

Keywords: dioxin, baby food, chemical analysis

^{*1}Fukuoka Institute of Health and Environmental Sciences

^{*2}Japan Food Research Laboratories

^{*3}Jissen Women's University

Costa, M.A.* , Bedgar, D.L.* , Moinuddin, S.G.A.* , Kim, K.W.* , Cardenas, C.L.* , Cochrane, F.C.* , Shockey, J.M.* , Helms, G.L.* , Amakura, Y., Takahashi, H.* , Milholland, J.K.* , Davin, L.B.* , Browne, J.* and Lewis, N.G.*: **Characterization in vitro and in vivo of the putative multigene 4-coumarate: CoA ligase network in Arabidopsis: syringyl lignin and sinapate/sinapyl alcohol derivative formation.**

Phytochemistry, **66**, 2071-2090 (2005).

Keywords: *Arabidopsis thaliana*, 4-coumarate CoA ligases, lignin

^{*}Washington State University

Akiyama, H., Sato, Y., Watanabe, T., Nagaoka, H. M., Yoshioka, Y., Shoji, T.^{*1}, Kanda, T.^{*1}, Yamada, K.^{*2}, Totsuka, M.^{*2}, Teshima, R., Goda, Y., Sawada, J. and Maitani, T.: **Dietary unripe apple polyphenol inhibits the development of food allergy in murine models.**

FEBS letters, **579**, 4485-4491 (2005).

Keywords: Apple condensed tannin, IgE, Food Allergy, Oral sensitization, Intestinal intraepithelial lymphocytes

^{*1}Asahi Breweries, Ltd.

^{*2}Tokyo University

Akiyama, H., Watanabe, T., Wakabayashi, K., Nakade, S.^{*1}, Yasui, S.^{*1}, Sakata, K., Chiba, R.^{*2}, Spiegelhalter, F.^{*3}, Hino, A.^{*4} and Maitani, T.: **A Novel Quantitative Detection System for Maize Sample Containing Combined-Trait Genetically Modified Maize.**

Analytical Chemistry, **77**, 7421-7428 (2006).

Keywords: genetically modified foods, combined-trait genetically modified maize, detection

^{*1}Yasui Kikai Corporation

^{*2}Showa Pharmaceutical University

^{*3}GeneScan USA, Inc.

^{*4}National Food Research Institute

Akiyama, H., Toida, T.* , Sakai, S.* , Amakura, Y., Kondo, K., Sugita-Konishi, Y. and Maitani, T.: **Determination of cyanide and thiocyanate in Sugihiratake mushroom using HPLC method with fluorometric detectionRapid communication.**

J. Health Science, **52**, 77-77 (2006).

Keywords: Sugihiratake, cyanide, HPLC

^{*}Graduate School of Pharmaceutical Sciences, Chiba University

Iida, M.^{*1}, Yamashiro, S.^{*1}, Yamakawa, H.^{*1}, Hayakawa, K.^{*1}, Kuribara, H.^{*2}, Kodama, T.^{*2}, Furui, S.^{*3}, Akiyama, H., Maitani, T. and Hino A.^{*3}: **Developments of taxon-specific sequences of common wheat for the detection methods of GM wheat.**

J. Agric Food Chem., **53**, 6294-6300 (2005).

Keywords: genetically modified, GMO detection, endogenous reference gene

^{*1}Nissin Seifun Group Inc.

^{*2}Center for Food Quality, Labeling and Consumer Services

^{*3}National Food Research Institute

笠間菊子^{*1}，渡邊敬浩，鈴木達也^{*1}，菊地博之，時下祥子，坂田こずえ，松木容彦^{*1a}，日野明寛^{*2}，穂山浩，米谷民雄：遺伝子組換えダイズ（ラウンドアップ・レディー・大豆 40-3-2 系統）の定量検査法における外部精度管理試験。

食品衛生学雑誌，**46**，270-276 (2005)

Keywords: genetically modified soybean, detection method, laboratory-performance study

^{*1}(財)食品薬品安全センター

^{*2}(独)食品総合研究所

Akiyama, H., Sakata, K., Yoshioka, Y., Murata, Y.^{*1}, Ishihara, Y.^{*2}, Teshima, R., Sawada, J. and Maitani, T.: **Profile analysis and allergenicity of wheat protein hydrolysates.**

International Archives Allergy Immunology, **140**, 36-42 (2006).

Keywords: wheat protein hydrolysate, allergenicity, size exclusion chromatography

^{*1}Kyowa Hakko Food Specialties Co., Ltd.

^{*2}Maruha Group Inc.

Onishi, M.^{*1}, Matsuoka, T.^{*2}, Kodama, T.^{*2,4}, Kashiwaba, K.^{*3}, Futo, S.^{*1}, Akiyama, H., Maitani, T., Furui, S.^{*4}, Oguchi, T.^{*4} and Hino, A.^{*4}: **Development of a Multiplex PCR Method for Simultaneous Detection of Eight Events of Genetically Modified Maize.**

J. Argic. Food Chem., **53**, 9713-9721 (2005).

Keywords: multiplex PCR, genetically modified (GM), maize

^{*1}Fasmac Co., Ltd.

^{*2}Center for Food Quality, Labeling and Consumer Services

^{*3}Japan International Research Center for Agricultural Sciences

^{*4}National Food Research Institute

穂山 浩，佐藤雄嗣，渡邊敬浩，長岡(浜野)恵，吉岡靖雄，庄司俊彦^{*1}，神田智正^{*1}，山田 潔^{*2}，戸塚護^{*2}，手島玲子，合田幸広，澤田純一，米谷民雄：リ

ンゴ未熟果由来プロアントシアニジンの食物アレルギー・感作誘導抑制作用に関する研究。

薬学雑誌, 125, Suppl.3, 222-225 (2005).

Keywords: apple procyanidines, oral sensitization, intestinal intraepithelial lymphocytes

*¹ アサヒビール株

*² 東京大学大学院農学生命科学研究所

Akiyama, H., Amano, H. *¹, Bienenstock, J. *²: **Rat tracheal epithelial responses to water avoidance stress.**

J. Allergy Clin. Immunol., 116, 318-324 (2005).

Keywords: mast cell, hypothalamic-pituitary-adrenal axis, short circuit current

*¹ Gunma University Graduate School of Medicine

*² McMaster University

Toyota, A. *¹, Akiyama, H., Sugimura, M. *¹, Watanabe, T., Kikuchi, H., Kanamori, H. *¹, Hino, A. *², Esaka, M. *³, Maitani, T.: **Quantification of genetically modified soybeans using the combination of a capillary-type real-time PCR system and a plasmid reference standard.**

Biosci. Biotech. Biochem., 70, 821-827 (2006).

Keywords: genetically modified soybean, Roundup Ready Soybean, capillary-type real-time PCR system

*¹ Hiroshima Prefectural Institute of Public Health and Environment

*² National Food Research Institute

*³ Graduate School of Biosphere Sciences, Hiroshima University

Kondo, K., Uchida, R., Tokutake, S. and Maitani, T.: **Polymeric grape-seed procyanidins, but not monomeric catechins and oligomeric procyanidins, impair degranulation and membrane ruffling in RBL-2H3 cells.**

Bioorg. and Med. Chem., 14, 641-649 (2006).

Keywords: proanthocyanidin, grape seed, mast cell, degranulation

* Research and Development Division, Kikkoman

Kondo, K., Watanabe, A., Iwanaga, Y., Abe, I., Tanaka, H., Hamano-Nagaoka, M., Akiyama, H. and Maitani, T.: **Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography tandem mass spectrometry**

J. Chromatogr. B., 834, 55-61 (2006).

Keywords: phenylhydrazine, agaritine, mushroom, LC-MS

* University of Shizuoka

Watanabe, T., Akiyama, H., Maleki, S. *¹, Yamakawa, H. *², Iijima, K. *², Yamazaki, F. *³, Matsumoto, T. *⁴, Futo, S. *⁵, Arakawa, F. *⁶, Watai, M. *⁷ and Maitani, T.: **A Specific qualitative detection method for peanut (*Arachis Hypogaea*) in foods using polymerase chain reaction.**

J. Food Biochem., 30, 215-233 (2006).

Keywords: Food allergy, peanut, *Arachis hypogaea*,

detection method, PCR

*¹ US Department of Agriculture, Agricultural Research Service, Southern Regional Research Center

*² Nisshin Seifun Group Inc.

*³ Morinaga Co., Ltd.

*⁴ R&D Center Nippon Meat Packers, Inc.

*⁵ FASMAC Co., Ltd.

*⁶ San-Ei Gen F.F.I.

*⁷ Japan Food Research Laboratories

渡邊敬浩, 笠間菊子 *¹, 菊地博之, 鈴木達也 *¹, 時下祥子, 坂田こずえ, 松木容彦 *², 日野明寛 *³, 稲山浩, 米谷民雄: **遺伝子組換えトウモロコシ (Mon810 系統) の定量PCR法を対象とした外部精度管理試験.**

食品衛生学雑誌, 47, 15-27 (2006)

Keywords: genetically modified maize, PCR, DNA extraction method, detection method, laboratory-performance study

*¹ (財)食品薬品安全センター

*² (社)日本食品衛生協会

*³ (独)食品総合研究所

Kobayashi-Hattori, K., Watanabe, T., Kikuchi, H., Kimura, K. * and Konishi-Sugita, Y.: **Down-regulation of mdr1 mRNA expression in the kidneys of mice following maternal exposure to tributyltin chloride.**

Biosci. Biotechnol. Biochem., 70, 1242-1245 (2006).

Keywords: tributyltin chloride, *mdr1b*, offspring, placenta, lactation

* The University of Tokyo

松田りえ子, 植田泰輔*, 岩上 猛*, 木村良夫*, 林譲: **システム適合性試験の不適合システムの検出力に関する考察.**

医薬品研究, 36, 433-436 (2005)

Keywords: system suitability test, HPLC

* 林純薬工業株式会社

Ijuin, K. *, Matsuda, R. and Hayashi, Y.: **A Method for Estimating Infection Route and Speed of Influenza.**

Yakugaku Zasshi, 126, 161-165 (2006).

Keywords: correlation, pharmacy, influenza, spectral analysis

* Tanashi Yakuhin Co.Ltd.

Ijuin, K. *, Matsuda, R. and Hayashi, Y.: **A Method for Estimating the Order of Influenza Infection between Adults and Children.**

Yakugaku Zasshi, 126, 311-314 (2006).

Keywords: correlation, pharmacy, influenza, spectral analysis

* Tanashi Yakuhin Co.Ltd.

Ijuin, K. *¹, Kusu, F. *², Matsuda, R. and Hayashi, Y.: **A Method for Detecting Injury of People's Health from**

Prescription at a Pharmacy.

Yakugaku Zasshi, **126**, 283-287 (2006).

Keywords: correlation, pharmacy, influenza, spectral analysis

*¹ Tanashi Yakuhin Co.Ltd.

*² Tokyo University of Pharmacy & Life Science

Hirano, K.*¹, Sakai, S., Ishikawa, T.*¹, Avci, F. Y.*², Linhardt, R. J.*² and Toida, T.*¹: **Preparation of the methyl ester of hyaluronan and its enzymatic degradation.** *Carbohydrate Research*, **340**, 2297-2304 (2005).

Keywords: Methyl ester of hyaluronan, Chondroitin AC lyase, Chondroitinase

*¹ Graduate school of Pharmaceutical Sciences, Chiba University

*² Rensselaer Polytechnic Institute

Hoshino, K.*¹, Momiyama, E.*¹, Yoshida, K.*¹, Nishimura, K.*¹, Sakai, S., Toida, T.*¹, Kashiwagi, K.*¹ and Igarashi, K.*¹: **Polyamine transport by mammalian cells and mitochondria: Role of antizyme and glycosaminoglycans.** *The Journal of Biological Chemistry*, **280**, 42801-42808 (2005)

Keywords: polyamine, glycosaminoglycan, antizyme

*¹ Graduate school of Pharmaceutical Sciences, Chiba University

Kusano, S.*¹, Igarashi, N.*², Sakai, S. and Toida, T.*²: **Effect of orally administered chondrosine on uptake of ³⁵S sulfate into mice cartilage.**

YAKUGAKU ZASSHI, **126**, 297-300 (2006).

Keywords: chondrosine, ³⁵S sulfate, rat cartilage

*¹ Fuji-Sangyou Co., Ltd.

*² Graduate school of Pharmaceutical Sciences, Chiba University

金 哲龍, 多田敦子, 杉本直樹, 佐藤恭子, 山崎 壮, 棚元憲一 : **天然着色料魚鱗箔の構成成分.**

日本食品化学学会誌, **12**, 85-87 (2005)

Keywords: fish scale foil, guanine, hypoxanthine

Tada, A., Jin, Z-L, Sugimoto, N., Sato, K., Yamazaki, T. and Tanamoto, K.: **Analysis of the Constituents in Jojoba Wax used as a Food Additive by LC/MS/MS.** *J. Food Hyg. Soc. Japan.*, **46**, 198-204 (2005).

Keywords: Natural gum base, jojoba wax, wax ester

Sugimoto, N., Kuroyanagi, M.*¹, Kato, T.*¹, Sato, K., Tada, A., Yamazaki, T. and Tanamoto, K.: **Identification of the Main Constituents in Sandarac Resin, a Natural Gum Base.**

J. Food Hyg. Soc. Japan., **47**, 76-79 (2006).

Keywords: sandarac resin, Tetraclinis articulata, sandaracopimaric acid

*¹ Hiroshima Prefectural University

河村葉子, 川崎智恵, 峰 幸加, 六鹿元雄, 棚元憲一 : **乳幼児用玩具中の有害8元素およびその溶出試験.** *食品衛生学雑誌*, **47**, 51-57 (2006)

Keywords: baby toy, harmful elements, migration test

Mutsuga, M., Tojima, T., Kawamura, Y. and Tanamoto, K.: **Survey of formaldehyde, acetaldehyde and oligomers in polyethylene terephthalate food-packaging materials.** *Food Add. Contam.*, **22**, 783-789 (2005).

Keywords: polyethylene terephthalate (PET), formaldehyde, acetaldehyde

Mutsuga, M., Kawamura, Y., Sugita-Konishi, Y., Hara-Kudo, Y., Takatori, K. and Tanamoto, K.: **Migration of formaldehyde and acetaldehyde into mineral water in polyethylene terephthalate (PET) bottles.**

Food Add. Contam., **23**, 212-218 (2006).

Keywords: polyethylene terephthalate (PET), formaldehyde, acetaldehyde

Ogawa, Y., Kawamura, Y., Wakui, C., Mutsuga, M., Nishimura, T. and Tanamoto, K.: **Estrogenic activities of chemicals related to food contact plastics and rubbers tested by the yeast two-hybrid assay.**

Food Add. Contam., **23**, 422-430 (2006).

Keywords: estrogenic activity, food contact plastics, yeast two-hybrid assay

大門由佳, 河村葉子, 六鹿元雄, 田村悦臣*, 棚元憲一 : **ポリエチレンテレフタレート再生材中の残存金属と再生材使用の判別法.**

食品衛生学雑誌, **46**, 109-115 (2005)

Keywords: metal, recycled polyethylene terephthalate (PET), discrimination

*¹ 共立薬科大学

大門由佳, 河村葉子, 六鹿元雄, 田村悦臣*, 棚元憲一 : **ポリエチレンテレフタレート再生材中のホルムアルデヒド, アセトアルデヒドおよびオリゴマーの分析.** *食品衛生学雑誌*, **46**, 218-223 (2005)

Keywords: formaldehyde, acetaldehyde, recycled polyethylene terephthalate (PET)

*¹ 共立薬科大学

大野浩之*, 河村葉子, 鈴木昌子*, 青山大器*: **金属缶内面コーティングから溶出する塩化ビニルのヘッドスペース - GC/MS 分析.**

名古屋市衛研報, **51**, 27-29 (2005)

Keywords: can coating, vinyl chloride, headspace-GC/MS
*¹ 名古屋市衛生研究所

Makino, SI.*¹, Kawamoto, K.*¹, Takeshi, K.*¹, Okada, Y., Yamasaki, M., Yamamoto, S. and Igimi, S.: **An outbreak of food-borne listeriosis due to cheese in Japan, during**

2001.

Int. J. Food Microbiol., **104**, 189-196 (2005).

Keyword: food borne listeriosis, *Listeria monocytogenes*, outbreak

*帯広畜産大学

Kitamura, M.*¹, Igimi, S., Furukawa, K.*² and Furukawa, K.*²: **Different response of the knockout mice lacking b-series of gangliosides against botulinum and tetanus toxins.**

Biochim. Biophys. Acta, **1741**, 1-3. (2005).

Keyword: ganglioside, *Clostridium botulinum*, toxin

*¹ 国立感染症研究所

*² 名古屋大学医学部

Fukuda, S.*¹, Tatsumi, H.*¹, Igimi, S. and Yamamoto, S.: **Improved bioluminescent enzyme immunoassay for the rapid detection of *Salmonella* in chicken meat samples.**

Lett. Appl. Microbiol., **41**, 379-384 (2005).

Keyword: bioluminescent, *Salmonella*, enzyme immunoassay

*キッコ - マン研究本部

Terai, S.*¹, Yamasaki, M., Igimi, S. and Amano, F.*¹: **Expression of SEp22, a pathogenicity-related protein of *Salmonella* Dps, in *Salmonella enterica* serovar Enteritidis isolated from the poultry farms in Japan.**

Biosc. Microflora, **24**, 113-118 (2005).

Keyword: *Salmonella*, Dps, pathogenicity

*大阪薬科大学

Strachan, N.J.C.*¹, Doyle, M.P.*², Kasuga, F., Rotariu, O., *¹ and Ogden, I.D.*³: **Dose response modelling of *Escherichia coli* O157 incorporating data from foodborne and environmental outbreaks.**

Int. J. Food Microbiol., **103**, 35-47 (2005).

Keywords: Dose response, *E. coli* O157, Markov Chain Monte Carlo

*¹ School of Biological Sciences, University of Aberdeen

*² Center for Food Safety, University of Georgia

*³ School of Medicine, University of Aberdeen

Suzuki, H. and Yamamoto, S.: **Regional variations in the distributions of small intestinal intraepithelial lymphocytes (IELs) in outbred laboratory mice (*Mus musculus domesticus*) and the inbred strain of mice established from Japanese fancy mice (*Mus musculus molossinus*).**

Dev. Comp. Immunol., **30**, 523-529 (2006).

Keywords: intraepithelial lymphocyte (IEL), regional variation, JF1 mouse

Asakura, H., Igimi, S., Kawamoto, K.*¹, Yamamoto, S. and Makino, S.*¹: **Role of in vivo passage on the environmental adaptation of enterohemorrhagic *Escherichia coli***

O157:H7: cross-induction of the viable but nonculturable state by osmotic and oxidative stresses.

FEMS Microbiol. Lett., **253**, 243-249 (2005).

Keywords: EHEC O157, VNC, Hydrogen peroxide

*帯広畜産大

Panutdaporn, N.*¹, Kawamoto, K.*¹, Asakura, H., Makino, S.*¹: **Resuscitation of the viable but non-culturable state of *Salmonella enterica* serovar Oranienburg by recombinant resuscitation-promoting factor derived from *Salmonella Typhimurium* strain LT2.**

Int. J. Food Microbiol., **106**, 241-247 (2006).

Keywords: *Salmonella enterica* serovar Oranienburg, VNC, Resuscitation-promoting factor

*帯広畜産大

李憲俊*¹, 小菅旬子*², 相原真紀, 高鳥浩介: **シリコーンシーラントにおける *Cladosporium* の侵入形態変化.** 防菌防黴, **33**, 391-395 (2005)

Keywords: silicon sealant, invasion hypha, morphological change

*¹衛生微生物研究センター

*²宮崎大学農学部

Nakajima, D.*¹, Ishii, R.*¹, Kageyama, S.*¹, Onji, Y.*², Mineki, S.*³, Morooka, N.*⁴, Takatori, K. and Goto, S.*¹: **Genotoxicity of microbial volatile organic compounds.**

J. Health Science, **52**, 148-153 (2006).

Keywords: microbial volatile organic compound, fungi, umu test, Ames test, mutagenicity

*¹ Research Center for Material Cycles and Waste Management, National Institute for Environmental Studies

*² Air Environment Division, Nara prefectural Institute for Hygiene and Environment

*³ Faculty of Science and Technology, Tokyo University of Science

*⁴ Faculty of Home Economics, Koriyama Women's University

Park, B. J.*¹, Kim, S. C.*², Lee, D. H.*¹, Son, H. J.*^{3,4}, Nam, K. C.*³, Takatori, K., Aihara, M. and Park, J.-C.*^{3,4}: **Computer-Assisted Image Processing Techniques for Quantitative Analysis of Cell Migrations on Collagen-Coated Glass.**

Key Engineering Material, **288-289**, 503-506 (2005).

Keywords: Tissue Engineering, ECM, Human Dermal Fibroblast

*¹ The United Graduate School of Veterinary Science, Gifu University, Gifu, Japan

*² Department of ECSE, Rensselaer Polytechnic Institute, New York, USA

*³ Department of Medical Engineering

*⁴ Brain Korea 21 Project for Medical Science, Yonsei University College of Medicine, Seoul, Korea

Shimomura-Shimizu M, Sugiyama K, Muroi M, Tanamoto K.: **Alachlor and carbaryl suppress lipopolysaccharide-induced iNOS expression by differentially inhibiting NF- κ B activation.**

Biochem. Biophys. Res. Commun., **332**, 793-799 (2005).

Keywords: endocrine disrupting chemicals, lipopolysaccharide

Muroi, M. and Tanamoto, K.: **Structural regions of MD-2 that determine the agonist-antagonist activity of lipid IVa.**

J. Biol. Chem., **281**, 5484-91 (2006).

Keywords: lipopolysaccharide, MD-2, Toll-like receptor

宮原美知子, 小沼博隆: **食品中赤痢菌の新検査法検出感度および冷凍保存での生残性.**

防菌防黴, **34**, 263-266 (2006)

Keywords: 赤痢菌, 食品中検出法, 生残性

Matsutani, S.: **The internal sequence of IS1 stimulates RNA synthesis from the IS1 own and exogenous promoters.**

Journal of Biological Systems, **13**, 313-329 (2005).

Keywords: transcription, bacterial transposon

Hara-Kudo, Y. and Sugita-Konishi, Y.: **Antibacterial action on pathogenic bacteria by green tea catechins.**

Proceedings, The 8th International Symposium on Green Tea, 41-52 (2005).

Keywords: catechin, antibacterial action

Hara-Kudo, Y., Yamasaki, A.^{*1}, Sasaki, M.^{*2}, Okubo, T.^{*3} and Minai, Y.^{*1}, Haga, M.^{*1}, Kondo, K.^{*2}, Sugita-Konishi, Y.: **Antibacterial action on pathogenic bacterial spore by green tea catechins.**

J. Sci. Food Agri., **85**, 2354-2361 (2005).

Keywords: catechin, antibacterial activity

^{*1}玉川大学

^{*2}お茶の水女子大学

^{*3}太陽化学株式会社

Hara-Kudo, Y., Watanabe, H.^{*1} and Konuma, H.^{*2}: **Differences in Survival of *Escherichia coli* O157:H7 under Various Conditions that Reenacts the Cooking of Lunches Implicated in an Outbreak of Hemorrhagic Diarrhea.**

Epidemiol. Infect., **133**, 1043-1048 (2005).

Keywords: *Escherichia coli* O157:H7, survival

^{*1}国立感染症研究所

^{*2}東海大学

Hara-Kudo, Y., Yoshino, M.^{*}, Kojima, T.^{*} and Ikeda, M.^{*}: **Loop-Mediated isothermal amplification for the rapid detection of *Salmonella*.**

FEMS Microbiol. Lett., **253**, 155-161 (2005).

Keywords: LAMP, *Salmonella*

^{*}栄研化学株式会社

工藤由起子, 三輪憲永^{*1}, 山崎省吾^{*2}, 八柳潤^{*3}, 岩出義人^{*4}, 高橋肇, 宮坂次郎^{*5}: **魚介類からの *Vibrio vulnificus* の定量検出方法の検討.**

感染症学会誌, **79**, 931-936 (2005)

Keywords: *Vibrio vulnificus*, quantification

^{*1}静岡県環境衛生科学研究所

^{*2}長崎県衛生公害研究所

^{*3}秋田県衛生科学研究所

^{*4}三重県科学技術振興センター

^{*5}熊本県保健環境科学研究所

Hara-Kudo, Y., Segawa, Y. and Kimura, K.^{*}: **Sanitation of seawater effluent from seaweed processing plants using a photo-catalytic TiO₂ oxidation.**

Chemosphere, **62**, 149-154 (2006).

Keywords: titanium dioxide, photo-catalyst

^{*}産業技術総合研究所九州センター

Ohtsuka, K.^{*}, Yanagawa, K.^{*}, Takatori, K. and Hara-Kudo, Y.: **Detection of *Salmonella enterica* in Naturally Contaminated Liquid Eggs by Loop-Mediated Isothermal Amplification, and Characterization of *Salmonella* Isolates.**

Appl. Environ. Microbiol., **71**, 6730-6735 (2005).

Keywords: LAMP, *Salmonella*, liquid egg

^{*}埼玉県衛生研究所

Koujitan, E.^{*1}, Horisaka, T.^{*1}, Nomura, Y.^{*1}, Hara-Kudo, Y., Okatani, T. A.^{*1}, Kumagai, S.^{*2}, Iwata, T.^{*1} and Hayashidani, H.^{*1}: **Immuno-magnetic separation and agar layer methods for the Isolation of freeze-injured *Yersinia enterocolitica* O:8 from water.**

J. Vet. Med. Sci., **68**, 195-199 (2006).

Keywords: *Y. enterocolitica* O:8, isolation

^{*1}東京農工大学

^{*2}東京大学

酒井綾子, 田中宏輝, 小西良子, 花澤良, 太田利子^{*1}, 中原徳之, 関口将二, 押田絵美, 滝埜昌彦^{*2}, 一戸正勝^{*3}, 吉川邦衛^{*4}, 芳澤宅實^{*5}, 高鳥浩介: **国産玄米の真菌調査と分離された *Penicillium islandicum* の毒素产生能**

食品衛生学雑誌, **46**, 205-212 (2005)

Keywords: domestic rice, fungal contamination, luteoskyrin

^{*}相模女子大学

^{*2}横河アナリティカルシステムズ株

^{*3}東京家政大学

^{*4}東京農業大学

^{*5}香川大学

Ohmori, K.^{*1}, Umeda, M.^{*2}, Tanaka, N.^{*2}, Takagi, H.^{*3},

Yoshimura, I.^{*4}, Sasaki, K.^{*2}, Asada, S.^{*2}, Sakai, A., Araki, H.^{*5} and Asakura, M.^{*6} et al.: An inter-laboratory collaborative study by the Non-Genotoxic Carcinogen Study Group in Japan, on a cell transformation assay for tumor promoters using Bhas 42 cells.

ATLA, **33**, 619-639 (2005).

Keywords: Bhas 42 cells, cell transformation assay, tumor promoter

^{*1} Kanagawa Prefectural Institute of Public Health

^{*2} Food and Drug Safety Center

^{*3} Aventis Pharma Ltd

^{*4} Tokyo University of Science

^{*5} Toyama Chemical Co. Ltd

^{*6} Japan Bioassay Research Center

Tsunoda, M.^{*1}, Aizawa, Y.^{*1}, Konno, N.^{*2}, Kimura, K.^{*1} and Sugita-Konishi, Y.: Subacute administration of TBT chloride modulates neurotransmitters and their metabolites in discrete brain regions of maternal mice and their F1 offspring.

Toxicology and Industrial Health, **22**, 15-25 (2006).

Keywords: neurotoxicity, tributyltin; dam

^{*1} Department of Preventive Medicine and Public Health, Kitasato University School of Medicine

^{*2} Koriyama Women's University and College

^{*3} Department of Veterinary Medicine, Azabu University

Nakajima, K.^{*1}, Tamura, N.^{*1}, Kobayashi-Hattori, K.^{*1}, Hara-Kudo, Y., Yoshida, T.^{*1}, Ikeda, M.^{*2}, Sugita-Konishi, Y. and Makoto Hattori, M.^{*1}: Prevention of intestinal infection by glycomacropeptide.

Biosci. Biotech. Biochem., **69**, 2294-301 (2005).

Keywords: glycomacropeptide, *Salmonella enteritidis*, *Escherichia coli* O157:H7

^{*1} Institute of Symbiotic Science and Technology, Division of Agriscience and Bioscience, Tokyo University of Agriculture and Technology,

^{*2} Eiken Chemical Co. Ltd.,

Kimura, K.^{*1}, Kobayashi, K.^{*2}, Naito, H.^{*1}, Suzuki, Y.^{*1} and Sugita-Konishi, Y.: Effect of lactational exposure to Tributyltin chloride on natural immunodefences in the F1 generation in mice.

Biosci. Biotech. Biochem., **69**, 1104-10 (2005).

Keywords: Tributyltin, *E.coli* K-12, breast milk

^{*1} Department of Veterinary Science, Azabu University,

^{*2} Institute of Symbiotic Science and Technology, Division of Agriscience and Bioscience, Tokyo University of Agriculture and Technology,

Sugita-Konishi, Y., Tanaka, T.^{*1}, Tabata, S.^{*2}, Nakajima, M.^{*3}, Nouno, M.^{*4}, Nakae, Y.^{*5}, Chonan, T.^{*6}, Aoyagi, M.^{*6}, Kibune, N.^{*7}, Mizuno, K.^{*8}, Ishikuro, E.^{*8}, Kanamaru, N.^{*9}, Minamisawa, M.^{*10}, Norio Aita, N.^{*10}, Kushiro, M.^{*11}, Tanaka, K.^{*11} and Takatori, K.:

Validation of an HPLC analytical method coupled to a multifunctional clean-up column for the determination of deoxynivalenol.

Mycopathologia, **161**, 239-243 (2006).

Keywords: Deoxynivalenol (DON), inter-laboratory study, multifunctional clean-up

^{*1} Kobe Institute of Health

^{*2} Tokyo Metropolitan Institute of Public Health

^{*3} Nagoya City Public Health, Research Institute

^{*4} Yokohama Quarantine Station

^{*5} Kobe Quarantine Station

^{*6} Hokkaido Institute of Public Health

^{*7} Japan Food Research Laboratories, Osaka branch

^{*8} Fertilizer and Feed Inspection Services

^{*9} Japan Grain Inspection Association

^{*10} Fertilizer and Feed Inspection Services, Sendai Branch

^{*11} National Food Research Institute

Sugita-Konishi, Y.: The mechanism of the carcinogenic effect of aflatoxins and the occurrence of Aflatoxin in nuts in Japan.

Mycotoxins, **55**, 129-132 (2005).

Keywords: Aflatoxins, carcinogenesis, occurrence

Taniguchi, H.* , Kobayashi-Hattori, K.* , Tenmyo, C.* , Kamei, T.* , Uda, Y.* , Sugita-Konishi, Y., Oishi, Y.* and Takita, T.: Effect of Japanese radish (*Raphanus sativus*) sprout (Kaiware-daikon) on carbohydrate and lipid metabolisms in normal and streptozotocin-induced diabetic rats .

Phytother Res. **20**, 274-278 (2006).

^{*}Department of Nutritional Sciences, Faculty of Applied Bio-Science, Tokyo University of Agriculture

Tanaka, H.^{*1}, Takino, M.^{*2}, Sugita-Konishi, Y. and Tanaka, T.^{*3}: Development of a liquid chromatography/time of flight mass spectrometric method for the simultaneous determination of trichothecenes, zearalenone and aflatoxins in foodstuffs.

Rapid Commun. Mass Spectrom., **20**, 1422-1428 (2006).

Keywords: trichothecens, Aflatoxins, LC-TOFMS

^{*1} Planning Division, All Nippon Checkers Corporation

^{*2} Yokogawa Analytical Systems Inc.

^{*3} Department of Food Chemistry, Kobe Institute of Health

Sugita-Konishi, Y., Tanaka, T.^{*1}, Sugiura, Y.^{*2}, Tabata, S.^{*3}, Nakajima, M.^{*4}, Sakurai, H.^{*5}, Nakae, Y.^{*5}, Sato, K.^{*6}, Kitani, Y.^{*6}, Fujita, K.^{*7}, Hayashi, S.^{*7}, Iizuka, T.^{*8}, Hirakawa, Y.^{*8}, Mochizuki, N.^{*9}, Hshino, M.^{*9}, Sato, Y.^{*10}, Takahashi, N.^{*10} and Takatori, K.: Inter-laboratory Study for Validation of a Japanese Official Analytical Method for Determination of Patulin in Apple Juice.

J. Food Hygien. Soc. of Japan, **46**, 224-227 (2005).

Keywords: apple juice, inter-laboratory study, validation

^{*1} Kobe Institute of Health

- *² Tokyo Metropolitan Institute of Public Health
- *³ Nagoya City Public Health
- *⁴ Yokohama Quarantine Station
- *⁵ Kobe Quarantine Station
- *⁶ IAA Center for Food Quality, Labeling and Consumer Services
- *⁷ Japan Food Research Laboratories, Nagoya Branch
- *⁸ Japan Food Research Laboratories, Japan Inspection Association of Food and Food Industry Environment
- *⁹ Asahi Breweries, Ltd.
- *¹⁰ Meiji Dairies Corporation

Konno, N.^{*1}, Tsunoda, M.^{*2} and Sugita-Konishi, Y.: **Effect of Tributyltin compound on N-methyl-D-aspartate (NMDA) receptors in Brain of Preweanling Mice.**

Environmental Health and preventive medicine., **10**, 335-337 (2005).

Keywords: tributyltin, neurotoxicity, NMDA receptor

*¹ Koriyama Women's University and College

*² Department of Preventive Medicine and Public Health, Kitasato University School of Medicine

Hakamata, W., Nakanishi, I.^{*1,2}, Masuda, Y.^{*3}, Shimizu, T.^{*4}, Higuchi, H.^{*4}, Nakamura, Y.^{*5}, Oku, T.^{*3}, Saito, S.^{*5}, Urano, S.^{*4}, Ozawa, T.^{*1}, Ikota, N.^{*1}, Miyata, N.^{*6}, Okuda, H. and Fukuhara, K.: **Planar Catechin Analogues with Alkyl Side Chains, as a Potent Antioxidant and an α -Glucosidase Inhibitor.**

J. Am. Chem. Soc., **128**, 6524-6525 (2006).

Keywords: catechin, antioxidant, α -glucosidase

*¹ National Institute of Radiological Sciences

*² Osaka University, SORST, Japan Science and Technology Agency

*³ Nihon University

*⁴ Shibaura Institute of Technology

*⁵ Tokyo University of Science

*⁶ Nagoya City University

Fukuhara, K., Nagakawa, M.^{*1}, Nakanishi, I.^{*2,3}, Ohkubo, K.^{*3}, Imai, K.^{*4}, Urano, S.^{*4}, Fukuzumi, S.^{*3}, Ozawa, T.^{*2}, Ikota, N.^{*2}, Mochizuki, M.^{*1}, Miyata, N.^{*5} and Okuda, H.: **Structural Basis for DNA Cleaving Activity of Resveratrol on the Presence of Cu(II).**

Bioorg. Med. Chem., **14**, 1437-1443 (2006).

Keywords: resveratrol, antioxidant, DNA strand scission

*¹ Kyoritsu University of Pharmacy

*² National Institute of Radiological Sciences

*³ Osaka University, SORST, Japan Science and Technology Agency

*⁴ Shibaura Institute of Technology

*⁵ Nagoya City University

Nakanishi, I.^{*1,2}, Nishizawa, C.^{*1,3}, Ohkubo, K.^{*2}, Takeshita, K.^{*4}, Suzuki, K.^{*3}, Ozawa, T.^{*1}, Hecht, S. M.^{*5},

Tanno, M., Sueyoshi, S., Miyata, N.^{*6}, Okuda, H., Fukuzumi, S.^{*2}, Ikota, N.^{*1} and Fukuhara, K.: **Hydroxyl Radical Generation via Photoreduction of a Simple Pyridine N-Oxide by an NADH Analogue.**

Org. Biomol. Chem., **3**, 3263-3265 (2005).

Keywords: hypoxic solid tumor, pyridine N-oxide, hydroxyl radical

*¹ National Institute of Radiological Sciences

*² Osaka University, SORST, Japan Science and Technology Agency

*³ Chiba University

*⁴ Sojo University

*⁵ University of Virginia

*⁶ Nagoya City University

Suzuki, T.^{*}, Nagae, O.^{*}, Kato, Y.^{*}, Nakagawa, H.^{*}, Fukuhara, K. and Miyata, N.^{*}: **Photo-induced Nitric Oxide Release from Nitrobenzene Derivatives.**

J. Am. Chem. Soc., **127**, 11720-11726 (2005).

Keywords: nitric oxide, NO donor, nitrobenzene

*¹ Nagoya City University

Nakanishi, I.^{*1,2}, Kawashima, T.^{*1,3}, Ohkubo, K.^{*2}, Kanazawa, H.^{*3}, Inami, K.^{*3}, Mochizuki, M.^{*3}, Fukuhara, K., Okuda, H., Ozawa, T.^{*1}, Itoh, S.^{*4}, Fukuzumi, S.^{*2} and Ikota, N.^{*1}: **Electron-Transfer Mechanism in Radical-Scavenging Reactions by a Vitamin E Model in a Protic Medium.**

Org. Biomol. Chem., **3**, 626-629 (2005).

Keywords: vitamin E, antioxidant, solvent effects

*¹ National Institute of Radiological Sciences

*² Osaka University, SORST, Japan Science and Technology Agency

*³ Kyoritsu University of Pharmacy

*⁴ Osaka City University

Tanaka, M.^{*1}, Anan, K.^{*1}, Demizu, Y.^{*1}, Kurihara, M., Doi, M.^{*2} and Suemune, H.^{*1}: **Side-Chain Chiral Centers of Amino Acid and Helical Screw Handedness of Its Peptides.**

J. Am. Chem. Soc., **127**, 11570-11571 (2005).

*¹ Kyushu University

*² Osaka University of Pharmaceutical Sciences

Honzawa, S.^{*1}, Hirasaka, K.^{*1}, Yamamoto, Y.^{*1}, Peleg, S.^{*2}, Fujishima, T.^{*1}, Kurihara, M., Saito, N.^{*1}, Kishimoto, S.^{*1}, Sugiura, T.^{*1}, Waku, K.^{*1}, Takayama, H.^{*1} and Kittaka, A.^{*1}: **Design, Synthesis and Biological Evaluation of Novel 1 α ,25-Dihydroxyvitamin D3 Analogues Possessing Aromatic Ring on 2 α -Position.**

Tetrahedron, **61**, 11253-11263 (2005).

*¹ Teikyo University

*² The University of Texas

Sugiyama, T.^{*}, Imamura, Y.^{*}, Hakamata, W., Kurihara,

M. and Kittaka, A.^{*2}: **Cooperative Strand Invasion of Double-Stranded DNA by Peptide Nucleic Acid.**

Nucleic Acids Symposium Series, **49**, 167-168 (2005).

^{*1} University of Tokyo

^{*2} Teikyo University

Kurihara, M., Okuda, H., Oba, M.^{*1}, Demizu, Y.^{*2}, Tanaka, M.^{*2} and Suemune, H.^{*2}: **Prediction of Helical Screw Sense of Oligopeptides Containing Chiral alpha,alpha-Disubstituted alpha-Amino Acids: Computational Study.**

Peptides 2004, 206-207 (2005).

^{*1} University of Tokyo

^{*2} Kyushu University

Demizu, Y.^{*1,2}, Tanaka, M.^{*1}, Anan, K.^{*1}, Yoshida, Y.^{*1}, Doi, M.^{*3}, Kurihara, M., Maruyama, T.^{*2} and Suemune, H.^{*1}: **Design and Synthesis of Chiral Cyclic alpha, alpha-Disubstituted alpha-Amino Acids and Its Peptides.**

Peptides 2004, 1027-1028 (2005).

^{*1} Kyushu University

^{*2} Tokushima Bunri University

^{*3} Osaka University of Pharmaceutical Sciences

Tanaka, M.^{*1}, Demizu, Y.^{*1}, Doi, M.^{*2}, Kurihara, M. and Suemune, H.^{*1}: **Controlling the Helical Screw Sense of Oligopeptide by alpha-Amino Acid Side-chain Chirality.**

Peptides 2004, 277-278 (2005).

^{*1} Kyushu University

^{*2} Osaka University of Pharmaceutical Sciences

Kurihara, M., Sato, Y., Hakamata, W., Okuda, H., Demizu, Y.^{*1}, Nagano, M.^{*1}, Kawabe, N.^{*1}, Doi, M.^{*2}, Tanaka, M.^{*1} and Suemune, H.^{*1}: **Computational Study on Conformation of Oligopeptides Containing Chiral Cyclic alpha,alpha-Disubstituted alpha-Amino Acids.**

Peptide Science 2005, 371-372 (2006).

^{*1} Kyushu University

^{*2} Osaka University of Pharmaceutical Sciences

Kawabe, N.^{*}, Demizu, Y.^{*}, Tanaka, M.^{*}, Kurihara, M., and Suemune, H.^{*}: **Synthesis of Various Chiral Cyclic alpha,alpha-Disubstituted Amino Acids and Conformational analysis of their Peptides.**

Peptide Science 2005, 347-348 (2006).

^{*1} Kyushu University

Nagano, M.^{*1}, Demizu, Y.^{*1}, Tanaka, M.^{*1}, Kurihara, M., Doi, M.^{*2} and Suemune, H.^{*1}: **Chiral Cyclic alpha,alpha-Disubstituted alpha-Amino Acids Bearing Two Chiral Centers and Conformation of Their Peptides.**

Peptide Science 2005, 345-346 (2006).

^{*1} Kyushu University

^{*2} Osaka University of Pharmaceutical Sciences

Hakamata, W., Muroi, M.^{*1}, Kadokura, K.^{*1}, Nishio, T.^{*2}, Oku, T.^{*2}, Kimura, A.^{*3}, Chiba, S.^{*3} and Takatsuki, A.^{*1}: **A glycan specificity profiling of alpha-glucosidases using synthetic probes.**

Bioorganic and Medicinal Chemistry Letters, **15**, 1489-1492 (2005).

^{*1} 理化学研究所

^{*2} 日本大学

^{*3} 北海道大学

Nishio, T.^{*}, Hakamata, W., Ogawa, M.^{*}, Nakajima, K.^{*}, Matsuishi, Y.^{*}, Kawachi, R.^{*} and Oku, T.^{*}: **Investigations of useful alpha-glycosidase for the enzymatic synthesis of rare sugar oligosaccharides.**

Journal of Applied Glycoscience, **52**, 153-160, (2005).

^{*} 日本大学

Koyano, S., Saito, Y., Fukushima-Uesaka, H., Ishida, S., Ozawa, S., Kamatani, N.^{*1}, Minami, H.^{*2}, Ohtsu, A.^{*2}, Hamaguchi, T.^{*2}, Shirao, K.^{*2}, Yoshida, T.^{*2}, Sajio, N.^{*2}, Jinno, H. and Sawada, J.: **Functional analysis of six human aryl hydrocarbon receptor variants in a Japanese population.**

Drug Metab. Dispos., **33**, 1254-1260 (2005).

Keywords: genetic polymorphism, aryl hydrocarbon receptor, function

^{*1} 東京女子医科大学

^{*2} 国立がんセンター

Koyano, S., Saito, Y., Ozawa, S., Miyajima, A. and Sawada, J.: **Functional characterization of a human glucocorticoid receptor variant K140N.**

Int. J. Pharmacol., **1**, 316-323 (2005).

Keywords: genetic polymorphism, glucocorticoid receptor, function

Fukushima-Uesaka, H., Saito, Y., Maekawa, K., Ozawa, S., Hasegawa, R., Kajio, H.^{*1}, Kuzuya, N.^{*1}, Yasuda, K.^{*1}, Kawamoto, M.^{*2}, Kamatani, N.^{*2}, Suzuki, K.^{*3}, Yanagawa, T.^{*3}, Tohkin, M. and Sawada, J.: **Genetic variations and haplotypes of CYP2C19 in a Japanese population.**

Drug Metab. Pharmacokinet., **20**, 300-307 (2005).

Keywords: genetic polymorphism, cytochrome P450, Japanese

^{*1} 国立国際医療センター

^{*2} 東京女子医科大学

^{*3} 練馬総合病院

Saito, Y., Hanioka, N.^{*}, Maekawa, K., Isobe, T.^{*}, Tsuneto, Y.^{*}, Nakamura, R., Soyama, A., Ozawa, S., Tanaka-Kagawa, T., Jinno, H., Narimatsu, S.^{*} and Sawada, J.: **Functional analysis of three CYP1A2 variants found in a Japanese population.**

Drug Metab. Dispos., **33**, 1905-1910 (2005).

Keywords: genetic polymorphism, cytochrome P450,

function

^{*}岡山大学

Saeki, M., Saito, Y., Jinno, H., Sai, K., Ozawa, S., Kurose, K., Kaniwa, N., Komamura, K.^{*1}, Kotake, T.^{*1}, Morishita, H.^{*1}, Kamakura, S.^{*1}, Kitakaze, M.^{*1}, Tomoike, H.^{*1}, Shirao, K.^{*2}, Tamura, T.^{*2}, Yamamoto, N.^{*2}, Kunitoh, H.^{*2}, Hamaguchi, T.^{*2}, Yoshida, T.^{*2}, Kubota, K.^{*2}, Ohtsu, A.^{*2}, Muto, M.^{*2}, Minami, H.^{*2}, Saijo, N.^{*2}, Kamatani, N.^{*3} and Sawada, J.: **Haplotype structures of the UGT1A gene complex in a Japanese population.**

Pharmacogenomics J., **6**, 63-75 (2006).

Keywords: haplotype, UGT1A, Japanese

^{*}1 国立循環器病センター^{*}2 国立がんセンター^{*}3 東京女子医科大学

Hanioka, N.^{*1}, Okumura, Y.^{*1}, Saito, Y., Hichiya, H., Soyama, A., Saito, K.^{*1}, Ueno, K.^{*2}, Sawada, J. and Narimatsu, S.^{*1}: **Catalytic roles of CYP2D6.10 and CYP2D6.36 enzymes in mexiletine metabolism: in vitro functional analysis of recombinant proteins expressed in *Saccharomyces cerevisiae*.**

Biochem. Pharmacol., **71**, 1386-1395 (2006).

Keywords: genetic polymorphism, cytochrome P450, function

^{*}1 岡山大学^{*}2 新潟薬科大学

Maekawa, K., Itoda, M., Sai, K., Saito, Y., Kaniwa, N., Shirao, K.^{*1}, Hamaguchi, T.^{*1}, Kunitoh, H.^{*1}, Yamamoto, N.^{*1}, Tamura, T.^{*1}, Minami, H.^{*1}, Kubota, K.^{*1}, Ohtsu, A.^{*1}, Yoshida, T.^{*1}, Saijo, N.^{*1}, Kamatani, N.^{*2}, Ozawa, S. and Sawada, J.: **Genetic variation and haplotype structure of the ABC transporter gene ABCG2 in a Japanese population.**

Drug Metab. Pharmacokinet., **21**, 109-121 (2006).

Keywords: ABCG2, nonsynonymous SNP, haplotype

^{*}1 国立がんセンター^{*}2 東京女子医科大学

Li P.^{*}, Prasad S. S.^{*}, Mitchell D. E.^{*}, Hachisuka A., Sawada J., Al-Housseini A. M.^{*} and Gu Q.^{*}: **Postnatal expression profile of OBCAM implies its involvement in visual cortex development and plasticity.**

Cereb. Cortex, **16**, 291-299 (2006).

Keywords: cDNA microarray, dark-rearing, opioid-binding cell adhesion molecule

^{*} University of British Columbia, Canada.

Teshima, R., Okunuki, H., Sato, Y., Akiyama, H., Maitani T. and Sawada J.: **Effect of oral administration of CpG ODN-OVA on WBB6F1-W/W^y mice.**

Allergology International, **55**, 43-48 (2006).

Keywords: allergy, CpG motif, oral-sensitization

Liu, Y.^{*1}, Furuta, K.^{*1}, Teshima, R., Shirata, N.^{*1}, Sugimoto, Y.^{*1}, Ichikawa, A.^{*2} and Tanaka, S.^{*1}: **Critical role of PKCbeta II in activation of mast cells by monomeric IgE.**

J. Biol. Chem., **280**, 38976-38981 (2005).

Keywords: PKCbetaII, mast cells, monomeric IgE

^{*}1 京都大学^{*}2 武庫川女子大学

Takagi, K., Teshima, R. and Sawada, J.: **Determination of Human Linear IgE Epitopes of Japanese Cedar Allergen Cry j 1.**

Biol. Pharm. Bull., **28**, 1496-1499 (2005).

Keywords: Japanese cedar, IgE epitope, linear

Takagi, K., Teshima, R., Nakajima, O., Okunuki, H. and Sawada, J.: **Improved ELISA method for screening human antigen-specific IgE and its application for monitoring specific IgE for novel proteins in genetically modified foods.**

Regul. Toxicol. Pharmacol., **44**, 182-188 (2006).

Keywords: genetically modified food, human IgE, ELISA

Koyano, S., Takagi, K., Teshima, R. and Sawada, J.: **Molecular cloning of cDNA, recombinant protein expression and characterization of a buckwheat 16-kDa major allergen.**

Int. Arch. Allergy Immunol., **54**, 73-81 (2006).

Keywords: Buckwheat, BWp16, recombinant protein

Takagi, K., Teshima, R., Okunuki, H., Hachisuka, A., Sawada, J., Kojima, K.^{*1}, Takahashi, K.^{*2}, Ohsawa, M.^{*2} and Yoshida, T.^{*3}: **Survey of Food and Airborne Allergen-Specific IgE Levels in a General Population of 3-year-old Japanese Children.**

Allergology International, **54**, 581-587 (2005).

Keywords: 3-year-old children, antigen-specific IgE, total IgE

^{*}1 食品薬品安全センター^{*}2 帝京大学^{*}3 旭川医科大学

Suzuki, A.^{*}, Suzuki, R.^{*}, Furuno, T.^{*}, Teshima, R. and Nakanishi, M.^{*}: **Calcium response and FcepsilonRI expression in bone marrow-derived mast cells co-cultured with SCG neurites.**

Biol. Pharm. Bull., **28**, 1963-1965 (2005).

Keywords: neuro-immune interaction, mast cell, superior cervical ganglia

^{*}名古屋市立大学

Weaver, J. L.^{*1}, Tsutsui, N.^{*2}, Hisada S.^{*3}, Vidal, J.-M.^{*4}, Spanhaak, S.^{*5}, Sawada, J., Hastings, K. L.^{*1}, van der

Laan, J. W.^{*6}, van Loveren, H.^{*6}, Kawabata, T. K.^{*7}, Sims, J^{*8}, Durham, S. K.^{*9}, Fueki, O.^{*10}, Matula, T. I.^{*11}, Kusunoki, M.^{*12}, Urlich, P.^{*13} and Nakamura, K.^{*14}: **Development of the ICH guidelines for immunotoxicology evaluation of pharmaceuticals using a survey of industry practices.**

J. Immunotoxicol., **2**, 171-180 (2005).

Keywords: pharmaceutical, immunosuppression, guidance

^{*1} CDER, U.S. FDA

^{*2} 三菱ウエルファーマ

^{*3} あすか製薬

^{*4} EMEA

^{*5} Johnson & Johnson Pharmaceutical

^{*6} National Institute of Public Health and the Environment

^{*7} Pfizer Inc.

^{*8} Novartis Pharma AG

^{*9} Bristol-Meyers Squibb

^{*10} 医薬品医療機器総合機構

^{*11} Health Canada

^{*12} 厚生労働省

^{*13} Novartis Pharma AG

^{*14} 塩野義製薬

Suzuki, K., Adachi, R., Hirayama, A., Watanabe, H., Otani, S., Watanabe, Y. and Kasahara, T.^{*}: **Indirubin, a Chinese antileukemia drug, promotes neutrophilic differentiation of human myelocytic leukemia HL-60 cells.**

Brit. J. Haematol., **130**, 681-690 (2005).

Keywords: indirubin, differentiation, superoxide

^{*}共立薬科大学

Nishimaki-Mogami, T., Kawahara, Y.^{*1}, Tamehiro, N., Yoshida, T.^{*1}, Inoue, K., Ohno, Y., Nagao, T., Une, M.^{*2}: **Salpha-Bile alcohols function as farnesoid X receptor antagonists.**

Biochem. Biophys. Res. Commn., **339**, 386-391 (2006).

Keywords: farnesoid X receptor (FXR), bile alcohol, antagonist

^{*1} 昭和大学薬学部

^{*2} 広島国際大学薬学部

Tamehiro, N., Sato, Y., Suzuki, T., Hashimoto, T.^{*}, Asakawa, Y.^{*}, Yokoyama, S., Kawanishi, T., Ohno, Y., Inoue, K., Nagao, T., Nishimaki-Mogami, T.: **Riccardin C: A natural product that functions as a liver X receptor (LXR)alpha agonist and an LXRbeta antagonist.**

FEBS Lett., **579**, 5299-5304 (2005).

Keywords: liver X receptor (LXR), HDL, ABCA1

^{*}徳島文理大学薬学部

Arakawa, R.^{*1}, Tamehiro, N., Nishimaki-Mogami, T., Ueda, K.^{*2}, Yokoyama, S.^{*1}: **Fenofibric acid, an active form of fenofibrate, increases apoAI-mediated HDL biogenesis by enhancing transcription of ABCA1 gene in an LXR-dependent manner.**

Arterioscl. Thromb. Vasc. Biol., **25**, 1193-1197 (2005).

Keywords: liver X receptor (LXR), HDL, ABCA1

^{*1} 名古屋市立大学大学院医学研究科

^{*2} 京都大学大学院農学研究科

Okuhira, K., Fitzgerald, M.L.^{*1}, Sarracino, D.A.^{*2}, Manning, J.J.^{*1}, Bell, S.A.^{*1}, Goss, J.L.^{*1} and Freeman, M.W.^{*1}: **Purification of ATP-binding cassette transporter A1 and associated binding proteins reveals the importance of β 1-syntrophin in cholesterol efflux.**

J. Biol. Chem., **280** (47), 39653-39664 (2005).

Keywords: ABCA1, β 1-syntrophin, HDL

^{*1} The Lipid Metabolism Unit and

^{*2} The Partners Center for Genetics and Genomics, Massachusetts General Hospital, Harvard Medical School

山本美智子, 森川 錠: “**Shared Decision Making**”に向けた医薬品情報。

薬学図書館, 50(3), 196-206 (2005)

Keywords: Partnership, Compliance, Concordance

K. Ijuin, N. Hatanaka, K. Segawa, T. Nakano, K. Nakata, A. Tohara, M. Sato and Y. Hayashi: **Stochastic properties of prescriptions for infectious and non-infectious diseases dispensed at a city pharmacy.**

Jpn. J. Pharm. Health Care Sci., **32**, 51-54 (2006).

Tsuji, S., Nakano, M., Terada, H.^{*1}, Tamura, Y.^{*1} and Tonogai, Y.^{*2}: **Determination and Confirmation of Five Phenolic Antioxidants in Foods by LC/MS and GC/MS.**

J Food Hyg. Soc. Japan, **46**, 63-71 (2005).

Keywords: antioxidant, LC/MS, GC/MS

^{*1} 名古屋市衛生研究所

^{*2} (社)大阪府薬剤師会試験検査センター

辻 澄子, 中野真希, 古川みづき^{*1}, 吉井公彦^{*2}, 外海泰秀^{*3}: **LC/MS 及びHPLCによる食用青色2号(インジゴカルミン)中の異性体及び副成色素の同定・定量。**

食品衛生学雑誌, **46**, 116-123 (2005)

Keywords: indigo carmine, isomer, subsidiary color

^{*1}(財)食品環境検査協会 東京事業所

^{*2} 大阪府健康福祉部薬務課

^{*3} (社)大阪府薬剤師会試験検査センター

Tsuji, S., Yoshiii, K.^{*1} and Tonogai, Y.^{*2}: **Identification of isomers and subsidiary colors in commercial Fast Green FCF (FD&C Green No. 3, Food Green No. 3) by liquid chromatography - mass spectrometry and comparison between amounts of the subsidiary colors by high - performance liquid chromatography and thin-layer chromatography-spectrophotometry.**

J Chromatography A, **1101**, 214-221 (2006).

Keywords: fast green FCF, isomer, subsidiary color

^{*1} 大阪府健康福祉部薬務課

***²(社)大阪府薬剤師会試験検査センター**

Mochizuki, Y.^{*1}, Koikegami, S.^{*2}, Amari, S.^{*3}, Segawa, K., Kitaura, K.^{*4} and Nakano, T.: **Configuration interaction singles method with multilayer fragment molecular orbital scheme.**

Chem. Phys. Lett., **406**, 283-288 (2005).

^{*1}立教大学

^{*2}アドバンスソフト

^{*3}東京大学

^{*4}産業技術総合研究所

Mochizuki, Y.^{*1}, Fukuzawa, K.^{*2}, Kato, A.^{*2}, Tanaka, S.^{*3}, Kitaura, K.^{*4} and Nakano, T.: **A configuration analysis for fragment interaction.**

Chem. Phys. Lett., **410**, 247-253 (2005).

^{*1}立教大学

^{*2}みずほ情報総研株式会社

^{*3}神戸大学

^{*4}産業技術総合研究所

Mochizuki, Y.^{*1}, Ishikawa, T.^{*1}, Tanaka, K.^{*2}, Tokiwa, H.^{*1}, Nakano, T. and Tanaka, S.^{*3}: **Dynamic polarizability calculation with fragment molecular orbital scheme.**

Chem. Phys. Lett., **418**, 418-422 (2006).

^{*1}立教大学

^{*2}アドバンスソフト

^{*3}神戸大学

Amari, S.^{*1}, Aizawa, M.^{*1}, Zhang, J.^{*1}, Fukuzawa, K.^{*2}, Mochizuki, Y.^{*3}, Iwasawa, Y.^{*4}, Nakata, K.^{*4}, Chuman, H.^{*5} and Nakano, T.: **VISCANA: Visualized cluster analysis of protein-ligand interaction based on the ab initio fragment molecular orbital method for virtual ligand screening.**

J. Chem. Inf. Model., **46**, 221-230 (2006).

^{*1}東京大学

^{*2}みずほ情報総研株式会社

^{*3}立教大学

^{*4}アドバンスソフト

^{*5}徳島大学

Fukuzawa, K.^{*1}, Komeiji, Y.^{*2}, Mochizuki, Y.^{*3}, Kato, A.^{*1}, Nakano, T. and Tanaka, S.^{*4}: **Intra- and Intermolecular Interactions between Cyclic-AMP Receptor Protein and DNA: Ab initio Fragment Molecular Orbital Study.**

J. Comput. Chem., **27**, 948-960 (2006).

^{*1}みずほ情報総研株式会社

^{*2}産業技術総合研究所

^{*3}立教大学

^{*4}神戸大学

Hasegawa, R., Hirata-Koizumi, M., Takahashi, M., Kamata, E. and Ema, M.: **Comparative susceptibility of newborn and young rats to six industrial chemicals.**

Congenit. Anom. (Kyoto), **45**, 137-145 (2005).

Keywords: industrial chemicals, newborn rats, susceptibility

Hirata-Koizumi, M., Hamamura, M.^{*1}, Furukawa, H.^{*1}, Fukuda, N.^{*2}, Ito, Y.^{*2}, Wako, Y.^{*3}, Yamashita, K.^{*3}, Takahashi, M., Kamata, E., Ema, M. and Hasegawa, R.: **Elevated susceptibility of newborn as compared with young rats to 2-tert-butylphenol and 2,4-diterb-butylphenol toxicity.**

Congenit. Anom. (Kyoto), **45**, 146-153 (2005).

Keywords: 2,4-diterb-butylphenol, 2-tert-butylphenol, susceptibility of newborn rats

^{*1}Panapharm Laboratories Co., Ltd

^{*2}Research Institute for Animal Science in Biochemistry and Toxicology

^{*3}Mitsubishi Chemical Safety Institute Ltd

Saito, M., Hirata-Koizumi, M., Miyake, S. and Hasegawa, R.: **Comparison of information on the pharmacokinetic interactions of Ca antagonists in the package inserts from three countries (Japan, USA and UK).**

Eur. J. Clin. Pharmacol., **61**, 531-536 (2005).

Keywords: package inserts, Ca antagonists, drug interaction

Saito, M., Hirata-Koizumi, M., Matsumoto, M., Urano, T. and Hasegawa, R.: **Undesirable effects of citrus juice on the pharmacokinetics of drugs: focus on recent studies.**

Drug Saf., **28**, 677-694 (2005).

Keywords: citrus juice, food-drug interaction, pharmacokinetics

Suzuki, K.^{*1}, Yanagawa, T.^{*1}, Shibasaki, T.^{*2}, Kaniwa, N., Hasegawa, R. and Tohkin, M.: **Effect of CYP2C9 genetic polymorphisms on the efficacy and pharmacokinetics of glimepiride in subjects with type 2 diabetes.**

Diab. Res. Clin. Prac., **72**, 148-154 (2006).

Keywords: genetic polymorphism, pharmacokinetics, sulfonylurea

^{*1}練馬総合病院

^{*2}共立薬科大学

Kurose, K., Koyano, S., Ikeda, S., Tohkin, M., Hasegawa, R. and Sawada, J.: **5' diversity of human hepatic PXR (NR1I2) transcripts and identification of the major transcription initiation site.**

Molecular and Cellular Biochemistry, **273**, 79-85 (2005).

Keywords: alternative promoter, minor class intron, SXR

Ikeda, S., Kurose, K., Jinno, H., Sai, K., Ozawa, S., Hasegawa, R., Komamura, K.^{*1}, Kotake, T.^{*1}, Morishita, H.^{*1}, Kamakura, S.^{*1}, Kitakaze, M.^{*1}, Tomoike, H.^{*1}, Tamura, T.^{*2}, Yamamoto, N.^{*2}, Kunitoh, H.^{*2}, Yamada,

Y. ^{*2}, Ohe, Y. ^{*2}, Shimada, Y. ^{*2}, Shirao, K. ^{*2}, Kubota, K. ^{*2}, Minami, H. ^{*2}, Ohtsu, A. ^{*2}, Yoshida, T. ^{*2}, Saito, N. ^{*2}, Saito, Y. and Sawada, J.: **Functional analysis of four naturally occurring variants of human constitutive androstane receptor.**

Molecular Genetics and Metabolism, **86**, 314-319 (2005).

Keywords: nuclear receptor, NR1I3, CAR

^{*1} 国立循環器病センター

^{*2} 国立がんセンター

Kurose, K., Ikeda, S., Koyano, S., Tohkin, M., Hasegawa, R. and Sawada, J.: **Identification of regulatory sites in the human PXR (NR1I2) promoter region.**

Molecular and Cellular Biochemistry, **281**, 35-43 (2006).

Keywords: nuclear receptor, SXR, pregnane X receptor

Kanbe, E. ^{*1,2}, Hatta, Y. ^{*1}, Tsuboi, I. ^{*2}, Harada, T. ^{*2}, Koshinaga, M. ^{*2}, Inoue, T. and Aizawa, S. ^{*2}: **Effects of neopterin on the hematopoietic microenvironment of senescence-accelerated mice (SAM).**

Biol. Pharm. Bull., **29**, 43-48 (2006).

Keywords: neopterin, Hematopoiesis, senescence-accelerated mice (SAM)

^{*1} Department of Internal Medicine, Nihon University School of Medicine

^{*2} Department of Anatomy, Nihon University School of Medicine

Kanno, J., Aisaki, K., Igarashi, K., Nakatsu, N., Ono, A., Kodama, Y. and Nagao, T.: **“Per cell” normalization method for mRNA measurement by quantitative PCR and microarrays.**

BMC Genomics., **7**, 64 (2006).

Keywords: Percellome, quantitative PCR, microarray

Watanabe, Y. ^{*}, Kokubo, H. ^{*}, Miyagawa-Tomita, S, Endo, M. ^{*}, Igarashi, K., Aisaki, K., Kanno, J. and Saga, Y. ^{*}: **Activation of Notch1 signaling in cardiogenic mesoderm induces abnormal heart morphogenesis in mouse.**

Development, **133**, 1625-1634 (2006).

Keywords: Notch1, heart morphogenesis, GeneChip

^{*} Division of Mammalian Development, National Institute of Genetics

Shiina, H. ^{*1}, Matsumoto, T. ^{*1}, Sato, T. ^{*1}, Igarashi, K., Miyamoto, J. ^{*1}, Takemasa, S. ^{*1}, Sakari, M. ^{*1}, Takada, I. ^{*1}, Nakamura, T. ^{*1}, Metzger, D. ^{*2}, Chambon, P. ^{*2}, Kanno, J., Yoshikawa, H. ^{*3} and Kato, S. ^{*1}: **Premature ovarian failure in androgen receptor-deficient mice.**

Proc. Natl. Acad. Sci. USA, **103**, 224-229 (2006).

Keywords: Premature ovarian failure (POF) syndrome, androgen receptor, Genome-wide microarray analysis

^{*1} Institute of Molecular and Cellular Biosciences, University of Tokyo

^{*2} Institut de Génétique et de Biologie Moléculaire et Cellulaire, France

^{*3} Department of Obstetrics and Gynecology, Institute of Clinical Medicine, University of Tsukuba

Yoshida, K. ^{*}, Hirabayashi, Y., Watanabe, F. ^{*}, Sado, T. ^{*} and Inoue T.: **Caloric restriction prevents radiation-induced myeloid leukemia in C3H/HeMs mice and inversely increases incidence of tumor-free death: implications in changes in number of hemopoietic progenitor cells.**

Exp. Hematol., **34**, 274-83 (2006).

Keywords: caloric restriction, radiation-induced myeloid leukemia, hemopoietic stem cell kinetics

^{*} Radiation Hazards Research Group, National Institute of Radiological Sciences, Chiba, Japan.

Hirabayashi, Y.: **p53-dependent gene profiling for reactive oxygen species after benzene inhalation: Special reference to genes associated with cell cycle regulation.**

Chem. Biol. Interact., **153-154**, 165-70 (2005).

Keywords: hemopoietic stem cell kinetics, benzene-induced hematotoxicity, oxidative stress

Yoon, B.I., Kaneko, T., Hirabayashi, Y., Imazawa, T., Nishikawa, A., Kodama, Y., Kanno, J., Junji, Yodoi, J. ^{*1}, Han, J.H. ^{*2}, Hirose, M. and Inoue, T.: **Electron Microscopical Evidence of the Protective Function of Thioredoxin (TRX/ADF) Transgene against 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-induced Cellular Toxicity in the Liver and Brain.**

J. Toxicol. Pathol., **18**, 41-46 (2005).

Keywords: Ah receptor, 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD), thioredoxin

^{*1} Department of Biological Responses, Institute for Virus Research, Kyoto University

^{*2} Department of Veterinary Medicine, Kangwon National University

Takagi, A., Sekita, K., Saitoh, M. and Kanno, J.: **Acute, subchronic and chronic toxicity studies of a synthetic antioxidant, 2,2'-isobutylidenebis(4,6-dimethylphenol) in rats.**

J. Toxicol. Sci., **30**, 275-285 (2005).

Keywords: 2,2'-isobutylidenebis(4,6-dimethylphenol), acute toxicity test, subchronic toxicity test, chronic toxicity test

Morimoto, M. ^{*}, Takahashi, Y., Endo, M. ^{*} and Saga, Y. ^{*}: **The Mesp2 transcription factor establishes segmental borders by suppressing Notch activity.**

Nature, **435**, 354-359 (2005).

Keywords: somitogenesis, molecular clock, Notch signal, Mesp2, lunatic fringe

^{*} National Institute of Genetics

Kitajima, S., Miyagawa-Tomita, S.^{*1}, Inoue, T., Kanno, J. and Saga, Y.^{*2}: ***Mesp1*-nonexpressing cells contribute to the ventricular cardiac conduction system.**

Dev. Dyn., **235**, 395-402 (2006).

Keyword: *Mesp1*, mesoderm, heart differentiation, cardiac conduction system, cell-lineage analysis

^{*1}Tokyo Women's Medical College

^{*2}National Institute of Genetics

Kii, I.^{*1}, Amizuka, N.^{*2}, Minqi, L.^{*2}, Kitajima, S., Saga, Y.^{*3} and Kudo, A.^{*1}: **Periostin is an extracellular matrix protein required for eruption of incisors in mice.**

Biochem. Biophys. Res. Commun., **342**, 766-772 (2006).

Keyword: Periostin, Eruption, Periodontal ligament, Shear zone, Tooth

^{*1}Tokyo Institute of Technology

^{*2}Niigata University

^{*3}National Institute of Genetics

Yasuhiro, Y., Haraguchi, S.^{*1}, Kitajima, S., Takahashi, Y., Kanno, J., and Saga, Y.^{*2}: **Tbx6-mediated Notch signaling controls somite-specific *Mesp2* expression.**

Proc. Natl. Acad. Sci. USA, **103**, 3651-3656 (2006).

Keywords: somite, Notch signal, transgenic mouse

^{*1}The Wellcome Trust/Cancer Research UK Gurdon Institute

^{*2}国立遺伝学研究所

Terasaki, H.^{*1}, Murakami, R.^{*1}, Yasuhiko, Y., Shin-I, T.^{*2}, Kohara, Y.^{*2}, Saga, Y.^{*2} and Takeda, H.^{*1}: **Transgenic analysis of the medaka *mesp-b* enhancer in somitogenesis.**

Dev. Growth Differ., **48**, 153-168 (2006).

Keywords: somite, medaka, transgenic fish

^{*1}東京大学大学院理学系研究科

^{*2}国立遺伝学研究所

Yasuhiro, Y., Shiokawa, K.^{*1}, Mochizuki, T.^{*2}, Asashima, M.^{*3} and Yokoyama, T.^{*4}: **Isolation and characterization of *Xenopus laevis* homologs of the mouse inv gene and functional analysis of the conserved calmodulin binding sites.**

Cell Res., **16**, 337-346 (2006).

Keywords: left-right asymmetry, *Xenopus*, calmodulin

^{*1}帝京大学理工学部

^{*2}北海道大学医学部

^{*3}東京大学大学院総合文化研究科

^{*4}京都府立医科大学医学部

Aizawa, S.^{*1}, Harada, T.^{*1}, Kanbe, E.^{*1}, Tsuboi, I.^{*1}, Aisaki, K., Fujii, H.^{*2} and Kanno, H.^{*2}: **Ineffective erythropoiesis in mutant mice with deficient pyruvate kinase activity.**

Exp. Hematol., **33**, 1292-1298 (2005).

Keywords: pyruvate kinase, erythropoiesis, anemia

^{*1}Nihon University School of Medicine

^{*2}Tokyo Women's Medical University

Tanemura, K., Ogura, A.^{*1}, Cheong, C.^{*2}, Gotoh, H.^{*3}, Matsumoto, K.^{*4}, Sato, E.^{*5}, Hayashi, Y.^{*6}, Lee, H. W.^{*2} and Kondo, T.^{*7}: **Dynamic rearrangement of telomeres during spermatogenesis in mice.**

Dev. Biol., **281**, 196-207 (2005).

Keywords: telomere, telomerase, spermatogenesis

^{*1}理研 バイオリソースセンター

^{*2}Sungkyunkwan University School of Medicine

^{*3}農業生物資源研究所

^{*4}近畿大学 理工学部

^{*5}東北大学 農学部

^{*6}東京大学 農学部

^{*7}理研 脳センター

Tanemura, K., Chui, D. H.^{*1}, Fukuda, T.^{*1}, Murayama, M.^{*1}, Park, J. M.^{*1}, Akagi, T.^{*1}, Tatebayashi, Y.^{*1}, Miyasaka, T.^{*1}, Kimura, T.^{*1}, Hashikawa, T.^{*1}, Nakano, Y.^{*2}, Kudo, T.^{*2}, Takeda, M.^{*2} and Takashima, A.^{*1}: **Formation of tau inclusions in knock-in mice with familial Alzheimer disease (FAD) mutation of presenilin 1 (PS1).**

J. Biol. Chem., **281**, 5037-5041 (2006).

Keywords: presenilin, tau, Alzheimer disease

^{*1}理研 脳センター

^{*2}大阪大学 医学部

Niwa, T., Shiraga, T., Ohno, Y. and Kagayama, A.: **Interindividual variability in 5-Fluorouracil metabolism and procainamide N-acetylation in human liver cytosol.**

Biol. Pharm. Bull., **28**, 1071-1074 (2005).

Keywords: 5-Fluorouracil, procainamide, Interindividual variability, Metabolism

^{*}アステラス製薬

Fujishita, K., Koizumi, S. and Inoue, K.*: **Upregulation of P2Y2 receptors by retinoids in normal human epidermal keratinocytes.**

Purinergic Signalling, in press.

Keywords: skin, P2 receptors, retinoic acid

^{*}九州大学

Nasu-Tada, K., Koizumi, S., Tsuda, M.* , Kunifusa, E.* and Inoue, K.*: **Possible involvement of increase in spinal fibronectin following peripheral nerve injury in upregulation of microglial P2X4, a key molecule for mechanical allodynia.**

Glia, **53**, 769-775 (2006).

Keywords: pain, P2X₄, p38MAPK

^{*}九州大学

Sugama, J.* , Ohkubo, S., Atsumi, M.* , Nakahata, N.*: **Mastoparan changes the cellular localization of Gα_{q/11}**

and G β through its binding to ganglioside in lipid rafts.

Mol. Pharmacol., **68**, 1466-1474 (2005).

Keywords: G-protein, raft, Mastoparan

*東北大学

Tozaki-Saitoh, H., Koizumi, S., Sato, Y., Tsuda, M.* , Nagao, T. and Inoue, K.* : Retinoic acids increase P2X₂ receptor expression through the 5'-flanking region of P2rx2 gene in rat phaeochromocytoma PC12 cells.

Mol. Pharmacol., **70**, 319-328 (2006).

Keywords: P2X₂, retinoids, transcription

*九州大学

Nakazawa, K. and Ohno, Y.: Characterization of voltage-dependent gating of P2X₂ receptor/channel.

Eur. J. Pharmacol., **508**, 23-30 (2005).

Keywords: P2X receptor, voltage-dependence, kinetics

Nakazawa, K., Yamakoshi, Y., Tsuchiya, T. and Ohno, Y.: Purification and aqueous phase atomic force microscopic observation of recombinant P2X₂ receptor.

Eur. J. Pharmacol., **518**, 107-110 (2005).

Keywords: P2X receptor, atomic force microscopy, protein structure

Kubo, T., Kim, S. R., Sai, K., Saito, Y., Nakajima, T.*¹, Matsumoto, K.*¹, Saito, H.*¹, Shirao, K.*², Yamamoto, N.*², Minami, H.*³, Ohtsu, A.*³, Yoshida, T.*⁴, Saito, N.*³, Ohno, Y., Ozawa, S. and Sawada, J.: Functional characterization of three naturally occurring single nucleotide polymorphisms in the CES2 gene encoding carboxylesterase 2 (hCE-2).

Drug Metab. Dispos., **33**, 1482-1487 (2005).

Keywords: carboxylesterase, nonsynonymous single nucleotide polymorphisms, splicing aberration

*¹ National Institute for Child Health and Development

*² National Cancer Center Hospital

*³ National Cancer Center Hospital, East

*⁴ National Cancer Center Research Institute

Ohtake, E.* , Kakihara, F.* , Matsumoto, N.* , Ozawa, S., Ohno, Y., Hasegawa, S.* , Suzuki, H.* and Kubota, T.* : Frequency distribution of phenol sulfotransferase 1A1 activity in platelet cells from healthy Japanese subjects.

Eur. J. Pharm. Sci., Epub ahead of print Apr 18 (2006).

Keywords: trans-4-hydroxytamoxifen, sulfotransferase 1A1, platelet activity, nonsynonymous single nucleotide polymorphism

* University of Tokyo Hospital

Hongo, T.*¹, Kajikawa, M.*¹, Ishida, S., Ozawa, S., Ohno, Y., Sawada, J., Ishikawa, Y.*¹ and Honda, H.*²: Gene expression property of high-density three-dimensional tissue of HepG2 cells formed in radial-flow

bioreactor.

J Biosci Bioeng., **101**, 243-250 (2006).

Keywords: three-dimensional culture, radial-flow bioreactor, vascular endothelial growth factor

*¹ ABLE Corporation

*² Nagoya University

Iwanaga, R.*¹, Komori, H.*¹, Ishida, S., Okamura, N.*¹, Nakayama, K.*², Nakayama, K. I.*³ and Ohtani, K.*¹: Identification of novel E2F1 target genes regulated in cell cycle-dependent and independent manners.

Oncogene, **25**, 1786-1798 (2006).

Keywords: E2F1 target genes, cell cycle

*¹ Tokyo Medical and Dental University

*² Tohoku University

*³ Kyushu University

Sato, H.* , Ishida, S., Toda, K., Matsuda, R., Hayashi, Y., Shigetaka, M.* , Fukuda, M.* , Wakamatsu, Y.* and Itai, A.* : New approaches to mechanism analysis for drug discovery using DNA microarray data combined with KeyMolnet.

Current Drug Discovery Technologies, **2**, 89-98 (2005).

Keywords: data mining, molecular relation, DNA microarray

* Institute of Medical Molecular Design, Inc. (IMMD)

Usami, M. and Ohno, Y.: Preparation of complement fragments C3b and C3a from purified rat complement component C3 by activated cobra venom factor.

J. Pharmacol. Toxicol. Methods, **52**, 260-263 (2005).

Keywords: complement component C3, cobra venom factor, rat

Kuroiwa, Y., Nishikawa, A., Imazawa, T., Kanki, K., Kitamura, Y., Umemura, T. and Hirose, M.: Lack of subchronic toxicity of an aqueous extract of *Agaricus blazei* Murrill in F344 rats.

Food Chem. Toxicol., **43**, 1047-1053 (2005).

Keywords: *Agaricus blazei* Murrill extract, Subchronic toxicity, F344 rat

Kuroiwa, Y., Nishikawa, A., Imazawa, T., Kitamura, Y., Kanki, K., Umemura, T. and Hirose, M.: Lack of carcinogenicity of D-xylose given in the diet to F344 rats for two years.

Food Chem. Toxicol., **43**, 1399-1404 (2005).

Keywords: D-xylose, carcinogenicity, F344 rat

Kitamura, Y., Nishikawa, A., Nakamura, H., Furukawa, F., Imazawa, T., Umemura, T., Uchida, K.* and Hirose, M.: Effects of N-acetylcysteine, quercetin, and phytic acid on spontaneous hepatic and renal lesions in LEC rats.

Toxicol. Pathol., **33**, 584-592 (2005).

Keywords: anti-oxidants, LEC rat, spontaneous lesions

* Graduate School of Bioagricultural Sciences, Nagoya

University

Nishikawa, A., Ikeda, T.^{*1}, Son, H-Y.^{*2}, Okazaki, K., Imazawa, T., Umemura, T., Kimura, S.^{*1} and Hirose, M.: **Pronounced synergistic promotion of N-bis(2-hydroxypropyl) nitrosamine-initiated thyroid tumorigenesis in rats treated with excess soybean and iodine-deficient diets.**

Toxicol. Sci., **86**, 258-263 (2005).

Keywords: soybean, iodine deficiency, thyroid tumorigenesis

^{*1} Showa Women's University

^{*2} College of Veterinary Medicine, Chungnam National University

Nishikawa, A., Imazawa, T., Kuroiwa, Y., Kitamura, Y., Kanki, K., Ishii, Y.^{*}, Umemura, T. and Hirose, M.: **Induction of colon tumors in C57BL/6J mice fed MeIQx, IQ, or PhIP followed by dextran sulfate sodium treatment.**

Toxicol. Sci., **84**, 243-248 (2005).

Keywords: MeIQx, colon tumor, dextran sulfate sodium

^{*}Department of Analytical Chemistry, Faculty of Pharmaceutical Sciences, Hoshi University

Kanki, K., Nishikawa, A., Masumura, K., Umemura, T., Imazawa, T., Kitamura, Y., Nohmi, T. and Hirose, M.: **In vivo mutational analysis of liver DNA in gpt delta transgenic rats treated with the hepatocarcinogens N-nitroso pyrrolidine, 2-amino-3-methylimidazo[4,5-f]quinoline, and di(2-ethylhexyl)phthalate**

Mol. Carcinog., **42**, 9-17 (2005).

Keywords: gpt delta rats, hepatocarcinogens, *in vivo* mutation

Takagi, H., Shibutani, M., Uneyama, C., Lee, K-Y., Takigami, S., Kato, N., Inoue, K. and Hirose, M.: **Limited tumor-initiating activity of phenylethyl isothiocyanate by promotion with sodium L-ascorbate in a rat two-stage urinary bladder carcinogenesis model.**

Cancer Letters, **219**, 147-153 (2005).

Keywords: isothiocyanates, phenylethyl isothiocyanate, urinary bladder carcinogenesis

Shibutani, M., Masutomi, N., Uneyama, C., Abe, N., Takagi, H., Lee, K-Y. and Hirose, M.: **Down-regulation of GAT-1 mRNA expression in the microdissected hypothalamic medial preoptic area of rat offspring exposed maternally to ethinylestradiol.**

Toxicology, **208**, 35-48 (2005).

Keywords: Ethinylestradiol, Brain sexual differentiation,

Lee, K-Y., Shibutani, M., Kuroiwa, K., Takagi, H., Inoue, K., Nishikawa, H., Miki, T. and Hirose, M.: **Chemoprevention of acrylamide toxicity by antioxidative agents in rats - Effective suppression of testicular toxicity by phenylethyl isothiocyanate.**

Arch. Toxicol., **79**, 531-541 (2005).

Keywords: Acrylamide toxicity, Phenylethyl isothiocyanate

Takagi, H., Shibutani, M., Lee, K-Y., Masutomi, N., Fujita, H., Inoue, K., Mitsumori, K. and Hirose, M.: **Impact of maternal dietary exposure to endocrine-acting chemicals on progesterone receptor expression in microdissected hypothalamic medial preoptic areas of rat offspring.**

Toxicol. Appl. Pharmacol., **208**, 127-136 (2005).

Keywords: Brain sexual differentiation, Estrogen receptors

Ueda, M., Imai, T., Takizawa, T., Onodera, H., Mitsumori, K.^{*}, Matsui, T.^{*} and Hirose, M.: **Possible enhancing effects of atrazine on growth of 7,12-dimethylbenz(a)anthracene-induced mammary tumors in ovariectomized SD rats.**

Cancer Sci., **96**, 19-25 (2005).

Keywords: mammary tumor, rat, atrazine

^{*}岐阜大学大学院連合獣医学研究科

Imai, T., Hasumura, M., Onose, J., Ueda, M., Takizawa, T., Cho, Y.M. and Hirose, M.: **Development of invasive follicular cell carcinomas in a rat thyroid carcinogenesis model: biological impact of capsular inflammation and reduced cyclooxygenase-2.**

Cancer Sci., **96**, 31-37 (2005).

Keywords: thyroid cancer, rat, cyclooxygenase-2

Yamazaki, M.^{*}, Moto, M.^{*}, Takizawa, T., Kashida, Y.^{*}, Imai, T., Mitsumori, K.^{*} and Hirose, M.: **Tumorigenic susceptibility of catechol on the gastric mucosa in rasH2 mice.**

J. Toxicol. Pathol., **18**, 1-5 (2005).

Keywords: catechol, stomach, rasH2 mice

^{*}東京農工大学

Cho, Y.M., Imai, T., Hasumura, M., Onose, J., Ueda, M. and Hirose, M.: **Lack of prepubertal administration of ethinyl estradiol on susceptibility to multiple organ carcinogenesis in rats exposed to 7,12-dimethylbenz[a]anthracene and N-bis(2-hydroxypropyl)nitrosamine during adolescence.**

Cancer Lett., **223**, 37-46 (2005).

Keywords: Mammary gland, thyroid gland, ethinyl estradiol

Hasumura, M., Imai, T., Takizawa, T., Ueda, M., Onose, J. and Hirose, M.: **Promotion of thyroid carcinogenesis by para-aminobenzoic acid in rats initiated with N-bis(2-hydroxypropyl)nitrosamine.**

Toxicol. Sci., **86**, 61-71 (2005).

Keywords: para-aminobenzoic acid, thyroid carcinogenesis

Matsuo, S.^{*}, Okamura, M.^{*}, Takizawa, T., Imai, T., Mitsumori, K.^{*} and Hirose, M.: **Lack of modifying**

effects of combined treatment of *t*-butylhydroquinone and sodium nitrite on forestomach carcinogenesis in rasH2 mice initiated with *N*-ethyl-*N*-nitrosourea.

J. Toxicol. Pathol., **18**, 111-116 (2005).

Keywords: *t*-butylhydroquinone, sodium nitrite, rasH2

*東京農工大学

Imai, T., Cho, Y.M., Hasumura, M. and Hirose M.: Enhancement by acrylamide of *N*-methyl-*N*-nitrosourea-induced rat mammary tumor development - possible application for a model to detect co-modifiers of carcinogenesis.

Cancer Lett., **230**, 25-32 (2005).

Keywords: acrylamide, mammary tumor, *N*-methyl-*N*-nitrosourea

Sugiyama, S.*¹, Asamoto, M.*¹, Hokaiwado, N.*¹, Hirose, M.*¹ and Shirai, T.*²: Harman and norharman suppressed but NaNO₂ enhanced the development of preneoplastic liver cell foci in 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline (MeIQx)-treated rats.

J. Toxicol. Pathol., **18**, 99-104 (2005).

Keywords: rat, liver, MeIQx, harman, norharman, NaNO₂

*Department of Experimental Pathology and Tumor Biology, Nagoya City University Graduate School of Medical Sciences

Fukushima, S.*¹, Wanibuchi, H.*¹, Morimura, K.*¹, Nakae, D.*², Tsuda, H.*³, Imaida, K.*⁴, Shirai, T.*⁵, Tatematsu, M.*⁶, Tsukamoto, T.*⁶, Hirose M, Furukawa F.: Lack of potential of low dose N-nitrosodimethylamine to induce preneoplastic lesions, glutathione S-transferase placental form-positive foci, in rat liver.

Cancer Lett., **222**, 11-15 (2005).

*¹ Department of Pathology, Osaka City University

*² Department of Pathology, Sasaki Institute

*³ Experimental Pathology and Chemotherapy Division, National Cancer Center Research Institute

*⁴ Onco-Pathology, Department of Pathology and Host Defense, Faculty of Medicine, Kagawa University

*⁵ Department of Experimental Pathology and Tumor Biology, Nagoya City University Graduate School of Medical Sciences

*⁶ Division of Oncological Pathology, Aichi Cancer Center Research Institute

Ichihara, T.*¹, Miyashita, K.*¹, Kawabe, M.*², Imaida, K.*³, Asamoto, M.*¹, Ogiso, T.*¹, Tamano, S.*², Hirose, M., Shirai, T.*¹. Lack of combination hepatocarcinogenicity of harman, norharman and amitrol when given with NaNO₂ in the rat.

J. Toxicol. Sci., **30**, 1-6 (2005).

Keywords: hepatocarcinogenesis, harman, norharman, amitrol, NaNO₂

*¹ Department of Experimental Pathology and Tumor

Biology, Nagoya City University Graduate School of Medical Sciences

*² DIMS Institute of Medical Science

*³ Kagawa University Faculty of Medicine, Department of Pathology and Host-Defense, Onco-Pathology

Nakajima, M.*¹, Shimada, S.*¹, Nagai, M.*¹, Mizuhashi, F.*¹, Sugiyama, C.*¹, Masuda, S.*¹, Hayashi, M. and Kinae, N.*²: 3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone [MX] shows initiating and promoting activities in a two-stage BALB/c 3T3 cell transformation assay

Mutagenesis, **20**, 375-379 (2005).

Keywords: cell transformation, BALB/c 3T3 cells, chlorinated drinking water, MX, metabolic cooperation

*¹ 安評センター

*² 静岡県立大

Asada, S.*¹, Sasaki, K.*¹, Tanaka, N.*¹, Takeda, K.*¹, Hayashi, M. and Ueda, M.*¹: Detection of initiating as well as promoting activity of chemicals by a novel cell transformation assay using v-Ha-ras-transfected BALB/c 3T3 cells (BHAS 42 cells).

Mutat. Res., **588**, 7-21 (2005).

Keywords: transformation, BHAS 42 cells, complete carcinogen, initiation and promotion

*¹ 食薬センター

Hayashi, M., Kamata, E., Hirose, A., Takahashi, M., Morita, T. and Ema, M.: In silico assessment of chemical mutagenesis in comparison with results of *Salmonella* microsome assay on 909 chemicals.

Mutat. Res., **588**, 129-135 (2005).

Keywords: in silico, (quantitative) structure-activity relationship, chemical genotoxicity, decision tree

Torous, D.*¹, Asano, N.*¹, Tometsko, C.*¹, Sugunan, S.*¹, Dertinger, S.*¹, Morita, T. and Hayashi, M.: Performance of flow cytometric analysis for the micronucleus assay - a reconstruction model using serial dilutions of malaria infected cells with normal mouse peripheral blood.

Mutagenesis, **21**, 11-13 (2006).

Keywords: flow cytometry, statistical power, micronuclei, malaria infected erythrocytes

*¹ Litron Laboratories

*² Nitto Denko Corporation

Asano, N.*¹, Torous, D.*², Tometsko, C.*², Dertinger, D.*², Morita, T. and Hayashi, M.: Practical threshold for micronucleated reticulocyte induction observed for low doses of mitomycin C, Ara-C and colchicine.

Mutagenesis, **21**, 15-20 (2006).

Keywords: practical threshold, acridine orange supravital staining, flow cytometric analysis, power of the assay

*¹ Litron Laboratories

*² Nitto Denko Corporation

松浦(永崎)克子^{*1}, 坂本浩子, 祖父尼俊雄^{*2}, 林 真
本間正充: 無機及び有機ヒ素化合物のin vitro 遺伝子
突然変異誘発性と, その遺伝毒性リスク.

環境変異原研究, 27, 153-160 (2005)

Keywords: arsenite (III), arsenate (V), organic arsenics, mouse lymphoma TK assay (MLA), genotoxic risk

*¹ キッコーマン株式会社

*² 元国立医薬品食品衛生研究所

Koyama, N.^{*1}, Sakamoto, H., Sakuraba, M., Koizumi, T., Takashima, Y., Hayashi, M., Matsufuji, H.^{*2}, Yamagata, K.^{*2}, Masuda, S.^{*1}, Kinae, N.^{*1} and Honma, M.: Genotoxicity of acrylamide and glycidamide in human lymphoblastoid TK6 cell.

Mutat. Res., 603, 151-158 (2005).

Keywords: acrylamide, glycidamide, genotoxicity, TK mutation

*¹ 静岡県立大学

*² 日本大学

Sato, Y.^{*}, Takahashi, S.^{*}, Kinouchi, Y.^{*}, Shiraki, M.^{*}, Endo, K.^{*}, Matsumura, Y.^{*}, Kakuta, Y.^{*}, Tosa, M.^{*}, Motida, A.^{*}, Abe, H.^{*}, Imai, G.^{*}, Yokoyama, H.^{*}, Nomura, E.^{*}, Negoro, K.^{*}, Takagi, S.^{*}, Aihara, H.^{*}, Masumura, K., Nohmi, T. and Shimosegawa, T.^{*}: IL-10 deficiency leads to somatic mutations in a model of IBD. Carcinogenesis, 27, 1068-1073 (2006).

Keywords: chronic inflammation, IL-10, gpt-delta mouse

*東北大學・院・医

Mazaki, M.^{*1}, Kataoka, K.^{*1}, Kinouchi, T.^{*1}, Vinitketkumnuen, U.^{*2}, Yamada, M., Nohmi, T., Kuwahara, T.^{*1}, Akimoto, S.^{*1} and Ohnishi, Y.^{*1}: Inhibitory effects of caraway (*Carum carvi* L.) and its component on N-methyl-N'-nitro-N-nitrosoguanidine-induced mutagenicity

J. Med. Invest., 53, 123-133 (2006).

Keywords: antimutagenicity, caraway, O⁶-methylguanine DNA methyltransferase

*¹ 徳島大学大学院

*² Faculty of Medicine, Chiang Mai University, Thailand

Hashimoto, A.H.^{*}, Amanuma, K.^{*}, Hiyoshi, K.^{*}, Takano, H.^{*}, Masumura, K., Nohmi, T. and Aoki, Y.^{*}: In vivo mutagenesis in the lungs of gpt-delta transgenic mice treated intratracheally with 1,6-dinitropyrene.

Environ. Mol. Mutagen., 47, 277-283 (2006).

Keywords: 1,6-dinitropyrene, diesel exhaust, gpt-delta mouse

*独立行政法人 国立環境研究所

Yamada, M., Matsui, K. and Nohmi, T.: Development of a bacterial hyper-sensitive tester strain for specific

detection of the genotoxicity of polycyclic aromatic hydrocarbons.

Genes and Environ., 28, 23-30 (2006).

Keywords: polycyclic aromatic amines, DNA polymerase IV, environmental pollutants

Matsui, K., Yamada, M., Imai, M.^{*}, Yamamoto, K.^{*} and Nohmi, T.: Specificity of replicative and SOS-inducible DNA polymerases in frameshift mutagenesis: Mutability of *Salmonella typhimurium* strains overexpressing SOS-inducible DNA polymerases to 30 chemical mutagens. DNA Repair, 5, 465-478 (2006).

Keywords: SOS-inducible DNA polymerase, DNA replication, bypass lesion

*東北大學・院・生命科学

Asami, Y.^{*1}, Murakami, M.^{*2}, Shimizu, M.^{*3}, Pisani, F.M.^{*4}, Hayata, I.^{*2} and Nohmi, T.: Visualization of the interaction between archaeal DNA polymerase and uracil-containing DNA by atomic force microscopy.

Genes to Cells, 11, 3-11 (2006).

Keywords: *Sulfolobus solfataricus*, uracil, atomic force microscopy

*¹ 現, 財団法人ひろしま産業振興機構, 広島県産業科学技術研究所

*² 独立行政法人 放射線医学総合研究所

*³ 東京医療保健大学・医療保健学部

*⁴ Istituto di Biochimica delle Proteine, Consiglio Nazionale Ricerche

Niimi, N.^{*1}, Sugo, N.^{*1}, Aratani, Y.^{*1}, Gondo, Y.^{*2}, Katsuki, M.^{*3} and Koyama, H.^{*1}: Decreased mutant frequency in embryonic brain of DNA polymerase β null mice

Mutagenesis, 21, 55-59 (2006).

*¹ 横浜市立大学 木原研究所

*² 理化学研究所

*³ 国立基礎生物学研究所

Miyazaki, M.^{*1}, Yamazaki, H.^{*1}, Takeuchi, H.^{*2}, Saoo, K.^{*2}, Yokohira, M.^{*2}, Masumura, K., Nohmi, T., Funae, Y.^{*3}, Imaida, K.^{*2} and Kamataki, T.^{*1}: Mechanisms of chemopreventive effects of 8-methoxysoralen against 4-(methylnitrosamo)-1-(3-pyridyl)-1-butanone-induced mouse lung adenomas.

Carcinogenesis, 26, 1947-1955 (2005).

Keywords: CYP2A, NNK, chemoprevention

*¹ 北海道大学・院・薬

*² 香川大学・医

*³ 大阪市大・医

Totsuka, Y.^{*1}, Nishigaki, R.^{*1}, Enomoto, S.^{*1}, Takamura-Enya, T.^{*1}, Masumura, K., Nohmi, T., Kawahara, N.^{*2}, Sugimura, T.^{*1} and Wakabayashi, K.^{*1}: Structures and biological properties of DNA adducts derived from *N*-

nitroso bile acid conjugates.

Chem. Res. Toxicol., **18**, 1553-1562 (2005).

Keywords: *N*-nitrosotaurocholic acid, ³²P-postlabeling, TA100

*¹ 国立がんセンター研究所

*² 生薬部

Kim, S.-R.^{*1}, Kokubo, K.^{*2}, Matsui, K., Yamada, N.^{*3}, Kanke, Y.^{*2}, Fukuoka, M.^{*3,4}, Yamada, M. and Nohmi, T: **Light-dependent mutagenesis by benzo[a]pyrene is mediated via oxidative DNA damage.**

Env. Mol. Mutagen., **46**, 141-149 (2005).

Keywords: Benzo[a]pyrene, photocarcinogenicity, *mutM*

*¹ 薬剤反応性プロジェクト

*² 大妻女子大学・院・栄養化学

*³ 昭和薬科大学・薬

*⁴ 現、帝京平成大学・薬

Satou, K.* , Yamada, M., Nohmi, T., Harashima, H.* and Kamiya, H.*: **Mutagenesis induced by oxidized DNA precursors: roles of Y-family DNA polymerases in *Escherichia coli*.**

Chem. Res. Tox., **18**, 1271-1278 (2005).

Keywords: DNA precursor, Y-family DNA polymerase, oxidative damage

* 北海道大学・院・薬

Kokubo, K.* , Yamada, M., Kanke Y.* and Nohmi, T.: **Roles of replicative and specialized DNA polymerases in frameshift mutagenesis: mutability of *Salmonella typhimurium* strains lacking one or all of SOS-inducible DNA polymerases to 26 chemicals.**

DNA Repair, **4**, 1160-1171 (2005).

Keywords: frameshift, DNA polymerase, replication block

* 大妻女子大学・院

Takahashi, M., Hirata-Koizumi, M., Nishimura, N.^{*1}, Ito, Y.^{*2}, Sunaga, M.^{*3}, Fujii, S., Kamata, E., Hasegawa, R. and Ema, M.: **Susceptibility of newborn rats to 3-ethylphenol and 4-ethylphenol compared with that of young rats.**

Congenital Anomalies, **46**, 26-33 (2006).

Keywords: 3-ethylphenol, 4-ethylphenol, newborn rats, repeated dose toxicity, young rats

*¹ Gotemba Laboratory, Bozo Research Center

*² Research Institute for Animal Science in Biochemistry and Toxicology

*³ Safety Research Institute for Chemical Compounds.

高橋美加, 平田睦子, 松本真理子, 広瀬明彦, 鎌田栄一, 長谷川隆一, 江馬 真: **OECD 化学物質対策の動向(第7報) 第15回OECD高生産量化学物質初期評価会議(2002年ポストン)**

国立医薬品食品衛生研究所報告, **123**, 46-52 (2005)

Keyword: OECD, HPV, SIDS Initial Assessment Meeting

松本真理子, 田中里依^{*1}, 川原和三^{*2}, 菅谷芳雄^{*3}, 江馬 真: **OECD高生産量化学物質点検プログラム: 第19回初期評価会議概要.**

化学生物総合管理, **1**, 280-288 (2005)

Keyword: OECD, HPV, SIDS Initial Assessment Meeting

*¹ 厚生労働省医薬食品局審査管理課化学物質安全対策室

*² (財)化学物質評価研究機構

*³ (独)国立環境研究所化学物質環境リスク研究センター

松本真理子, 鈴木理子^{*1}, 川原和三^{*2}, 菅谷芳雄^{*3}, 江馬 真: **OECD高生産量化学物質点検プログラム: 第20回初期評価会議概要 .**

化学生物総合管理, **1**, 445-453 (2005)

Keyword: OECD, HPV, SIDS Initial Assessment Meeting

*¹ 厚生労働省医薬食品局審査管理課化学物質安全対策室

*² (財)化学物質評価研究機構

*³ (独)国立環境研究所化学物質環境リスク研究センター

Ema, M., Fukunishi, K.* , Matsumoto, M., Hirose, A. and Kamata, E.: **Evaluation of developmental toxicity of ultraviolet Absorber 2-(3',5'-di-tert-butyl-2'-hydroxyphenyl)-5-chlorobenzotriazole in rats.**

Drug and Chemical Toxicology, **29**, 215-225 (2006).

Keyword: 2-(3',5'-Di-tert-butyl-2'-hydroxyphenyl)-5-chlorobenzotriazole, UV absorber, developmental toxicity
* Shin Nippon Biomedical Laboratories, Ltd.

Hamamura, M.* , Hirose, A., Kamata, E., Katoku, K.* , Kuwasaki, E.* , Oshikata, T.* , Nakahara, Y.* , Ema, M. and Hasegawa, R.: **Semi-quantitative immunohistochemical analysis of male rat-specific α 2u-globulin accumulation for chemical toxicity evaluation.**

The Journal of Toxicological Sciences, **31**, 35-47 (2006).

Keyword: α 2u-globulin, immunohistochemistry, hyaline droplet, nephrotoxicity

* Panapharm Laboratories Co., Ltd.