

PUBLISHING AT JIRCAS

OFFICIAL JIRCAS PUBLICATIONS

In English	
1) JARQ (Japan Agricultural Research Quarterly)	Vol. 36-No. 2, No. 3, No.4 Vol. 37-No. 1
2) Annual Report	No. 8 (2001)
3) JIRCAS Newsletter	No. 31, No. 32, No. 33, No. 34
4) JIRCAS International Symposium Series	No. 10 Water for Sustainable Agriculture in Developing Regions - More Crop for Every Scarce Drop - No. 11 Value-Addition to Agricultural Products -Towards the Increase of Farmers' Income and Vitalization of the Rural Economy -
5) JIRCAS Working Report Series	No. 24 Soybean Production and Postharvest Technology Innovation in Indonesia No. 25 Economic Analyses of Agricultural Technologies and Rural Institutions in West Africa No. 26 Development of New Technologies and their Practice for Sustainable Farming Systems in the Mekong Delta No. 29 Potential and Constraints of Banana- based Farming Systems: a Case of an Upland Village in West Java. No. 30 Development of Sustainable Agricultural Systems in Northeast Thailand through Local Resource Utilization and Technology Improvement
In Japanese	
1) JIRCAS News	No. 30-31, No. 32, No. 33, No. 34
2) JIRCAS Working Report Series	No. 27 Development of a Supply-Demand and Trade Equilibrium Model for Forest Products No. 31 Analysis of Food Supply and Demand and the Structural Change of Agriculture in China
3) JIRCAS International Agriculture Series	No. 12 Emergence of a New Type of Rice Farmer in Malaysia
4) JIRCAS Research Highlights	No. 9

LIBRARY ACQUISITIONS

April 1, 2002 - March 31, 2003

	Books			Periodicals (titles)			Materials (Proceedings, maps and other)		
Language	Purchase	Gift	Total	Purchase	Gift	Total	Purchase	Gift	Total
Japanese	136 (38)	0 (0)	136 (38)	42 (18)	374 (49)	416 (67)	17	253	270
Foreign	43 (16)	5 (0)	48 (16)	95 (16)	322 (13)	417 (29)	11	206	217
Total	179 (54)	5 (0)	184 (54)	137 (34)	696 (62)	833 (96)	28	459	487

() Indicates separate holdings of the Okinawa Subtropical Station

JIRCAS PUBLICATIONS AND CONTENTS

JIRCAS Working Report No. 24

Soybean Production and Post Harvest Technology - For Innovation in Indonesia -

Keynote Lecture

Modern Processing and Utilization of Legumes - Recent Research and Industrial Achievements for Soybean Foods in Japan
A. Noguchi

Production and postharvest technology for soybean

Soybean production and post harvest technology in Indonesia
T. Adisarwanto
Soybean foods in Indonesia.
J. S. Utomo and S. Nikkuni
Uniformity improvement of soybean seeds in Indonesia
T. Sanbuichi, N. Sekiya, Jamaluddin, Susanto, D. M. Arsyad, and M. Adie

JIRCAS-RILET collaborative research works on soybean

The establishment of integrated pest management on soybean using insect resistant genotypes: A challenge for plant breeder and entomologist
Suharsono, M. Adie, Tridjaka, and K. Igita
Evaluation of Indonesian soybean varieties for the processing and improvement of fermented foods
Part I. Evaluation of Indonesian soybean varieties for food processing
S. S. Antarlina, J. S. Utomo, E.

Ginting, and S. Nikkuni

Improvement of Kecap Koji making process using a white-spored mutant induced from Koji mold
S. Nikkuni, T. Goto, S. S. Antarlina, E. Ginting, and J. S. Utomo

AARD/JIRCAS research collaboration in Indonesia

AARD/JIRCAS research collaboration in Indonesia - past, present and future
S. Asanuma

Appendixes: RILET (MARIF) – JIRCAS collaborative research works

Studies on the relationship between incidence of plant parasitic nematodes and cropping systems in lowland and upland fields in Indonesia.
K. Nakasono, Y. Baliadi, Chaerani, and N. Minagawa
Low input-cultivation method for soybean in Indonesian cropping systems
K. Igita, M. Adie, Suharsono, and Tridjaka

JIRCAS Working Report No. 25

Economic Analyses of Agricultural Technologies and Rural Institutions in West Africa

Part 1: The roles of economic analyses in the field of agricultural research in West Africa
Economic research on rice farming in West Africa at WARDA
Frederic Lancon, Olaf Erenstein, and Ali Toure
Impact of modern varieties on rice biodiversity

Aliou Diagne, Kouame Kouadio
Arsene, Abi Monnet Innocent and
Robert Guei

Economic research at IITA for the
improvement of agriculture in the sub-
humid and humid zones of West Africa
Victor M. Manyong

Improving rice production in mixed
rainfed/irrigated production systems in
the semi-arid tropics of sub-Saharan
Africa: Bio-economic modeling and
livelihood strategies, and technology
evaluation

Barry I. Shapiro

Socio-economic research in sub-
Saharan Africa: JIRCAS's experience
and challenge

Takeshi Sakurai

Part 2: Economic Analyses: Methodology and applications

Micro-household surveys and
development microeconomics: With
special emphasis on child health and
intra-household resource allocation in
sub-Saharan Africa and South Asia

Takashi Kurosaki and Mika Ueyama

Land tenure systems and adoption of
water control technologies in lowland
rice production

Takeshi Sakurai

Lowland rice cultivation in Ghana: A
field survey around an inland market,
Kumasi

Towa Tachibana, Makoto Shinagawa,
and Takeshi Sakurai

JIRCAS Working Report No. 26

*Development of New Technologies and Their
Practice for Sustainable Farming Systems in
the Mekong Delta*

Part 1: Development of component technolo- gies of farming systems

1. Rice production

Optimum application rates of nitrogen
fertilizer for high-yielding rice
cultivars based on growth diagnosis in
the Mekong Delta

Tran Thi Ngoc Huan, Hiroyuki
Hiraoka, Hiromi Kobayashi, and Pham
Sy Tan

Optimum method and rate of seeding
rice under various cultural practices in
the Mekong Delta

Trinh Quang Khuong, Hiroyuki
Hiraoka, Hiromi Kobayashi, and Pham
Sy Tan

2. Livestock production

Replacement of concentrate protein by
water spinach (*Ipomoea aquatica*):
Effects on digestibility, feed intake and
live weight gain in pig production

Luu Huu Manh, Nguyen Nhut Xuan
Dung, Le Thi Men, Ryoza Takada, and
Seishi Yamasaki

A survey of Salmonella pollution in
farms and water systems in the
Mekong Delta

Tran Thi Phan, Ly Thi Lien Khai,
Hideki Hayashidani, Masato Akiba,
Takeshi Watanabe,

Toshiaki Taniguchi, and Chau Ba Loc

3. Fruit production

Citrus huanglongbin disease at Tan Phu
Thanh Village in the Mekong Delta

Nguyen Thi Ngoc Truc and Le Thi Thu
Hong

A suggested citrus nursery certification
program in the Mekong Delta

Nguyen Minh Chau and Le Thi Thu
Hong

4. Aquaculture

Development of freshwater prawn
(*Macrobrachium rosenbergii*) seed
production and culture technology in
the Mekong Delta of Vietnam: A
review of the JIRCAS project at
Cantho University

Nguyen Thanh Phuong, Nguyen Anh
Tuan, Tra Thi Thanh Hien, Tran Ngoc
Hai, Marcy Wilder, Hiroshi Y. Ogata,
Motohiko Sano, and Yukio Maeno

Part 2: Development and evaluation of sustainable farming systems

1. Development of technology for environmental conservation

Nitrogen flow in Can Tho Province of
the Mekong Delta

Takeshi Watanabe and Toshiyuki
Nagumo

Nitrogen and phosphorus balance in
fishponds under pig-fish system in the
Mekong Delta

Takeshi Watanabe, Duong Nhut Long,
Lam My Lan, Duong Thi Hoang Oanh,
Nguyen Van Lanh, and Le Thi Ngoc
Thanh

A case study: Introduction of low-cost
biogas digester to small-scale farming
systems

Vo Lam, Takeshi Watanabe, Tran Thi
Phan and Ly Thi Lien Khai

2. Development of VACR farming systems

Classification of alluvial soil area for land use planning of the Mekong Delta
Vo Quang Minh, Le Quang Tri, and Ryuichi Yamada

Analysis of relationships among problems in farming systems of the Mekong Delta

- Application of Dematel-Method -
Ryuichi Yamada, Nguyen Quang Tuyen, Le Canh Dung and Toshiyuki Monma

Farming systems research on acid sulfate soil area of the Mekong Delta
Duong Van Ni, Ryuichi Yamada, Ngo Thanh Binh, and Huynh Van Nghiem

3. Model establishment of VACR farming systems and extension

Farmers' perception on on-farm trial technologies in the Mekong Delta
Ryuichi Yamada, Vo Van Tuan, and Vo Van Ha

The agricultural extension system and farmer's concerns in the Mekong Delta
Le Canh Dung, Ryuichi Yamada, Nguyen Quang Tuyen, Nguyen Thanh Hung

Characterization of fruit markets in the Mekong Delta

Nguyen Phu Son, Ryuichi Yamada, Nguyen Van Thach, and Nguyen Thi Cam Chi

JIRCAS Working Report No. 27

Development of a Supply-Demand and Trade Equilibrium Model for Forest Products (In Japanese)

CHAPTER 1

Development of World Forest Products Model (WFPM)

Osamu Koyama, Jun Furuya, Hiroyasu Oka, and Kazuya Tamura

CHAPTER 2

Structure and elasticities of Global Trade Model for Forest Products of IIASA

Jun Furuya and Osamu Koyama

JIRCAS Working Report No. 28

Historical Progress of Agricultural Development in Tropical Lowland: A Case Study on Establishing Process about Double Cropping of Paddy in Muda Area of Malaysia (J)

Hiroshi Nanbu

JIRCAS Working Report No. 29

Potentials and constraints of banana-based farming systems: a case of an upland village in West Java

CHAPTER 1

Objectives of socio-economic investigation

Junko Goto and Henny Mayrowani

CHAPTER 2

The setting: national, regional and local
Henny Mayrowani and Junko Goto

CHAPTER 3

The farming systems and household economy

Junko Goto, Sumedi, and Henny Mayrowani

CHAPTER 4

Farmer groups: structure and function
Miki Shibuya and Junko Goto

CHAPTER 5

Marketing channel development
Yoshinobu Kono and Junko Goto

CHAPTER 6

Small farmer development: feedback from the case inquiry

Junko Goto and Henny Mayrowani

JIRCAS Working Report No. 30

Development of Sustainable Agricultural Systems in Northeast Thailand through Local Resource Utilization and Technology Improvement

Outline of the project "Comprehensive studies on sustainable agricultural systems in Northeast Thailand"

Osamu Ito

I. Evaluation of environmental and biological resources in Northeast Thailand

Salinity

Hydrological and geochemical behavior of saline groundwater in Phra Yun, Northeast Thailand

M. Imaizumi, S. Sukchan, P. Wichaidit, K. Srisuk and F. Kaneko

Classification of salt affected areas using remote sensing and GIS

S. Sukchan and Y. Yamamoto

Water Resources

Location and function of the reservoirs in Ban Nong Saeng, Northeast Thailand

C. Ogura and S. Sukchan

Land suitability analysis concerning water resource and soil property

Y. Yamamoto and S. Sukchan

A farmer participatory approach to development of a research agenda for water management priorities in Nong Saeng Village, Khon Kaen Province, Thailand

J. S. Caldwell, S. Sukchan, W. On-ok, N. Kabaki, C. Ogura, M. Prabpan, and P. Rattanaprom

Nutrient Resources

Utilization of organic resources in cassava farming in Northeast Thailand

K. Paisancharoen and N. Matsumoto

Nitrogen cycles and nutrient balance in agro-ecosystems in Northeast Thailand

N. Matsumoto, K. Paisancharoen, C. Wongwiwatchai and P. Chairroj

Biological Resources

Collecting and evaluating wild relatives of sugarcane as breeding materials of new type sugarcane cultivars cattle feed in Northeast Thailand

A. Sugimoto, W. Ponragdee, T. Sansayawichai, T. Kawashima, S. Thippayarugs, P. Suriyaphan, M. Matsuoka, K. Lerdprasertat, and P. Pramane

Evaluation of sustainability of sugarcane production in Thailand based on nitrogen fixation, efficiency of nitrogen fertilizer and flow of organic matter

S. Ando, S. Meunchang, S. Thippayarugs, P. Prasertsak, N. Matsumoto, and T. Yoneyama

Animal and Feed Resources

Role of native ruminants in establishment of sustainable agricultural systems in Northeast Thailand

T. Kawashima

Sugarcane stalk as a roughage for dairy cattle

T. Kawashima, W. Sumamal, P. Pholsen, R. Narmsilee and W. Boonpakdee

Energy and nitrogen metabolisms in

Holstein crossbred dry cows given Ruzi grass hay with different levels of soybean meal

M. Odai, W. Sumamal, R. Narmsilee, P. Pholsen, T. Chuenpreecha, and S. Indramanee

Energy and nitrogen metabolism in lactating cows fed with rice straw and corn silage

M. Odai, I. Nonaka, W. Sumamal, R. Narmsilee, P. Pholsen, T. Chuenpreecha, and S. Indramanee

A study on nutritive values of tropical forages (1) Ruzi grass (*Brachiaria ruziziensis*), (2) Verano stylo (*Stylosanthes hamata* cv. Verano)

R. Narmsilee, P. Pholsen, T. Chuenpreecha, W. Sumamal, S. Indramanee, and M. Odai

A study on nutritive values of forage crops (3) Purple Guinea grass (*Panicum maximum* cv. TD58), (4)

Thapra stylo legume (*Stylosanthes guianensis* CIAT184)

W. Sumamal, R. Narmsilee, P. Pholsen, T. Chuenpreecha, S. Indramanee, and M. Odai

II. Development of agricultural production technologies and socio-economical evaluation

Soil conservative upland cropping systems

Present situations and improvement of upland farm management: Focusing on sugarcane production

M. Ando

Prevalent agricultural practices and soil fertility in sugarcane cropping in Northeast Thailand

C. Wongwiwachai, S. Thippayarugs, T. Sansayawichai, S. Pintasen, and K. Matsuo

Alternative tillage system for soil conservation, enhancement of crop growth and increasing working efficiency

K. Matsuo, C. Wongwiwachai, and M. Yashiro

Water efficient lowland cropping

Development of a sustainable lowland cropping system in Northeast Thailand

N. Kabaki, H. Tamura, T. Yoshihashi, K. Miura, R. Tabuchi, S. Fujimori, H. Morita, T. Wungkahart, P. Watanavitawas, B. Uraipong, U. Arromratana, and T. Na Nagara

Development of no-tillage direct seeding cultivation of rice

U. Arromratana, T. Na Nagara, T. Kaewkhongkha, B. Uraipong, H. Morita, H. Tamura, and N. Kabaki

Crop management of direct seeded rice

T. Wungkahart, N. Kabaki, H. Morita, P. Konghakote, N. Noojan, P. Intarawichian and N. Kotechoom

Economy of direct seeding of rice in Northeast Thailand and its future direction

T. Sumita and M. Ando

Quality evaluation of Khao Dawk Mali 105, an aromatic rice variety of Northeast Thailand

T. Yoshihashi, Nguyen T. T. H. and N. Kabaki

Vegetable production using energy-saving hydroponic system in Khon Kaen

S. Thipayarugs, K. Suzuki, Y. Katsuta, A. Yoshida, N. Matsumoto, N. Kabaki and C. Wongwiwatchai

Development of silage for cattle feed

Development and evaluation of bagasse silage for cattle feed

M. Odai, W. Sumamal, R. Narmsilee, P. Pholsen, T. Chuenpreecha and S. Indramanee

Processing and utilization of small round-bale wrapped silage made from tropical forages

T. Chuenpreecha and M. Odai

III. Evaluation of integrated farming systems

Crop/animal integrated farming systems

Feed management and significance of storage of roughage for dry season in dairy farming

H. Ukawa and M. Ando

Eco-physiological characteristics of *Erianthus* spp. and yielding abilities of three forages under conditions of cattle feces application

K. Matsuo, T. Chuenpreecha, N. Matsumoto, and W. Ponragdee

Effects of dry cattle feces application on soil chemical properties in upland fields in Khon Kaen

N. Matsumoto, K. Matsuo, T. Chuenpreecha and C. Wongwiwatchai

Nitrogen cycles in current and improved crop/animal integrated systems in Northeast Thailand

N. Matsumoto, K. Matsuo, M. Odai, T.

Chuenpreecha and C. Wongwiwatchai

JIRCAS Working Report No. 31

Analysis of food supply and demand and agricultural structural change in China (J)

INTRODUCTION

Project introduction and perspectives on food demand and supply

Tang Huajun and Yin Changbin

CHAPTER 1

Changes in agricultural structure

Chien Hsiaoping

CHAPTER 2

The structure of food supply, demand and distribution at farm level

Chien Hsiaoping

CHAPTER 3

Comparative and analysis of food consumption in cost and inland regions

Ren Tianzhi, Yin Changbin, Qu Baoxiang, and Zhou Xuying

CHAPTER 4

Food demand and supply projections in Shandong Province: A provincial model

Qian Minze

CHAPTER 5

Food demand and supply projections in Guizhou Province: A provincial model

Yin Changbin

CHAPTER 6

Statistical analysis of food production and agricultural resources in Shandong Province

Chien Hsiaoping

CLOSING

China's agricultural problems after accession to the WTO

Chien Hsiaoping

RESEARCH STAFF ACTIVITY 2002-2003

Journal articles, book chapters, and monographs

- Abe, H., **Urao, T.**, Ito, T., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). *Arabidopsis* AtMYC2 (bHLH) and AtMYB2 (MYB) function as transcriptional activators in abscisic acid signaling. *Plant Cell*, 15(1): 63-78.
- Adachi, K., Ishiwatari, T., Inoue, H., **Ogura, C.**, Osari, H., Koga, K., Narioka, H., and Yoshisako, H. (2002). Soil improvement/soil amelioration, land reclamation and farm land consolidation. In: *New Edition Technical Terms on Soil Physics*, Japanese Society of Soil Physics, Yokendo Ltd., Tokyo: 152-167. (J)
- Adu-Gyamfi, J.J., Ishikawa, S., **Nakamura, T.**, and Nakano, H. (2002). Genotypic variability and physiological characteristics of crop plants adapted to low-nutrient environment. In: *Food Security in Nutrient-Stressed Environments: Exploiting Plants' Genetic Capabilities*, Adu-Gyamfi, J.J. (ed.), Kluwer Academic Publishers, Dordrecht/Boston/London: 67-80.
- Adu-Gyamfi, J.J., **Ito, O.**, Arihara, J., Nakano, H., and Johansen, C. (2002). Government of Japan project activities at ICRISAT 1984-1999. In: *Food Security in Nutrient-Stressed Environments: Exploiting Plants' Genetic Capabilities*, Adu-Gyamfi, J.J. (ed.), Kluwer Academic Publishers, Dordrecht/Boston/London: 5-8.
- Akao, S., Tajima, S., Ohyama, T., **Ando, S.**, and Minamisawa, K. (2002). Research on biological nitrogen fixation and sustainable agriculture. *Japanese Journal of Soil Science and Plant Nutrition*, 73(1): 73-78. (J)
- Alzoreky, N.S., and **Nakahara, K.** (2002). Antibacterial activity of extracts from some edible plants commonly consumed in Asia. *International Journal of Food Microbiology*, 80: 223-230.
- Arifin, N.S., **Terauchi, T.**, **Tamura, Y.**, **Tanio, M.**, and **Matsuoka, M.** (2002). Development of methods for sugarcane transformation mediated by *Agrobacterium tumefaciens*. *Breeding Research*, 4(Supplement 2): 209. (J)
- Asanuma, S.** (2003). Evaluation, improvement and preservation of soil productivity to establish sustainable agricultural systems in sub-Saharan West Africa. In: *Integration and Regional Researches to Combat Desertification -Present State and Future Prospect-*, The 16th Global Environment Tsukuba, Center for Global Environmental Research, National Institute for Environmental Studies: 97-101.
- Ban, T.** and Watanabe, N. (2001). The effects of chromosomes 3A and 3B on resistance to Fusarium head blight in tetraploid wheat. *Hereditas*, 135: 95-99.
- Ban, T.** and Watanabe, N. (2002). The effects of homologous group 3 chromosome on resistance to Fusarium head blight in tetraploid wheat. *Breeding Research*, 4(Supplement 1): 228. (J)
- Banzai, K.** (2002). Red soil runoff and its control in island basins. *Japanese Journal of Tropical Agriculture*, 46(5): 329-333. (J)
- Banzai, K.** (2002). Reduction of nitrogen fertilizer in sugarcane cultivation. In: *Introduction Materials of New Agricultural Technology*. National Agricultural Research Center for Kyushu Okinawa Region: 24-25. (J)
- Banzai, K.** (2003). Soil particles runoff and environmental loading from cultivated land. In: *Research Material of the 20th Soil and Water Research Workshop*, National Institute for Agro-Environmental Sciences (NIAES), Tsukuba, 20: 22-30. (J)
- Banzai, K.**, Fukushima, A., Takase, K., and Chikamori, H. (2002). Hydrology. In: *New Edition Technical Terms on Soil Physics*, Japanese Society of Soil Physics, Yokendo Ltd., Tokyo: 100-115. (J)

- Bouquin, V., Nishikubo, N., **Abe, H.**, Brumer, H., Denman, S., Eklundm, M., Christiernin, M., Teeri, T.T., Sundberg, B., and Mellerowicz, E.J. (2002). Xyloglucan endotransglycosylases have a function during the formation of secondary cell walls of vascular tissues. *The Plant Cell*, 14(12): 3073-3088.
- Cabuslay, G.S., **Ito, O.**, and Alejar, A.A. (2002). Physiological evaluation of responses of rice (*Oryza sativa* L.) to water deficit. *Plant Science*, 163: 815-827.
- Caldwell, J.S.** (2002). An overall synthesis of the symposium. In: *JIRCAS International Symposium Series - Water for sustainable agriculture in developing regions*, Yajima, M., Okada, K. and Matsumoto, N. (eds.), Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba, 10: 121-125.
- Caldwell, J.S.**, Kanno, H., Doumbia, M., **Ozawa, K.**, Berthe, A., **Sakurai, T.**, Sasaki, K., Yorote, A., Sukchan, S., **Ogura, C.**, On-ok, W., **Yamamoto, Y.**, Satravaha, C., and Prapin, P. (2002). Potential for cross-regional interaction in research for improved water management in semi-arid and semi-humid rainfed cropping systems in Asia and Africa. In: *JIRCAS International Symposium Series - Water for sustainable agriculture in developing regions*, Yajima, M., Okada, K. and Matsumoto, N. (eds.), Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba, 10: 71-75.
- Chen, Z. and **Uchida, S.** (2002). Winter wheat acreage estimation with sub-pixel classification algorithm. In: *Application of Remote Sensing Technology for the Management of Agricultural Resources*, Uchida, S., Chen, Y. and Saito, G. (eds.), China Agricultural Science and Technology Press, Beijing, People's Republic of China: 156-168.
- Chi, T.T.N. and **Yamada, R.** (2002). Factors affecting farmers' adoption of technologies in farming system. *Omon Rice*, 10: 98-105.
- Chin, D.V., Son, T.T.N., Kiet, L. C., **Hiraoka, H.**, Itoh, K., and **Kobayashi, H.** (2003). *Lowland rice weeds in Vietnam*, Vietnamese Government Agricultural Publishing, Hanoi: 1-162.
- Doi, K., Eguchi, T., Choi, S-H., Iwatake, A., **Ohmomo, S.**, and Ogata, S. (2002). Isolation of Enterocin SE-K4-encoding plasmid and a high Enterocin SE-K4 producing strain of *Enterococcus faecalis* K-4. *Journal of Bioscience and Bioengineering*, 93(4): 434-436.
- Doi, K., Iwatake, A., Eguchi, T., **Ohmomo, S.**, and Ogata, S. (2002). Maximization of bacteriocin production and its effective use in silage fermentation. *Bioengineering*, 80(12): 578-580. (J)
- Dubouzet, J.G., Sakuma, Y., **Ito, Y.**, **Kasuga, M.**, Dubouzet, E.G., Miura, S., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). OsDREB genes in rice, *Oryza sativa* L., encode transcription activators that function in drought-, high-salt- and cold-responsive gene expression. *The Plant Journal*, 33(4): 751-763.
- Ebron, L.A., **Fukuta, Y.**, Imbe, T., Kato, H., **Tsunematsu, H.**, Yanoria, M.J.T., Khush, G.S., and Yokoo, M. (2002). Identification of blast resistance genes in IRRI rice varieties. *Breeding Research*, 4(Supplement 2): 309.
- Fujita, M., Fujita, Y., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). RNAi protocol for *Arabidopsis thaliana*. *Cell Technology*, 21(11): 1352-1360. (J)
- Fukamachi, H.**, Tsukaguchi, T., **Ozawa, K.**, Komori, S., and **Ogawa, K.** (2002). Effect of foliar mist spraying on root growth and photosynthesis of papaya plants. *Acta Horticulture*, 578: 373-375.
- Fukuta, Y.**, Araki, E., Yanoria, M.J.T., Ebron, L. A., Mercado-Esuet, D., **Tsunematsu, H.**, Kato, H., Imbe, T., and Khush, G.S. (2002). Development of differential varieties and near-isogenic lines to rice blast resistance genes at the International Rice Research Institute. *Breeding Research* 4(Supplement 2): 167.

- Fukuta, Y.**, Nakano, M., Kobayashi, S., Ebron, L.A., Yamagishi, M., Sato, T., and Khush, G.S. (2002). Genetic and breeding analysis using molecular marker 23, QTL analysis for dry matter production in rice (*Oryza sativa* L.). *Breeding Research*, 4(Supplement 1): 271.
- Fukuta, Y.**, Nakano, M., Kobayashi, S., Yamagishi, M., Sato, T., Ebron L.A., and Khush, G.S. (2002). Characterization of Quantitative Traits Loci (QTLs) for dry matter production on chromosome 3 in rice (*Oryza sativa* L.). *Japanese Journal of Crop Science*, 71(Extra issue 1): 122-123. (J)
- Hamada, H.** (2002). Collaboration of Japan International Research Center for Agricultural Sciences in Africa. *Journal of the Agricultural Engineering Society, Japan*, 70(11): 29-31. (J)
- Hasegawa, S., Okazaki, M., Taniyama, I., **Banzai, K.**, Narioka, H. and Chikamori, H. (2002). Environmental conservation. In: *New Edition Technical Terms on Soil Physics*, Kono, E. (ed.), Yokendo Ltd, Tokyo: 168-175. (J)
- Hayashi, T.** (2002). Soft-electron treatment of food. *Journal of the Japanese Society for Food Science and Technology*, 49(9): 559-565. (J)
- Horikawa, N.** (2002). Evaluation of rainfall station networks for irrigation projects in tropical monsoon areas. *Applied Hydrology*, 15: 54-58. (J)
- Hosen, Y.**, Paisanchoen, K., and Tsuruta, H. (2002). Effects of deep application of urea on NO and N₂O emissions from an Andisol. *Nutrient Cycling in Agroecosystems*, 63(2-3): 197-206.
- Ichitani, K., **Fukuta, Y.**, Taura, S., and Sato, M. (2001). Chromosomal location of *Hwc2*, one of the complementary hybrid weakness genes, in rice. *Plant Breeding*, 120(6): 523-525.
- Ideta, O., **Tanio, M.**, and **Matsuoka, M.** (2002). Genetic effect of panicle length variation observed under the subtropical environment in Ishigaki Island on the accelerated generation advance of rice. *Breeding Research*, 4(Supplement 2): 370. (J)
- Inagaki, M.** (2002). Acrisols. In: *World Reference Base for Soil Resources. Atlas*. Japan FAO association (eds.), Kokonsyoin, Tokyo: 16-17. (J)
- Inagaki, M.** (2002). Acrisols. In: *World Reference Base for Soil Resources. Introduction*. Japan FAO association (eds.), Kokonsyoin, Tokyo: 26-28. (J)
- Ishikawa, R., Yamanaka, S., Kanyavong, K., **Fukuta, Y.**, Sato, Y.I., Tang, L., and Sato, T. (2002). Genetic resources of primitive upland rice in Laos. *Economic Botany*, 56(2): 192-197.
- Ishikawa, S., Adu-Gyamfi, J.J., **Nakamura, T.**, Yoshihara, T., **Watanabe, T.**, and Wagatsuma, T. (2002). Genotypic variability in phosphorus solubilizing activity of root exudates by pigeonpea grown in low-nutrient environment. *Plant and Soil*, 245: 71-81.
- Ishiki, K.** and Liu, X. (2002). AFLP analysis of anthocyanin transcriptional activator genes and anthocyanidin synthase gene in sweet potato. *Japanese Journal of Tropical Agriculture*, 46(Extra issue 2): 92-93. (J)
- Ishiki, K.**, Liu, X., and Soedarjo, M. (2002). AFLP fragments associated with anthocyanin transcriptional activator genes of sweet potato. *Breeding Research*, 4(Supplement 2): 171. (J)
- Ito, O.**, **Ogura, C.**, and **Caldwell, J.S.** (2002). Improving water availability and use in rainfed systems: In: *JIRCAS International Symposium Series - Water for sustainable agriculture in developing regions*, Yajima, M., Okada, K. and Matsumoto, N. (eds.), Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba, 10: 63-69.
- Jasmani, S., Kawazoe, I., Tsutsui, N., Ohira, T., Aida, K., and **Wilder, M.N.** (2002). Identification of vitellogenin synthetic site in the kuruma prawn *Penaeus japonicus*. *Fisheries Science*, 68(Supplement 1): 975-976.

- Jayasankar, V., Jasmani, S., Tsutsui, N., Ohira, T., Saido-Sakanaka, H., Yang, W-J., Okuno, A., Aida, K., and **Wilder, M.N.** (2002). Dynamics of vitellogenin gene expression at different stages of reproduction in the giant freshwater prawn, *Macrobrachium rosenbergii*. Fisheries Science, 68(Supplement 1): 977-978.
- Jayasankar, V., Tsutsui, N., Jasmani, S., Saido-Sakanaka, H., Yang, W-J., Okuno, A., Hien, T.T.T., Aida, K., and **Wilder, M.N.** (2002). Dynamics of vitellogenin mRNA expression and changes in hemolymph vitellogenin levels during ovarian maturation in the giant freshwater prawn *Macrobrachium rosenbergii*. Journal of Experimental Zoology, 293: 675-682.
- Jiang, L., **Maoka, T., Komori, S., Fukamachi, H., Kato, H., and Ogawa, K.** (2002). Introducing coat protein gene to papaya (*Carica papaya*). Journal of the Japanese Society for Horticultural Science, 71(Supplement 1): 380. (J)
- Kajikawa, H., Mitsumori, M., and **Ohmomo, S.** (2002). Stimulatory and inhibitory effects of protein amino acids on growth rate and efficiency of mixed ruminal bacteria. Journal of Dairy Science, 85(8): 2015-2022.
- Kajisa, K. and **Sakurai, T.** (2003). Determinants of groundwater price under bilateral bargaining with multiple modes of contracts: A case from Madhya Pradesh, India. Japanese Journal of Rural Economics, 5:1-11.
- Kakuda, K. and **Nozoe, T.** (2003). Characteristics of the utilization of applied nitrogen by the variety of new plant type (NPT) developed in IRRI. Japanese Journal of Tropical Agriculture, 47(Extra issue 1): 19-20. (J)
- Kamo, K.,** Vacharangkura, T., Tiyanon, S., Viriyabuncha, C., Nimpila, S., and Doangsrise, B. (2002). Plant species diversity in tropical planted forests and implication for restoration of forest ecosystems in Sakaerat, Northeastern Thailand. Japan Agricultural Research Quarterly, 36(2): 111-118.
- Kanno, T., Macedo, M.C., **Kanda, K.,** Yoshimura, Y., **Nakamura, T.,** Uozumi, S., and Bono, J.A. (2002). Dry matter productivity and forage quality of *Panicum maximum* pasture established after two different crop rotation systems. Grassland Science, 47(6): 569-577.
- Kato, H., Fukamachi, H.,** Kotoda, N., Iwanami, H., and **Ogawa, K.** (2002). Isolation of retrotransposon gene expressed in apple cultured cell. Journal of the Japanese Society for Horticultural Science, 71(Supplement 2): 260. (J)
- Kawabe, K.,** Iwasaki, M., Hayano-Saito, Y., Honda, Y., Yoshida, K., and Maoka, T. (2002). Virus resistance in transgenic tomato expressing satellite RNA of Cucumber mosaic virus. Research Bulletin of the National Agricultural Research Center for Hokkaido Region, 117: 37-53. (J)
- Kawamoto, S., Shima, J., Sato, R., Eguchi, T., **Ohmomo, S.,** Shibata, J., Horikoshi, N., Takeshita, K., and Sameshima, T. (2002). Biochemical and genetic characterization of Mundtacin KS, an antilisterial peptide produced by *Enterococcus mundtii*. Applied and Environmental Microbiology, 68(8): 3830-3840.
- Kawano, N., Ella, E., **Ito, O.,** Yamauchi, Y., and Tanaka, K. (2002). Comparison of adaptability to flash flood between rice cultivars differing in flash flood tolerance. Soil Science and Plant Nutrition, 48(5): 659-665.
- Kawano, N., Ella, E., **Ito, O.,** Yamauchi, Y., and Tanaka, K. (2002). Metabolic changes in rice seedlings with different submergence tolerance after desubmergence. Environmental and Experimental Botany, 47: 195-203.
- Kikuchi, O.K., Todoriki, S., **Saito, M.,** and **Hayashi, T.** (2003). Efficacy of soft-electron (low-energy electron beam) for soybean decontamination in comparison with gamma-rays. Journal of Food Science, 68(2): 649-652.

- Kim, S-K., Takeuchi, T., **Yokoyama, M.**, and Murata, M. (2002). Effect of dietary supplementation with taurine, β -alanine and GABA on the growth of juvenile and fingerling Japanese flounder *Paralichthys olivaceus*. Fisheries Science, 69(2): 242-248.
- Kim, Y., Kitaoka, M., **Mori, Y.**, and Hayashi, K. (2002). Kinetic studies of a recombinant cellobiose phosphorylase (CBP) of the *Clostridium thermocellum* YM4 strain expressed in *Escherichia coli*. Journal of Biochemistry, 132: 197-203.
- Kimoto, H., **Ohmomo, S.**, and Okamoto, T. (2002). Cholesterol removal from media by lactococci. Journal of Dairy Science, 85: 3182-3188.
- Kitani, H., Black, S.J., **Nakamura, Y.**, Naessens, J., Murphy, N.B., Yokomizo, Y., Gibson, J., and Iraqi, F. (2002). Recombinant tumor necrosis factor alpha does not inhibit the growth of African trypanosomes in axenic cultures. Infection and Immunity, 70(4): 2210-2214.
- Kobayashi, H.**, Khai, L.T.L., Phan, T.T., **Yamasaki, S.**, and **Taniguchi, T.** (2003). Prevalence of pathogenic *Escherichia coli* in a swine breeding environment in Can Tho Province, Vietnam. Japan Agricultural Research Quarterly, 37(1): 59-63.
- Kobayashi, S., **Fukuta, Y.**, Ebron, L.A., Osaki, M., Sato, T., and Khush, G.S. (2002). QTL analysis for tiller number in rice (*Oryza sativa* L.). Breeding Research, 4(Supplement 1): 272. (J)
- Kobayashi, M., Nomura, M., Fujita, Y., Okamoto, T., and **Ohmomo, S.** (2002). Influence of lactococcal plasmid on the specific growth rate of host cells. Letters in Applied Microbiology, 35:403-408.
- Kohno, K.** (2002). Phoresy by an egg parasitoid, *Protelenomus* sp. (Hymenoptera: Scelionidae), on the coreid bug, *Anoplocnemis phasiana* (Heteroptera: Coreidae). Entomological Science, 5(3): 281-285.
- Kohno, K.** (2003). Development and reproduction of *Antilocbus coqueberti* (Heteriptera:Pyrrhocoridae), the specific predator of *Dysdercus* spp. (Heteroptera: Pyrrhocoridae). Applied Entomology and Zoology, 38(1): 103-108.
- Kohno, K.**, Takahashi, K., and Sakakibara, M. (2002). New prey-predator association in aposematic pyrrhocorid bugs: *antilocbus coqueberti* as a specialist predator on *Dysdercus* species. Entomological Science, 5(4): 391-397.
- Kohno, K.**, Takahashi, K., **Nakata, T.**, and Konishi, K. (2002). Occurrence of the Asian citrus psylla and its parasitic natural enemies in the Ryukyu Archipelago, Japan. Acta Horticulturae, 575: 503-508.
- Komori, S., **Fukamachi, H.**, Maoka, T., Hidaka, T., and **Ogawa, K.** (2002). Environmental risk evaluation of papaya transformed with coat protein gene of papaya ring spot virus in an isolated field. Breeding Research, 4(3): 137-143. (J)
- Komori, S., **Ogawa, K.**, **Fukamachi, H.**, **Kato, H.**, and Hidaka, T. (2002). Studies on fruit lodging in the pineapple (3. Lodging pattern in main cultivar). Japanese Journal of Tropical Agriculture, 46(Supplement 1): 35-36. (J)
- Kondo, K., Yamamoto, M., Itahashi, R., **Sato, T.**, Egashira, H., Hattori, T., and Koyama, Y. (2002). Insights into the evolution of self-compatibility in *Lycopersicon* from a study of stylar factors. The Plant Journal, 30(2): 143-153.
- Kondo, K., Yamamoto, M., Matton, D.P., **Sato, T.**, Hirai, M., Norioka, S., Hattori, T., and Kowyama, Y. (2002). Cultivated tomato has defects in both S-Rnase and HT genes required for stylar function of self-incompatibility. The Plant Journal, 29(5): 627-636.
- Koyama, O.** (2002). Food issues from an international perspective. In: *Resource and Environmental Issues Crossing Borders*, Karasawa, K. (ed.), Nihon Keizai Hyoron-sha, Tokyo: 121-145

- Krishnareddy, M., Kitaoka, M., **Mori, Y.**, and Hayashi, K. (2002). Cellodextrin phosphorylase from *Clostridium thermocellum* YM4 strain expressed in *Escherichia coli*. *Journal of Applied Glycoscience*, 49(1):1-8.
- Kudo, H.**, Imai, S., Arakaki, C., Minato, H., and Cheng, K-J. (2003). *Practical Laboratory Manual for Ruminology*, Grafica Sorocaba Ltd., Londrina, Brazil: 80 pp.
- Li, B., Li, L., Zhao, Z., **Tatsumi, E.**, and Yang, T. (2002). Study on the sterilization of electrolyzed water on soybean. *Science and Technology of Food Industry (China)*, 23(1): 12-16.
- Li, L., Wang, L., Li, Z., and **Tatsumi, E.** (2002). Effects of heat denaturation of soybean protein on Tofu-gel. *Journal of the Chinese Cereals and Oil Association*, 17(1): 1-4.
- Liang, X. F. and **Ogata, H.Y.** (2002). Effects of dietary fatty acids on lipoprotein lipase gene expression in the liver and visceral adipose tissue of fed and starved red sea bream. *Comparative Biochemistry and Physiology A.*, 132(4): 913-919.
- Lio-Po, G.D., Cruz-Lacierda, E.R., Pena, L.D., **Maeno, Y.**, and Inui, Y. (2002). Progress and current status of diagnostic techniques for marine fish viral diseases at the SEAFDEC Aquaculture Department. In: *Disease Control in Fish and Shrimp Aquaculture in Southeast Asia-Diagnosis and Husbandry Techniques*, Inui, Y. and Cruz-Lacierda, E.R. (eds.), Southeast Asian Fisheries Development Center/Aquaculture Department (SEAFDEC/AQD), Tigbauan, Iloilo, the Philippines: 97-106.
- Liu, X., **Ishiki, K.**, and Wang, W. (2002). Identification of AFLP markers favorable to heterosis in hybrid rice. *Breeding Science*, 52(3): 201-206.
- Liu, Y. and **Ishiki, K.** (2002). Plant regeneration method for studying anthocyanin pigmentation in sweet potato. *Breeding Research*, 4(Supplement 2): 173.
- Liu, J. and **Uchida, S.** (2002). Land use/cover change analysis in the suburban agricultural area of Beijing using multi-temporal Landsat TM data and GIS. In: *Application of Remote Sensing Technology for the Management of Agricultural Resources*, Uchida, S., Chen, Y. and Saito, G. (eds.), China Agricultural Science and Technology Press, Beijing, People's Republic of China: 198-204.
- Lu, Z., Li, L., Min, W., Li, Z., and **Tatsumi, E.** (2002). Influence of natural fermentation technology on the rheological properties of rice noodle. *Journal of Chinese Institute of Food Science & Technology*, 2(2): 8-12.
- Lu, Z., Li, Y., Li, L., Nakamura, K., and **Tatsumi, E.** (2002). Effects of milling methods on properties of rice dough and research on retrogradation prevention (2). *Food Science and Technology (China)*, 123(1): 10-12.
- Lu, Z., Li, L., Li, Z., and **Tatsumi, E.** (2002). Study on the modification mechanism of natural fermented starch gel and the isolation of microorganisms. *Food and Fermentation Industries (China)*, 28(4): 1-6.
- Maeda, E., **Sato, T.**, and **Suzuki, K.** (2002). Microtopography and shoot-bud formation of rice (*Oryza sativa*) callus. *Plant Biotechnology*, 19(2): 69-80.
- Maeno, Y.**, Pena, L.D., and Cruz-Lacierda, E.R. (2002). Nodavirus infection in hatchery-reared orange-spotted grouper *Epinephelus coioides*: First record of viral nervous necrosis in the Philippines. *Fish Pathology*, 37(2): 87-89.
- Matsui, K., Yoshida, M., **Ban, T.**, Komatsuda, T., and Kawada, N. (2002). Role of male-sterile cytoplasm in resistance to barley yellow mosaic virus and Fusarium head blight in barley. *Plant Breeding*, 121: 237-240.
- Matsuoka, M.**, Arifin, N.S., **Tamura, Y.**, **Tanio, M.**, and **Terauchi, T.** (2002). *Agrobacterium*-mediated transformation of sugarcane - Sonication is

- effective in eliminating *Agrobacterium* in the succeeding selection process. Japanese Journal of Tropical Agriculture, 46(Extra issue 2): 94-95(J).
- Miao, Y., Horibe, K., and **Noguchi, A.** (2002). Rheological characteristics of the coagulated egg processed by ohmic heating. Japan Journal of Food Engineering, 3(2): 53-58. (J)
- Miyamoto, M.** (2002). Tropical forest and deforestation; 3.2: Deforestation in Indonesia, In: *Human Society and Environment, Earth Environment Science Series Vol. 11*, Kataoka, M. and Tanaka, S. (eds.), Sankyo Shuppan: Tokyo: 46-68. (J)
- Morizane, T., Yamashita, H., Fukita, Y., Kawakami, M., Ochi, O., **Maeno, Y.**, Kamaishi, T., Ito, T., Kurita, J., Nakajima, K., and Ashida, K. (2002). Experimental reproduction of a disease causing mass mortality of Japanese pearl oyster *Pinctada fucata martensii* by injection of diseased oyster hemolymph. Fish Pathology, 37(3): 149-151. (J)
- Nakahara, K.**, Trakoontivakorn, G., Ono, H., Onishi-Kameyama, M., and Yoshida, M. (2002). Antimutagenicity of some edible Thai plants, and a bioactive carbazole alkaloid, mahanine isolated from *Micromelum minutum*. Journal of Agricultural and Food Chemistry, 50(17): 4796-4802.
- Nakamura, H., **Ozawa, K.**, Kodera, K., Nakashima, T. and Matsumoto, E. (2002). A Pocketbook of Vegetables, Nakamura, H. (ed.), Kodansha, Tokyo: 120 pp.
- Nakamura, H.** (2002). Frequency of the high-molecular-weight glutenin allele in Asian hexaploid wheat (*Triticum aestivum* L.) and the transmission route through which the wheat may have reached Japan, the most geographically remote region of wheat production in the world. Journal of Agricultural and Food Chemistry, 50(23): 6891-6894.
- Nakamura, H.** (2002). The evaluation of flour particle size distribution of Japanese wheat norin cultivars. Tohoku Agricultural Research, 55: 103-104. (J)
- Nakamura, H.** and Fujimaki, H. (2002). Specific ***Glu-D1f*** allele frequency of Japanese common wheat compared with distribution of ***Glu-1*** alleles in Chinese wheat. Cereal Chemistry, 79(4): 486-490.
- Nakamura, H., Fujimaki, H., Yamagishi, K., Kimura, T., Suzuki, M., and Shinmoto, H.** (2002). Relationship between high-molecular-weight glutenin 145kDa subunit in wheat seed storage protein and the agronomic characters. Japanese Journal of Crop Science, 71(Extra Issue 1): 132-133. (J)
- Nakamura, H.** (2002). The geographical diversity of the frequency of the Glu-D1f allele in Asian common wheat, and the transmission route through which the wheat may have reached Japan. Australian Journal of Agricultural Research, 53(11): 1265-1269.
- Nakamura, I., Murayama, S., **Tobita, S.**, Bong, B.B., **Yanagihara, S.**, Ishimine, Y., and Kawamitsu, Y. (2002). Effect of NaCl on the photosynthesis, water relations and free proline accumulation in the wild *Oryza* species. Plant Production Science, 5(4): 305-310.
- Nakamura, T.**, Adu-Gyamfi, Joseph J., Yamamoto, A., Ishikawa, S., Nakano, H., and **Ito, O.** (2002). Varietal differences in root growth as related to nitrogen uptake by sorghum plants in low-nitrogen environment. Plant and Soil, 245: 17-24.
- Nakamura, T.**, Kanno, T., Ohwaki, Y., Ishikawa, T., Miranda, C.H.B., and Macedo, M.C.M. (2002). Characteristics of nitrogen utilization in tropical grasses (*Brachiaria* species) grown in Brazilian Cerrado. Japanese Journal of Soil Science and Plant Nutrition, 73(4): 421-425. (J)
- Nakanishi, K., Tokuda, H., Ando, T., Yajima, M., Nakajima, T., Tanaka, O., and **Ohmomo, S.** (2002). Screening of lactic acid bacteria having the ability to produce reuterin-screening of LAB to produce reuterin. Japanese Journal of Lactic Acid Bacteria, 13(1): 37-45.

- Nakano, H., Adu-Gyamfi, J.J., and Nakamura, T. (2002). Genetic adaptation of crop plants to low-nutrient environments: morphological and ecophysiological characteristics of adaptation. In: *Food Security in Nutrient-Stressed Environments: Exploiting Plants' Genetic Capabilities*, Adu-Gyamfi, J.J. (ed.), Kluwer Academic Publishers, Dordrecht/Boston/London: 59-66.
- Nakashima, K., Kasuga, M., and Yamaguchi-Shinozaki, K. (2002). Improvement of stress tolerant plants using regulon biotechnology. *Cell Technology*, 21(12): 1460-1464. (J)
- Nakashima, K. and Yamaguchi-Shinozaki, K. (2002). Use of β -glucuronidase to show dehydration and high-salt gene expression. In: *Molecular Methods of Plant Analysis, Vol.22, Testing for genetic manipulation in plants*, Jackson, J.F. and Linskens, H.F. (eds.), Springer-Verlag, Berlin/Heidelberg/New York: 37-61.
- Nanjo, T., Kasuga, M., Yamaguchi-Shinozaki, K., and Shinozaki, K. (2002). Morpho-logical changes responding to abiotic environmental stress. *Protein, Nucleic Acid and Enzyme*, 47(12): 1684-1689. (J)
- Nishio, Z., Takata, K., Tabiki, T., Kuwabara, T., and Ban, T. (2002). Evaluation method of Fusarium Head Blight resistance in wheat inoculated by injection and continuous simulated rainfall. *Breeding Research*, 4(Supplement 2): 302. (J)
- Noguchi, S. (2002). Function for natural dam in a tropical rain forest, Peninsular Malaysia. *Tropics*, 11(4): 231-239.
- Nohda, M., Xu, D.H., Sukegawa, K., Chen, H., and Ban, T. (2002). Screening of chromosome regions associated with FHB resistance in susceptible near-isogenic lines derived from the resistant wheat 'Sumai #3' using DNA markers. *Breeding Research*, 4(Supplement 1): 227. (J)
- Nozoe, T., Rodriguez, R., and Agbisit, R. (2002) Effects of drying of alkaline soil in fallow season on the rice growth in wet and dry season. *Japanese Journal of Tropical Agriculture*, 46(Extra issue 2): 27-28. (J)
- Nozoe, T., Sekiguchi, T., Nishibata, Y., and Inoue, T. (2003). Changes in Eh and pH of submerged soil in the presence of Fe-containing slag fertilizers. *Japanese Journal of Soil Science and Plant Nutrition*, 73(1): 81-83. (J)
- Ochiai, Y. (2002). The regeneration of tropical forests. In: *Handbook for Earth Environment*, Asakura Shoten, Tokyo: 604-605.
- Ochiai, Y. (2002). Physiological and ecological site preference of some Dipterocarp species. In: *TFRI Extension Series 145*, Chien, C-T. and Rose, R. (eds.), Taiwan Forestry Research Institute, Taipei, Taiwan: 210-214.
- Ogata, H.Y. (2002). Growth performance and macronutrient retention of offspring from wild and selected red sea bream *Pagrus major*. *Aquaculture*, 206(3,4): 279-287.
- Ogata, H.Y. (2002). Growth, feed efficiency and feed intake of offspring from selected and wild Japanese flounder *Paralichthys olivaceus*. *Aquaculture*, 211: 183-193.
- Ogata, H.Y. (2002). Muscle buffering capacity of yellowtail fed diets supplemented with crystalline histidine. *Journal of Fish Biology*, 61: 1504-1512.
- Ogawa, S., Saito, G., and Uchida, S. (2002). Methods to identify land use changes using satellite data In: *Application of Remote Sensing Technology for the Management of Agricultural Resources*, Uchida, S., Chen, Y. and Saito, G. (eds), China Agricultural Science and Technology Press, Beijing, People's Republic of China: 189-197.
- Ohmomo, S., Nitisinprasart, S., and Hiranpradit, S. (2002). Silage-making and recent trend of dairy farming in Thailand. *Japan Agricultural Research Quarterly*, 36(4): 227-234.
- Ohmomo, S., Tanaka, O., Kitamoto, K., and Cai, Y. (2002). Silage and microbial

performance, old story but new problems. Japan Agricultural Research Quarterly, 36(2): 59-71.

Onuki, M., Kawabe, K., and Hanada, K. (2002). A newly discovered distinct begomovirus occurred on *Malvastrum coromandelianum* in Sakishima Islands in Japan. Japanese Journal of Phytopathology, 68(2): 238. (J)

Onuki, M., Kawabe, K., and Hanada, K. (2002). Sequence comparison of three Japanese isolates of sweet potato leaf curl virus (SPLCV) with other related begomoviruses. Japanese Journal of Phytopathology, 68(2): 230-231. (J)

Ohtsu, Y., Prommintara, M., Okuda, S., Goto, T., Kano, T., **Nakashima, K.**, Koizumi, M., Imada, J., and Kawashima, K. (2002). Partial purification of Thai isolate of citrus Huanglongbing (greening) bacterium and antiserum production for serological diagnosis. Journal of General Plant Pathology, 68(4): 372-377.

Okazaki, E., Yaku, S., **Fukuda, Y.**, Sakai, T., and Nambu, S. (2002). Preventive effect of polyols on the demulsification of emulsified surimi during frozen storage. Nippon Suisan Gakkaishi, 68(5): 701-705. (J)

Oku, X.F. and **Ogata, H.Y.** (2002). Organization of the lipoprotein lipase gene of red sea bream *Pagrus major*. Comparative Biochemistry and Physiology B, 131(4): 775-785.

Okuno, A., Yang, W.-J., Jayasankar, V., Saido-Sakanaka, H., Huong, D.T.T., Jasmani, S., Atmomarsono, M., Subramoniam, T., Tsutsui, N., Ohira, T., Kawazoe, I., Aida, K., and **Wilder, M.N.** (2002). Deduced primary structure of vitellogenin in the giant freshwater prawn, *Macrobrachium rosenbergii* and yolk processing during ovarian maturation. Journal of Experimental Zoology, 292: 417-429.

Osakabe, Y., Miyata, S., **Urao, T.**, Seki, M., Shinozaki, K. and **Yamaguchi-Shinozaki, K.** (2002). Overexpression of *Arabidopsis* response regulators, ARR4/A TRR1/IBC7 and ARR8/ATRR 3, alters cytokinin

responses differentially in the shoot and in callus formation. Biochemical and Biophysical Research Communications, 293: 806-815.

Oya, T., Nepomuceno, A.L., Neumaier, N., and Farias, J.R.B. (2002). Agronomic and physiological responses of Brazilian soybean cultivars to drought stress during the period of early reproductive stage. Japanese Journal of Crop Science, 71(Extra issue 2): 234-235.

Ozawa, K. (2002). The characteristics of environment and social situation in tropic and sub-tropic small islands. Japanese Journal of Tropical Agriculture, 46(5): 311-314. (J)

Ozawa, K., Fukamachi, H., and Tukaguchi, T. (2002). An idea for trench houses to protect crops from hot and strong wind. Acta Horticulture, 578: 157-162.

Ozawa, K. and Mamadou, D. (2002). Relation between infiltration and crop growth in Mali. Japanese Journal of Tropical Agriculture, 46(Extra Issue 2): 63-64. (J)

Ozawa, K. and Sasaki, K. (2002). Relation between precipitation and topographical situation in Mali. Japanese Journal of Tropical Agriculture, 46(Extra Issue 2): 61-62. (J)

Pang, X. and **Tobita, S.** (2002). Response to phosphorus deficiency in rice seedlings: a possible role of root length in the tolerance to P deficiency. Japanese Journal of Crop Science, 71(Extra issue 2): 236-237.

Park, G.-S., Takeuchi, T., **Yokoyama, M.**, and Seikai, T. (2002). Optimal dietary taurine level for growth of juvenile Japanese flounder *Paralichthys olivaceus*. Fisheries Science, 68(4): 824-829.

Rodriguez, R., **Nozoe, T.**, and Agbisit, R. (2002). Effects of dry fallow and flooded fallow on selected soil chemical properties and on early growth of irrigated rice. The Philippine Journal of Crop Science, 27(Supplement No.1): 46.

- Saito, M., Tatsumi, E.,** Chen, F., Wang, L., Li, Z., and Li, L. (2002). Improvement in gelling properties of packed tofu by mixed blood components. *Journal of the Japanese Society for Food Science and Technology*, 49(6): 428-431. (J)
- Saito, M.** (2002). Functional components in soybean. *Food and Nutrition China*: 37.
- Saito, M.** (2003). Optimization of emulsifying activity of soy protein isolate using computer-aided techniques. *Food Science and Technology Research*, 9(1): 1-3.
- Sakai, J., Inoue, K., **Onuki, M.**, and Hanada, K. (2002). Comparison of nucleotide sequences among Tomato mosaic virus isolates from tomato cultivars with resistant gene Tm-1. *Japanese Journal of Phytopathology*, 68(2): 215-216.
- Sasanuma, T., Endo, R.T., and **Ban, T.** (2002). Genetic diversity of three *Elymus* species indigenous to Japan and East Asia (*E. tsukushiensis*, *E. humidus* and *E. dahuricus*) detected by AFLP. *Genes & Genetic Systems*, 77: 429-438.
- Sato, S., **Caldwell, J.S.**, and Sato, A. (2002). *Agricultural Innovation for Sustainability*, Akita Prefecture, Japan: 342 pp. (J)
- Satoh, R., **Nakashima, K.**, Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). ACTCAT, a novel cis-acting element for proline- and hypoosmolarity-responsive expression of the *ProDH* gene encoding proline dehydrogenase in *Arabidopsis*. *Plant Physiology*, 130: 709-719.
- Seki, M., Ishida, J., Narusaka, M., Fujita, M., Nanjo, T., Umezawa, T., Kamiya, A., Nakajima, M., Enju, A., Sakurai, T., Satou, M., Akiyama, K., **Yamaguchi-Shinozaki, K.**, Carninci, P., Kawai, J., Hayashizaki, Y. and Shinozaki, K. (2002). Monitoring the expression pattern of around 7,000 *Arabidopsis* genes under ABA treatments using a full-length cDNA microarray. *Functional & Integrative Genomics*, 2(6): 282-291.
- Seki, M., Narusaka, M., Ishida, J., Nanjo, T., Fujita, M., Oono, Y., Kamiya, A., Nakajima, M., Enju, A., Sakurai, T., Satou, M., Akiyama, K., Taji, T., **Yamaguchi-Shinozaki, K.**, Carninci, P., Kawai, J., Hayashizaki, Y., and Shinozaki, K. (2002). Monitoring the expression profiles of 7,000 *Arabidopsis* genes under drought, cold and high-salinity stresses using a full-length cDNA microarray. *The Plant Journal*, 31(3): 279-292.
- Shah, S.H., **Tobita, S.** and **Shono, M.** (2002). Cation co-tolerance phenomenon in cell cultures of *Oryza sativa* adapted to LiCl and NaCl. *Plant Cell Tissue and Organ Culture*, 71(2): 95-101.
- Simpson, S.D., **Nakashima, K.**, Narusaka, Y., Seki, M., Shinozaki, K. and **Yamaguchi-Shinozaki, K.** (2003). Two different novel cis-acting elements of *erd1*, a *clpA* homologous *Arabidopsis* gene function in induction by dehydration stress and dark-induced senescence. *The Plant Journal*, 33(2): 259-270.
- Singh, I. and **Shono, M.** (2002). Effect of 24-epibrassinolide on pollen viability during heat-stress in tomato. *Indian Journal of Experimental Biology*, 41: 174-176.
- Soedarjo, M., Saleh, N., Adisarwanto, T., and **Ishiki, K.** (2003). Characterization and effectiveness of *Rhizobia* isolated from nodules of soybean grown on Al-rich acid soils. *Japanese Journal of Tropical Agriculture*, 47(Extra issue 1): 63-64.
- Soedarjo, M., **Ishiki, K.**, and Liu, X. (2002). Screening of anthocyanin transcriptional activator genes from cDNA library of sweet potato. *Breeding Research*, 4(Supplement 2): 172.
- Sugimoto, A., Terajima, Y., Miyagi, K., **Matsuoka, M.**, **Terauchi, T.**, Ujihara, K., Irei, S., and Fukuhara, S. (2002). Inter specific hybrids with high yielding ability of sugar and dry matter in ratoon crop. *Japanese Journal of Tropical Agriculture*, 46(Extra issue 2): 49-50. (J)
- Suzuki, K.**, Zakaria, S., and **Egawa, Y.** (2003). Heat tolerance of *Phaseolus vulgaris*; 15: Development of pods in snap bean under high temperature

conditions. Japanese Journal of Tropical Agriculture, 47(Extra issue 1): 23-24. (J)

Takagi, H., Tsunematsu, H., and Iwanaga, M. (2002). Recent movements in developing new rice varieties for West Africa -development and dissemination of NERICA-. International Cooperation of Agriculture & Forestry, 25: 12-19. (J)

Takahashi, S., Saito, M., **Kato, H.**, Ishiguro, M., Iwanami, H., Kotoda, N., and Soejima, J. (2002). Effect of colchicine on polyploid production from haploid of apple. Journal of the Japanese Society for Horticultural Science, 71(Supplement 2): 239. (J)

Thu, N.T.X., **Ogawa, K.**, and Ogiwara, I. (2002). Characteristics of Brix added PEG and sugar composition in fruits of 3 sapodilla varieties grown in Vietnam. Journal of the Japanese Society for Horticultural Science, 71(Supplement 2): 119. (J)

Tanaka, R. (2002). Utilization of oil palm lignocellulosics as pulping materials. Nettare-Ringyo (Tropical Forestry), 55: 44-51. (J)

Tanaka, R., Leh, C.P., and Wan Rosli, W.D. (2002). Preparation of cellulose pulp from oil palm empty fruit bunches (EFB) by processes including pre-hydrolysis and ozone bleaching. Electronic Journal of Fibres and Composites (EJFC), 1: 6.

Taniguchi, T. and Kubo, M. (2003). Pathological mechanisms of ovulation disorders from mature ovarian follicles. In: *Development of Advanced Reproduction Technique for Production of Superior Beef Calves by Dairy Cattle*, Agriculture, Forestry and Fisheries Research Council Secretariat, Ministry of Agriculture, Forestry and Fisheries (MAFF), Tokyo: 32-38. (J)

Terauchi, T. (2002). State of sugarcane production for sugar yield improvement. Japanese Journal of Crop Science, 71(3): 297-307. (J)

Tobita, S., Tsunematsu, H., Ito, O., and Jones, M.P. (2002). Field assessment of

a simple absorbent method for the estimation of xylem exudation rate in upland rice plants. Japanese Journal of Crop Science, 71(Extra issue 2): 258-259. (J)

Todoriki, S. and **Hayashi, T.** (2002). Comparison of DNA comet assay and germination test (Half-Embryo test) in gamma-irradiated cherry seeds. Food Irradiation, Japan, 37(1-2): 6-11. (J)

Todoriki, S., Kikuchi, O.K., Nakaoka, M., Miike, M., and **Hayashi, T.** (2002). Soft electron (low energy electron) processing of food for microbial control. Radiation Physics and Chemistry, 66: 349-351.

Tsukaguchi, N., Kawamitsu, Y., Takeda, H., **Suzuki, K.**, and **Egawa, Y.** (2003). Water status of flower buds and leaves as affected by high temperature in heat-tolerant and heat-sensitive cultivars of snap bean (*Phaseolus vulgaris* L.). Plant Production Science, 6(1): 24-27.

Tsutsui, N., Kawazoe, I., Ohira, T., Jasmani, S., Yang, W-J., **Wilder, M.N.**, and Aida, K. (2002). Vitellogenin of the kuruma prawn: the deduced primary structure and gene expression. Fisheries Science, 68(Supplement 1): 973-974.

Uchida, S. (2002). Discrimination of agricultural land use using multi-temporal satellite data. In: *Application of Remote Sensing Technology for the Management of Agricultural Resources*, Uchida, S., Chen, Y. and Saito, G. (eds), China Agricultural Science and Technology Press, Beijing, People's Republic of China: 131-144.

Uchida, S. (2002). Evaluation of soil erosion hazard for temperate vegetable production area in Indonesia using remote sensing data. Journal of the Japanese Agricultural Systems Society, 18(Extra issue 2): 69-70.

Uchida, S. (2002). Extraction of vegetation and land use characteristics in the sub-Saharan region using multi-temporal remote sensing data. In: *Integration and Regional Researches to Combat Desertification -Present State and*

Future Prospect-, The 16th Global Environment Tsukuba, Center for Global Environmental Research, National Institute for Environmental Studies: 257-263.

Uchida, S., Chen, Y., and Saito, G. (2002). *Application of Remote Sensing Technology for the Management of Agricultural Resources*, China Agricultural Science and Technology Press Beijing, People's Republic of China: 268 pp.

Ueda, S., **Onuki, M.**, Hanada, K., Okamoto, H., and Gyoutoku, Y. (2002). Sequencing analysis of a begomovirus isolated from tomato in Fukui Prefecture. *Japanese Journal of Phytopathology*, 68(2): 231. (J)

Uga, Y., **Fukuta, Y.**, and Fujimura, T. (2002). QTL mapping for size and shape of glume using four hybrid populations derived from between Indica and Japonica type Asian cultivated rice (*Oryza sativa* L.). *Breeding Research*, 4(Supplement 2): 373.

Wan Rosli, W.D., Leh, C.P., Zainuddin, Z., and **Tanaka, R.** (2003). Optimisation of soda pulping variables for preparation of dissolving pulps from oil palm fiber. *Holzforschung*, 57: 106-114.

Wang, X., **Fukuda, Y.**, Yuan, C., Konno, K., Chen, S., Cheng, Y., Zhou, L., and Sakaguchi, M. (2002). Gel-forming properties and the seasonal changes of freshwater fish surimi. *Fisheries Science*, 68(Supplement II): 1533-1536.

Wilder, M.N. (2002). Physiochemical studies on reproduction and embryonic development in shrimp and prawns. *Nippon Suisan Gakkaish*, 68: 504-508.

Wilder, M.N. and Aida, K. (2002). Yolk proteins in the giant freshwater prawn, *Macrobrachium rosenbergii*: Determination of amino acid sequence and site of production. *Fisheries Science*, 68(Supplement I): 700-703.

Wilder, M.N. and Phuong, N.T. (2002). The status of aquaculture in the Mekong Delta region of Vietnam: Sustainable

production and combined farming systems. *Fisheries Science*, 68(Supplement I): 847-850.

Wilder, M.N., Subramoniam, T., and Aida, K. (2002). Yolk proteins of Crustacea. In: *Reproductive Biology of Invertebrates*. Adiyodi, K.G. and Adiyodi, R.G. (series eds.), Recent Progress in Vitellogenesis. Raikhel, A.S. and Sappington, T.W. (eds.), Science Publishers Inc., Enfield, NH: 131-174.

Xu, D.H. and **Ban, T.** (2002). Phylogeny of some *Elymus* species based on the sequencing analysis for non-coding regions of cpDNA and AFLP analysis. *Breeding Research* 4(supplement 2): 396.

Xu, M.G., Zou, C.M., Qin, D.Z., Yagi, K., and **Hosen, Y.** (2002). Transformation and utilization of nitrogen in paddy soil under combining chemical and organic fertilizers application. *Acta Pedologica Sinica*, 39(6): 421-426.

Xu, M., Qin, D., Zou, C., **Hosen, Y.**, and Yagi, K. (2002). Characteristics of nitrogen supply from paddy soil in red soil hilly regions of Southern Hunan. *Soil and Environment*, 11(1): 50-52.

Yagi, K., **Hosen, Y.**, Cai, Z., Ellis, E., McTaggart, I., Roelcke, M., Zhu, J., and Mosier, A.R. (2002). *Nutrient Cycling in Agroecosystems*. Kluwer Academic Publishers, Dordrecht, 63(2-3): 314 pp.

Yamada, M., Sato, K., Hamano, M., Nagaoka, M., and Kurose, K. (2002). Investigation of vegetables fitted to the large scale paddy field agriculture management. *Farming Systems Research*, 3: 19-21. (J)

Yamada, M., Sato, K., Nagaoka, M., and Hamano, M. (2002). Development of labor saving seedling-raising, cropping season adjustment and labor saving cultivation for the large scale paddy field agriculture management. *Farming Systems Research*, 3: 117-125. (J)

Yamada, R. (2003). Evaluation of problems structure and improvement of VAC systems in the Mekong Delta of

Vietnam. Journal of Rural Planning Association, 21(4): 319-330. (J)

Yamada, R., Sanh, N.V., and Monma, T. (2003). The diagnosis of farming systems in the Mekong Delta of Vietnam - for VACR systems in irrigated alluvial soil area -. Journal of Agricultural Development Studies, 13(3):31-41. (J)

Yamaguchi-Shinozaki, K., Kasuga, M., Liu, Q., **Nakashima, K.**, Sakuma, Y., Abe, H., Shinwari, Z.K., Seki, M. and Shinozaki, K. (2002). Development of drought-resistant and water stress-tolerant crops through biotechnology. In: *JIRCAS International Symposium Series - Water for sustainable agriculture in developing regions*, Yajima, M., Okada, K. and Matsumoto, N. (eds), Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba, 10: 23-34.

Yamamoto, A., **Nakamura, T.**, Adu-Gyamfi, J.J., and Saigusa, M. (2002). Relationship between chlorophyll content in leaves of sorghum and pigeonpea determined by extraction method and by chlorophyll meter (SPAD-502). Journal of Plant Nutrition, 25(10): 2295-2301.

Yamanaka, S., **Fukuta, Y.**, Ishikawa, R., Nakamura, I., Sato, T., and Sato, Y.I. (2002). Phylogenetic origin of waxy rice cultivars in Laos based on recent observations for glutinous rice zone and dCAPS marker of waxy gene. Tropics, 11(2): 109-120.

Yamanaka, S., Ishii, T., **Fukuta, Y.**, Ishikawa, R., Ueno, K., Shishito, R., Nakamura, I., Sato, T., and Sato, Y.I. (2002). Analyses and application of rice genetic resources 4. Genetic features of wild rice collected from Myanmar. Breeding Research, 4(Supplement 1): 137.

Yamashita, N., Tanaka, N., Hoshi, Y., Kushima, H., and **Kamo, K.** (2003). Comparative seed and seedling demography of invasive and native trees of subtropical Pacific Islands, Japan. Journal of Vegetation Science, 14(1): 15-24.

Yamasaki, S. (2002). Topographies and regional diversities. In: *Agriculture and*

Forestry of Mongolia - Present situation and target for the development, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 27-28. (J)

Yamasaki, S. (2002). Land use. In: *Agriculture and Forestry of Mongolia - Present Situation and Target for the Development*, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 28. (J)

Yamasaki, S. (2002). Livestock production. In: *Agriculture and Forestry of Mongolia - Present Situation and Target for the Development*, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 33-34. (J)

Yamasaki, S. (2002). Development direction of the livestock production. In: *Agriculture and Forestry of Mongolia - Present Situation and Target for the Development*, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 35-36. (J)

Yamasaki, S. (2002). Technical problems of livestock production. In: *Agriculture and Forestry of Mongolia - Present Situation and Target for the Development*, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 45-47. (J)

Yamasaki, S. (2002). Lifestyle and activities of the nomads. In: *Agriculture and Forestry of Mongolia - Present Situation and Target for the Development*, Association for International Cooperation of Agriculture and Forestry, Tokyo, 71: 58-74. (J)

Yang, X.L., Liu, Z.Z., and **Yokoyama, M.** (2003). Pharmacokinetics of ciprofloxacinim in Chinese mitten-handed crab, *Eriocheir sinensis*. Acta Hydrobiologica Sinica, 27: 18-22.

Yanoria, M.J.T., Mercado-Escueta, D., Ebron, L.A., Khush, G., and **Fukuta, Y.** (2002). Characterization of monogenic lines for blast resistance. The Philippine Journal of Crop Science, 27(Supplement 1): 78.

Yanoria, M.J.T., **Fukuta, Y.**, Imbe, T.,

Tsunematsu, H., Kato, H., Ebron, L.A., and Khush, G.S. (2002). Development of near-isogenic lines for blast resistance with a genetic background of indica rice cultivar co39. The Philippine Journal of Crop Science, 27(Supplement 1): 77.

Yasunobu, K. (2002). *Emergence of new type of rice farmers in Malaysia*. Nihon Keizai Hyoron-sha, Tokyo: 266 pp. (J)

Yin, L., Li, L., Li, Z., and **Tatsumi, E.** (2002). Determination of isoflavone content in fermented soybean food by HPLC. Food Science (China), 23(2): 100-103.

Yin, L., Li, L., Li, Z., and **Tatsumi, E.** (2002). Development and expectation of research on soybean isoflavone. Food Science (China), 23(4): 152-154.

Yokoyama, S. and Concepcion, R.N. (2003). Coping against El Nino for stabilizing rainfed agriculture: Lessons from Asia and the Pacific. Monograph series of joint workshop organized by the UN-ESCAP Regional Coordination Centre for Research and Development of Coarse Grains, Pulses, Roots and Tuber Crops in the Humid Tropics of Asia and the Pacific (CGRPT), Japan International Research Center for Agricultural Sciences (JIRCAS), Philippines Department of Agriculture, Australian Centre for International Agricultural Research (ACIAR), and International Water Management Institute (IWMI), 43: 223.

Yoshihashi, T. (2002). Quantitative analysis on 2-acetyl-1-pyrroline of an aromatic rice by stable isotope dilution method and model studies on its formation during cooking. Journal of Food Science, 67(2): 619-622.

Yoshihashi, T., Huong, N.T.T., and Inatomi, H. (2002). Precursors of 2-Acetyl-1-pyrroline, a potent flavor compound of an aromatic rice variety. Journal of Agricultural and Food Chemistry, 50(7): 2001-2004.

Zakaria, S., **Suzuki, K.**, and **Egawa, Y.** (2002). Morphological studies on development of pod in snap bean. Japanese Journal of Crop Science, 71(Extra issue1): 266-

267. (J)

Zhang, X., Li, L., Wang, J., **Saito, M.**, and **Tatsumi, E.** (2002). Study on the functional peptides in low salt sufu making. Journal of Chinese Cereals and Oils Association (Special issue): 60-64.

Published proceedings and conference presentations

Abe, H., **Urao, T.**, Seki, M., Ito, T., Kobayashi, M., Shinozaki K., and **Yamaguchi-Shinozaki, K.** (2003). AtMYC2 and AtMYB2 act as transcriptional activators in ABA signaling. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)

Abe, H., Kagawa, A., Ishikawa, A., and Kuroda, N. (2003). Effects of high temperature and high pressure on the variation of water in the wood of *Cryptomeria japonica*. Proceedings of the 53rd Annual Meeting of the Japan Wood Research Society: 136. (J)

Adnam, M., Sasaki, S., **Noguchi, S.**, and Farid, M. (2002). Cable logging technique using a mobile tower yarder for low impact logging in Malaysian forest. International Seminar on New Role of Plantation Forestry Requiring Appropriate Tending and Harvesting Operations, Tokyo, Japan: 301-311.

Ando, S., Meunchang, S., Thippayarugs, S., Prasertsak, P., **Matsumoto, N.**, and Yoneyama, T. (2002). Sustainability of sugarcane production in Thailand. International Workshop on Microbial Function in Revegetation Process of Degraded Terrestrial Environments-From Gene through to Ecosystem, Tokyo, Japan: 12.

Ando, S., Meunchang, S., Thippayarugs, S., Prasertsak, P., **Matsumoto, N.**, and Yoneyama, T. (2002). Sustainability of sugarcane production evaluated based on organic matter cycle and nitrogen fixation. Transactions of the 17th World Congress of Soil Science, Bangkok, Thailand, 1948: 1-8.

- Ando, S.**, Prasertsak, P., Meunchang, S., Ohwaki, Y., **Matsumoto, N.**, and Yoneyama, T. (2002). Use of ^{15}N to trace movement of nitrogen fertilizer to sugarcane in Thailand. Abstract of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 108. (J)
- Asami, T., Han, S.Y., Kitahata, N., Saito, T., Kobayashi, M., Shinozaki, K., Nakano, T., **Nakashima, K.**, **Yamaguchi-Shinozaki, K.**, and Yoshida, S. (2003). Drug design of abscisic acid biosynthesis inhibitor and its effect on plants. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Ban, T.** (2002). Status and future prospects on DNA marker application in breeding wheat and barley. Development Research Target Symposium for DNA Marker Breeding, Tsukuba, Japan: 21-24. (J)
- Ban, T.** and Xu, D.H. (2002). Comparative QTL analysis for genetic constitution of resistance to Fusarium head blight in wheat. EUCARPIA Cereal Meeting, Salsamaggiore, Italy: 209.
- Ban, T.** and Xu, D.H. (2002). Genetic constitution of resistance to Fusarium head blight analyzed by QTL mapping in wheat. The First International Symposium on Crop Genomics and Genetic Improvement, Wuhan, China: 52.
- Banzai, K.**, **Nakamura, K.**, Abdullah, W., and Hondaker, A. (2002). Water flow and quality of river basin in subtropical islands (2). Summary of the 51st Japanese Society of Irrigation, Drainage and Reclamation Engineering Annual Congress. (J)
- Cho, Y.C., Choi, I.S., Hong, H.C., Baek, M.K., Kwon, S.J., Suh, J.P., Kim, Y.G., Li, Z., **Fukuta, Y.**, and Hwang, H.G. (2002). Genetic analysis for enhancing blast resistance in Korean Japonica varieties (*Oryza sativa* L.). The 3rd International Rice Blast Conference, Tsukuba, Japan.
- Doi, K., **Ohmomo, S.**, and Ogata, S. (2002). Functional development of lactic acid bacteria for silage-making -Development of easy and rapid identification method and addition of useful function of genes-. The 2002 Annual Meeting of the Japanese Society of Bioengineering. (J)
- Ebron, L.A., **Fukuta, Y.**, Imbe, T., Kato, H., **Tsunematsu, H.**, Yanoria, M.J.T., Khush, G.S., and Yokoo, M. (2002). Genetic analysis for blast resistance genes using hybrid progenies derived from the cross between IRRI and susceptible rice variety. The 3rd International Rice Blast Conference, Tsukuba, Japan: 69.
- Ebron, L.A., **Fukuta, Y.**, Imbe, T., Kato, H., Yanoria, M.J.T., **Tsunematsu, H.**, Khush, G.S., and Yokoo, M. (2002). Allelism tests of blast resistance genes in IRRI rice varieties. The 3rd International Rice Blast Conference, Tsukuba, Japan: 69.
- Ebron, L.A., **Fukuta, Y.**, Imbe, T., Kato, H., Yanoria, M.J.T., **Tsunematsu, H.**, Khush, G.S., and Yokoo, M. (2002). Allelism tests of blast resistance genes in IRRI rice varieties. Proceedings of the PMCP 33rd Anniversary and Annual Meeting, Dabao, the Philippines.
- Ebron, L.A., **Fukuta, Y.**, Imbe, T., Kato, H., Yanoria, M.J.T., **Tsunematsu, H.**, Khush, G.S., and Yokoo, M. (2002). Identification of resistance genes in IRRI rice varieties using Philippines isolates of *Pyricularia grisea* Sacc. The 3rd International Rice Blast Conference, Tsukuba, Japan: 68.
- Elouafi, I. and **Ban, T.** (2002). Insight in the differentially expressed cDNAs in response to Fusarium head blight mycotoxins in Nobeokabouzu-komugi. The First International Symposium on Crop Genomics and Genetic Improvement, Wuhan, China: 20.
- Elouafi, I. and **Ban, T.** (2002). Insight in the differentially expressed genes in response to Fusarium mycotoxins in FHB resistance wheat Nobeokabouzu-komugi. Proceedings of the 2002 US National Head Blight Forum, Cincinnati, USA: 27.

- Elouafi, I. and **Ban, T.** (2002). Preliminary report on differentially expressed Nobeokabouzu-komugi genes in response to head blight mycotoxins. EUCARPIA Cereal Meeting, Salsamaggiore, Italy: 207.
- Fujita, M., Fujita, Y., Nanjo, T., Seki, M., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Functional analysis of a dehydration-responsive NAC gene. The 4th Japan-Korea Joint Symposium on Plant Biology, Kyoto, Japan.
- Fujita, Y., Fujita, M., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Functional analysis of AREB that are involved in dehydration and salt responses in *Arabidopsis thaliana*. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0860. (J)
- Fujita, Y., Fujita, M., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Molecular characterization of AREB1 involved in dehydration and salt responses in *Arabidopsis thaliana*. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Fujiwara, T., **Yamada, M.**, Kumakura, Y., and Nakagawa, I. (2002). Evaluation of the local material compost for nursing of vegetable seedlings in Indonesian plateau zone. The 2002 Annual Meeting of the Japanese Society for Horticultural Science, 71(Supplement 2): 149. (J)
- Fukamachi, H., Ozawa, K., Katou, H., and Ogawa, K.** (2002). Effect of part-time shading on vegetables and fruit crops growth, photosynthesis and water condition. Annual Meeting of the Japanese Society for Tropical Agriculture, 46(2): 65-66. (J)
- Fukuda, E.**, Macedo, M.C.M., Borges, M.J., and Pitalga, G.M. (2003). Effects of termite mounds on grass growth and grazing behavior of cattle in subtropical pastures in Brazil. Annual Meeting of the Japanese Society of Grassland Science: 24-25. (J)
- Fukuta, Y.**, Araki, E., Yanoria, M.J.T., Imbe, T., **Tsunematsu, H.**, Kato, H., Ebron, L.A., Mercado-Escueta, D., and Khush, G.S. (2002). Development of differential varieties for blast resistance in IRRI-Japan collaborative research project. The 3rd International Rice Blast Conference, Tsukuba, Japan: 67.
- Fukuta, Y.**, Kobayashi, S., Nakano, M., Ebron, L.A., Yamagishi, M., Sato, T., and Khush, G.S. (2002). A genetic study of dry matter production based on QTL analysis in rice (*Oryza sativa* L.). International Rice Congress, Beijing, China: 254.
- Fukuta, Y.**, Kobayashi, K., Umemoto, T., Morita, S., Sato, T., Yamaya, T., Nemoto, H., Maeda, H., Hamamura, K., Ogawa, T., Matsue, Y., Ichitani, K., and Takagi, A. (2002). Quantitative trait locus (QTL) reaction for heading date depending on different latitude regions in rice (*Oryza sativa* L.). Proceedings of the 8th INTECOL International Congress of Ecology, Seoul, Korea: 64-65.
- Fukuta, Y.**, Yanoria, M.J.T., Mercado-Esareta, D., Ebron, L.A., Fujita, Y., Araki, E., and Khush, G.S. (2002). Quantitative trait locus (QTL) reactions to rice blast isolates from Japan and Philippines. The 3rd International Rice Blast Conference, Tsukuba, Japan: 31.
- Furihata, T., Fujita, Y., Uno, Y., Abe, H., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). ABA-dependent phosphorylation and transactivation of bZIP transcription factors AREBs. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Furihata, T., Uno, Y., Fujita, Y., Parvez, M.M., Abe, H., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). ABA-dependent activation of AREB bZIP transcription factors in drought- and high-salinity-stress signaling. The 13th International Conference on Arabidopsis Research, Seville, Spain: 4-63.
- Gao, C., Zhu, J., Yang, L., **Hosen, Y.**, and Yagi, K. (2003). Watershed scale study on nutrient export from agricultural land in Taihu Lake area, China. Workshop on Evaluation and Development of Methods for Sustainable Agriculture

and Environmental Conservation, Yangzhou, China, 6: 58-67.

Gao, R., Zhu, J., Han, Y., Cai, Z., **Hosen, Y.**, and Yagi, K. (2003). Soil nitrogen cycling experiment with monolithic lysimeters. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 68-89.

Gregoria, E., Cruz-Lacierda, E.R., and **Maeno, Y.** (2002). Biology and pathogenicity of the gill monogenean (*Pseudorhabdosynochus* sp.) parasitic to grouper. The 5th Symposium on Diseases in Asian Aquaculture, Queensland, Australia.

Hamada, H. (2002). Application of Radon-222 to the analysis of groundwater flow. Symposium on Water Resources, Tokyo, Japan. (J)

Hamada, H., Ogura, C., and Sukchan, S. (2002). Electric conductivity of the small ponds in Nong Saeng, Northeast Thailand. Annual Meeting of the Japan Society of Irrigation, Drainage and Reclamation Engineering. (J)

Hara, Y., Mikami, Y., **Shono, M.**, and Wada, M. (2002). Na, K-ATPase in marine alga. The 75th Annual Meeting of the Japanese Biochemical Society. (J)

Hayashi, T. and Li, Z.G. (2002). Production of high-safety foods in China. Open Symposium of International Society of Southeast Asian Agricultural Sciences, Tokyo, Japan.

Hayashi, T. (2002). Capacity building in food science and technology in Asia through research cooperation. UNU-Kirin Fellowship Programme Award Symposium for 2001-2005 Fellows, Tokyo, Japan.

Hayashi, T. (2002). Detection of irradiated foods. The 39th Annual Meeting on Radioisotopes and Radiation in the Physical Sciences and Industries, Tokyo, Japan. (J)

Hayashi, T. (2002). Status and prospect of food irradiation. Technical Seminar for

Radiation Application, Osaka, Japan. (J)

Hayashi, T. (2002). Systems for controlling irradiated foods. Annual Meeting of Japanese Association for the Promotion of Industrial Application of Irradiation. (J)

Hayashi, T. (2002). Irradiation of foods and food packaging materials. Annual Meeting of Food Packaging Institute, Tokyo, Japan. (J)

Hernandez-Oane, R.H., **Ando, Y.**, Sato, K., Kobayashi, R., and Hattori, I. (2002). Endophytic colonization of rice by N₂-fixing bacterium *Herbaspirillum* sp. The 12th Annual Meeting for Plant-Microbe Interactions, Kisarazu, Japan: 62-63. (J)

Hitsuda, K. (2002). Sulfur and micronutrients supplying capacity in two Cerrado soils from northeastern Brazil. The 48th Annual Meeting for Japanese Society of Soil Science and Plant Nutrition: 160. (J)

Hitsuda, K. (2002). Difference in low-sulfur tolerance of juvenile crops. The 2nd Brazilian Soybean Conference, Foz do Iguazu, Brazil: 239. (P)

Hosen, Y., Yagi, K., Gao, C., Bai, X., Zhu, J., and Cai, Z. (2002). Nitrogen and phosphorus outflow from an agricultural watershed in Taihu Region, China. Annual Meeting of the Japanese Society of Limnology, 67: 82. (J)

Hosen, Y., Yan, X., Yagi, K., and Chu, H. (2002). Mitigation options for nitric oxide and nitrous oxide emissions - Effect of deep application of N fertilizer and controlled-release fertilizers. International Seminar on Soil and Environmental Quality, Bangkok, Thailand: 70-83.

Huong, N.T.T. and **Yoshihashi, T.** (2002). Comparison of volatile components in non-glutinous and glutinous rices. International Rice Research Conference 2002, Beijing, China.

Imura, Y., Narusaka, Y., **Nakashima, K.**, Shinozaki, K., and **Yamaguchi-Shino-**

- zaki, K.** (2003). Analysis of regulation of *DREB1* gene expression in response to low-temperature stress. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Inagaki, M.N.** (2002). Current status of wheat breeding in the developing regions. The 41st Gamma Field Symposium, Institute of Radiation Breeding, Mito, Japan. (J)
- Inagaki, M., Sakai, H., Takahashi, M., Noguchi, K., and Tanaka, T.** (2002). Changes in carbon and nitrogen accumulation after afforestation. - A case study in nursery stands. Transactions of the 17th World Congress of Soil Science, Bangkok, Thailand, 2219: 1-9.
- Ishida, T., Okuda, T., and Nakamura, S.** (2003). Effect of water-contact duration for terminating larval diapause in the maize stem borer, *Busseola fusca*. Proceedings of the Japanese Society of Applied Entomology and Zoology, 47: 165. (J)
- Ishikawa, T., Subbarao, G.V., Okada, K., and Ito, O.** (2002). Biological phenomenon of nitrification inhibition: A case study with *Brachiara humidicola*. The 3rd World Congress on Allelopathy, Tsukuba, Japan: 232.
- Ishino, E., Kainoh, Y., Honda, H., and Nakamura, S.** (2003). EAG response of the tachinid fly, *Exorista japonica* to damaged plants by the common armyworm, *Mythimna saparata*. Proceedings of the Japanese Society of Applied Entomology and Zoology, 47: 9. (J)
- Ito, O., Matsumoto, N., and Watanabe, T.** (2002). Sustainable development of farming systems in diversified agroecosystems in Southeast Asia. Satellite Forum of International Forum 2002 on "The University-Architect of the New Century," Nagoya, Japan.
- Ito, O., Yagi, K., Hosen, Y., Matsumoto, N., and Watanabe, T.** (2002). Case study in development of the sustainable agricultural system for various agroecosystems. Symposium on Sustainable Agricultural Technology Research and Development, Beijing, China.
- Ito, Y., Katsura, K., Maruyama, K., Seki, M., Shinozaki, K., and Yamaguchi-Shinozaki, K.** (2003). Functional analysis of rice transformed by DREB genes. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Ito, Y., Shinozaki, K., and Yamaguchi-Shinozaki, K.** (2002). Production of stress-resistant crops: Tuning for tolerance to drought, high-salt and freezing stresses. The 34th Symposium of the Society for the Study of Species Biology, Shiga, Japan. (J)
- Jiang, L., Maoka, T., Komori, S., Fukamachi, H., Kato, H., and Ogawa, K.** (2002). Introducing coat protein gene to Papaya (*Carica papaya*). The 2002 Annual Meeting of Japanese Society for Horticultural science, 71(Supplement 1): 380. (J)
- Kagawa, A., Sugimoto, A., and Abe, H.** (2003). Application of C-13 stable tracer to the marking of wood formation. Proceedings of the 53rd Annual Meeting of the Japan Wood Research Society: 18. (J)
- Kakuda, K. and Nozoe, T.** (2002). Sustainable rice production in relation to physiology and soil science: Recovery of applied nitrogen as affected by morphological characteristics of roots. IRRI-Japan Collaborative Research Project Workshop, Abstracts and List of Publications: 13.
- Kakuda, K., Ohashi, Y., Ando, H., and Nozoe, T.** (2002). Do rice roots enhance or reduce nitrogen loss through the nitrification-denitrification processes? International Rice Congress, Beijing, China: 351.
- Kasuga, M., Miura, S., Shinozaki, K., and Yamaguchi-Shinozaki, K.** (2003). Overexpression of the *Arabidopsis DREB1A* gene for a stress-inducible transcription factor enhanced environmental stress tolerance in transgenic tobacco plants. Gordon Research Conference: Temperature Stress in

- Kato, H., Fukamachi, H.**, Kotoda, N., Iwanami, H., and **Ogawa, K.** (2002). Isolation of retrotransposon gene expressed in apple cultured cell. Annual Meeting of the Japanese Society for Horticultural Science, 71(2). (J)
- Katsura K., Ito, Y., Iuchi, S., Kobayashi, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Analysis of *Arabidopsis thaliana* AtNCED3 gene expressed in transgenic rice. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Kawabe, K.** and Iwasaki, M. (2003). Mechanical inoculation and aphid-transmission can transmit Cucumber Mosaic Virus satellite RNA sequence that comes from transgenic tomato genome. The 8th International Congress of Plant Pathology, Christchurch, New Zealand.
- Kawabe, K.**, Le, N.B., and Onuki, M. (2002). Infection of disease-free citrus seedling by HLB after planting in Vietnam. The 92nd Meeting of the Japanese Society for Tropical Agriculture. (J)
- Kawabe, K.** and Onuki, M. (2002). Characterization of rep-PCR products amplified from HLB-infected citrus plants. The 27th Meeting of the Kyushu Division of the Phytopathological Society of Japan. (J)
- Kawabe, K.** and Onuki, M. (2003). Quantification of pathogen of Haunglongbing by competitive PCR method. The 2003 Meeting of the Phytopathological Society of Japan. (J)
- Kinami, T., Arato, S., Miyasita, K., and **Ogata, H.Y.** (2002). Effects of conjugated fatty acids on lipid metabolism in red sea bream. The 2002 Annual Meeting of the Japanese Society of Fisheries: 715.
- Kitin, P., Fujii, T., and **Abe, H.** (2003). Anatomical study on the continuum of vessel network across annual ring boundaries in *Fraxinus* and *Populus*. Proceedings of the 53rd Annual Meeting of the Japan Wood Research Society: 7.
- Kobayashi, S., **Fukuta, Y.**, Ebron, L.A., Osaki, M., Sato, T., and Khush, G.S. (2002). QTL analysis for tiller number in rice (*Oryza sativa* L.). The 101st Meeting of the Japanese Society of Breeding.
- Kobayashi, S., **Fukuta, Y.**, Sato, M., Osaki, M., and Khush, G.S. (2002). Quantitative trait locus (QTL) response to growth environment in rice. International Rice Congress, Beijing, China: 256.
- Kobayashi, S., **Fukuta, Y.**, Sato, M., Osaki, M., and Khush, G.S. (2002). Quantitative trait locus analysis for leaf nitrogen concentration during grain filling in rice grown under tropical and temperate regions. Abstracts of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 77.
- Kohno, K.** (2003). Is the distribution exhibited by *Dysdercus philippinus* and *D. decussatus* (Heteroptera: Pyrrhocoridae) an example of allopatric distribution based on competitive exclusion through reproductive interference? Proceedings of the 47th Annual Meeting of the Japanese Society of Applied Entomology and Zoology: 115. (J)
- Kohno, K.** and Bui Thi, N. (2002). Comparison of life history strategies of three *Dysdercus* bug species (Heteroptera: Pyrrhocoridae) on Ishigaki-jima Island. Proceedings of the 62nd Annual Meeting of the Entomological Society of Japan: 82. (J)
- Kojima, T., Saito, M., Kanno, T., **Fukuda, E.**, **Nakamura, T.**, Miranda, C.H.B., and Macedo, M.C.M. (2002). Arbuscular mycorrhizal fungi in the fields of Agropastoral system in Brazil. Annual Meeting of the Japanese Society of Grassland Science: 390-391. (J)
- Komuta, K., Tamari, Y., Takeshita, M., **Onuki, M.**, Furuya, N., and Takanami, Y. (2003). Comparative studies on the coat protein genes of Gemini viruses detected from Japanese honeysuckles with different symptoms. Abstracts of the Phytopathological Society of Japan

- Kondo, K., Furujo, A., Doi, K., Ishige, N., **Kasuga, M.**, Shinozaki, K., **Yamaguchi-Shinozaki K.**, and Hibino, T. (2003). Analysis of environmental stress response genes in *Eucalyptus*. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Kondo, K., Ishige, N., Furujo, A., **Kasuga, M.**, Shinozaki, K., **Yamaguchi-Shinozaki, K.**, and Hibino, T. (2002). A current state of the development of an environmental stress tolerant eucalyptus and these practical possibilities in the near future. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-1609. (J)
- Konno, K., Hirayama, C., Nakamura, M., Tamura, Y., Hattori, M., and **Kohno, K.** (2003). Definite role of proteases in latex of papaya in the defense against herbivorous insects. Proceedings of the 47th Annual Meeting of the Japanese Society of Applied Entomology and Zoology: 146. (J)
- Koyama, O.** (2003). General comment on "Impact of globalization on agriculture", impacts of globalization on agricultural production and marketing with focus on food quality. Proceedings of the Second Session of the Workshops on the Achievement of the World Food Summit Action Plan, Japan FAO Association: 301-302.
- Koyama, O.**, Furuya, J., Oka, H., and Tamura, K. (2003). Development of the World Forest Products supply-demand model. The 3rd Symposium on Forest Resource Management and Mathematical Modeling, Tsukuba, Japan. (J)
- La-ongkham, O., Kraykaw, D., **Ohmomo, S.**, and Nitisinprasert, S. (2002). Identification and detection of antimicrobial substances from lactic acid bacteria FV1-4. The 14th Annual Meeting of the Thai Society for Biotechnology, Khon Kaen, Thailand: 206.
- Leh, C.P., Wan Rosli, W.D., and **Tanaka, R.** (2002). The effect of processing variables on the acid pre-hydrolysis of EFB fibers for production of cellulose pulp. Proceedings of the USM-JIRCAS Joint International Symposium: Lignocellulose – Material of the Millennium: Technology and Application, Penang, Malaysia: 196-204.
- Li, H., Hang, Y., Zhu, J., Cai, Z., Wang, X., and **Hosen, Y.** (2003). Ammonia volatilization in rice season by the lysimeter experiments in Changshu Agroecological Experiment Station. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 101-106.
- Li, L., Zhang, J., **Tatsumi, E.**, Li, Z., and Wang, L. (2002). Study on the microorganism and enzyme in Chinese Douchi. China & International Soybean Conference & Exhibition 2003, Beijing, China.
- Maeno, Y.**, Pena, L.D., and Cruz-Lacierda, E.R. (2002). Susceptibility of marine fish species to piscine nodavirus from orange-spotted grouper, *Epinephelus coioides* in the Philippines. The 5th Symposium on Diseases in Asian Aquaculture, Queensland, Australia.
- Mamedov, T., Liu, J., and **Shono, M.** (2003). Cloning of ER- sHSP gene from tomato and functional analysis in vitro. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists.
- Maruyama, K., **Kasuga, M.**, Seki, M., Goda, H., Shimada, Y., Yoshida, S., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Classification of target genes of the DREB1A transcriptional factor controlling low-temperature-responsive gene expression. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0487. (J)
- Maruyama, K., **Kasuga, M.**, Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Identification of target stress-inducible genes of *Arabidopsis* DREB1A/CBF3 transcription factor using microarray systems. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)

- Maruyama, K., **Kasuga, M.**, Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Identification of target stress-inducible genes of *Arabidopsis* DREB1A/CBF3 transcription factor using two microarray systems. Gordon Research Conference: Temperature Stress in Plants, Ventura, USA.
- Matsumoto, N.**, Paisanchaoen, K., and Hakamata, T. (2002). Carbon sequestration in maize field with cow dung application and no-tillage cultivation in Northeast Thailand. Transactions of the 17th World Congress of Soil Science, Bangkok, Thailand, 1212: 1-9.
- Matsuoka, M.**, Arifin, N.S., **Tamura, Y.**, **Tanio, M.**, and **Terauchi, T.** (2002). Development of *Agrobacterium*-mediated transformation of sugarcane. The 29th Annual Meeting of the Sugarcane Research Society of Okinawa: 2-3. (J)
- Meunchang, S., **Ando, S.**, Tangchum, B., Isara, P., and Kaewsuralikhit, S. (2002). Effectiveness of N fertilization and endophytic N₂-fixing bacteria on N uptake and biomass of pineapple in sand culture. International Workshop on Microbial Function in Revegetation Process of Degraded Terrestrial Environments -From Gene through to Ecosystem, Tokyo, Japan: 32.
- Mori, Y.** (2002). Progress in Biomass Energy Studies in MAFF, Japan. International Rice Congress 2002, Beijing, China.
- Murata, M., **Nakata, T.**, Arakaki, N., and Tojo, S. (2003). Migration of *Spodoptera litura* by meteorological condition. The 68th Conference of the Association for Plant Protection of Kyushu. (J)
- Nakahara, K.** (2002). Antimutagenic screening of Thai plants. Seminar on Utilization of Biologically Active Components: Evaluation and Its Future, Bangkok, Thailand.
- Nakahara, K.**, Ono, H., Kameyama, M., Maeda, I., Yoshida, M., Na Thalang, V., Alzoreky, N., and Trakoontivakorn, G. (2002). Bioactivity of Mahanine, a carbazole alkaloid isolated from *Micromelum minutum*. The 2003 Annual Meeting of the Japan Society for Bioscience, Biotechnology, and Agrochemistry. (J)
- Nakai, T., and **Abe, H.** (2003). Water balance within a young tree of *Cryptomeris japonica* under various light conditions. Proceedings of the 53rd Annual Meeting of the Japan Wood Research Society: 41. (J)
- Nakai, T., Tanaka, T., Nagai, S., and **Abe, H.** (2003). Water balance within a standing tree of *Cryptomeris japonica* 1: The relationship between fluctuation of the stem diameter and pressure potential of the leaves. Proceedings of the 53rd Annual Meeting of the Japan Wood Research Society: 19. (J)
- Nakamura, H.** (2003). The transmission route through which the common wheat may have reached Japan. The 6th Pacific Rim Meeting, American Association of Cereal Chemistry (AACC), Honolulu, Hawaii, USA.
- Nakamura, K.**, Contreras, S.M., Yamato, K., and **Ozawa, K.** (2002). Simplification of Trench Profile Method to evaluate root distribution (II). The 2002 Annual Meeting of the Japanese Society for Tropical Agriculture. (J)
- Nakamura, S.** (2002). Reproductive maturation of the desert locust, *Schistocerca gregaria*: Effects of artificial diets and temperature II. Proceedings of the Japanese Society of Applied Entomology and Zoology, 46: 9. (J)
- Nakamura, S.** (2003). Effect of temperature fluctuation on development and sexual maturation of the desert locust, *Schistocerca gregaria*. Proceedings of the Japanese Society of Applied Entomology and Zoology, 47: 75. (J)
- Nakamura, T.**, Kanno, T., Ohwaki, Y., Miranda, C.H.B., Borges, M.J., Pitaluga, G.M., and Macedo, M.C.M. (2002). Nitrogen and growth of *Gramineae* forages introduced in Cerrado. Proceedings of the Symposium of Ecology and Biodiversity in Cerrado, Brasilia, Brazil. (P)
- Nakamura, T.**, Kanno, T., Ohwaki, Y.,

- Miranda, C.H.B., and Macedo, M.C.M. (2002). Characteristics of nitrogen utilization in tropical grasses grown in Brazilian Cerrado. Meeting of the Japanese Society of Soil Science and Plant Nutrition. (J)
- Nakashima, K.**, Parvez, M.M., Ohgawara, E., Yamamoto, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Isolation of *Arabidopsis* mutants altered in ABA-induction of *rd29B* gene expression. The 13th International Conference on Arabidopsis Research, Seville, Spain: 8-04.
- Nakashima, K.**, Parvez, M.M., Ohgawara, E., Yamamoto, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Isolation and characterization of *Arabidopsis* mutants altered in ABA-induction of *rd29B* gene expression. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0857. (J)
- Nakashima, K.**, Yamamoto, M., Ohgawara, E., Parvez, M.M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Isolation and characterization of *Arabidopsis* mutants altered in ABA-induction of *rd29B* gene expression. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Nakviroj, C., Paisancharoen, K., and **Matsu-moto, N.** (2002). Management of organic matter under cassava cultivation in Northeast Thailand. Abstracts of the 17th World Congress of Soil Science, Bangkok, Thailand: 446.
- Neumaier, N., Ortiz, C.A., Farias, J.R.B., **Oya, T.**, and Nepomuceno, A.L. (2002). Physiological lodging in small plants of soybean. The 2nd Brazilian Soybean Congress and Mercosoja 2002, Foz do Iguazu, Brazil. (P)
- Neumaier, N., Wobeto, C., Farias, J.R.B., **Oya, T.**, Delattre, N., Rodrigues, O., and Nepomuceno, A.L. (2002). Response of soybean to the levels of photo radiation. The 2nd Brazilian Soybean Congress and Mercosoja 2002, Foz do Iguazu, Brazil. (P)
- Ngan, B.T. and **Kohno, K.** (2003). Predatory ability of *Antilochus coqueberti* (Heteroptera: Pyrrhocoridae), the specialist predator of *Dysdercus* spp. (Heteroptera: Pyrrhocoridae). Proceedings of the 47th Annual Meeting of the Japanese Society of Applied Entomology and Zoology: 17.
- Nikkuni, S.**, Goto, T., Utomo, J.S., Antarlina, S.S., Ginting, E., and Sulistyo, J. (2002). Improvement of Indonesian soy sauce (Kecap) process using a white-spored mutant induced from koji mold. Abstracts of the 8th Seminar on Utilization of Legumes, Tsukuba, Japan: 35-38. (J)
- Nishio, Z., Takata, K., Tabiki, T., and **Ban, T.** (2002). Developed evaluation method of head blight (FHB) resistance in wheat by continuous simulated rainfall and diversity of FHB resistance in domestic wheat. Proceedings of the 2002 US National Head Blight Forum, Cincinnati, USA: 254.
- Noguchi, S.** and Abdul Rahim, N. (2002). Preferential flow pathways in a tropical rain forest in Bukit Tarek in Peninsular Malaysia. Transactions of the 17th World Congress of Soil Sciences, Bangkok, Thailand, 2242: 1-4.
- Noguchi, S.**, Adachi, N., Tan, Y., Osada, N., and Abdul Rahim, N. (2002). Spatial distribution of surface soil moisture in a tropical rain forest, Pasoh Forest Reserve. The 4th Asian Science and Technology Congress 2002, Kuala Lumpur, Malaysia.
- Nozoe, T.** (2002). Sustainable rice production in relation to physiology and soil science: Inhibition of rice growth in alkaline soil of continuously cropped rice fields. IRRI-Japan Collaborative Research Project Workshop, Abstracts and List of Publications: 12.
- Nozoe, T.**, Rodriguez, R., and Agbisit, R. (2002). Effect of soil drying on the changes in soil pH in tropical area - difference in wet and dry season. Abstracts of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 104.

- Nozoe, T.**, Sekiguchi, T., Nishibata, Y., and Inoue, T. (2002). Effects of calcium and iron dissolved from slag on the changes in pH and Eh of paddy soil. Abstracts of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 49: 262. (J)
- Ogata, H.Y.** (2002). The effects of dietary conjugated fatty acids on growth performance and body composition in juvenile red sea bream. World Aquaculture 2002, Beijing, China.
- Ogawa, K., Komori, S., Hidaka, T., Kato, H., and Fukamachi, H.** (2002). Carotenoids and ascorbic acid contents in pineapple cultivars and hybrids. The 2002 Annual Meeting of Japanese Society for Tropical Agriculture: 46(Extra issue 2): 70-71. (J)
- Oka, H., Tamura, K., Tachibana, S., Kanomata, H., **Koyama, O.**, and **Furuya, J.** (2002). Studies on the sustainability of forest resources using the World Forest Products Model. Meeting of the Japanese Forest Economic Society (Autumn). (J)
- Oka, H., Tamura, K., Tachibana, S., Kanomata, H., **Koyama, O.**, and **Furuya, J.** (2003). Studies on sustainability of wood production in the world using the World Forest Products Model. Annual Meeting of the Japanese Forestry Society.
- Okuda, T. and **Nakamura, S.** (2002). Physiological adaptive strategy of insects to drought conditions: Elucidation of diapause termination mechanism of the African stem borer. Proceedings of the Japanese Society of Applied Entomology and Zoology, 46: 179. (J)
- Onuki, M., Kawabe, K.**, and Hanada, K. (2003). Two newly discovered distinct begomoviruses occurring in Southwestern Islands in Japan. The 8th International Congress of Plant Pathology, Christchurch, New Zealand: 306.
- Oono, Y., Seki, M., Narusaka, M., Nanjo, T., Fujita, M., Satoh, R., Satou, M., Sakurai, T., Ishida, J., Satou, S., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Monitoring the expression profiles of *Arabidopsis* genes in rehydration process from dehydration using ca. 7000 full-length cDNAs microarray. Arabidopsis thaliana Workshop 2002, Yokohama, Japan. (J)
- Oono, Y., Seki, M., Narusaka, M., Nanjo, T., Fujita, M., Satoh, R., Satou, M., Sakurai, T., Ishida, J., Satou, S., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Monitoring the expression profiles of *Arabidopsis* genes in rehydration process from dehydration using ca. 7000 full-length cDNA microarray. The 25th Annual Meeting of the Molecular Biology Society of Japan: 1P-0091. (J)
- Oono, Y., Seki, M., Narusaka, M., Sakurai, T., Satou, M., Ishida, J., Nanjo, T., Satoh, R., Fujita, M., Satou, S., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Monitoring the expression profiles of *Arabidopsis* genes in rehydration process from dehydration using ca. 7000 full-length cDNAs microarray, The 4th Japan-Korea Joint Symposium on Plant Biology, Kyoto, Japan.
- Oono, Y., Seki, M., Nanjo, T., Narusaka, M., Fujita, M., Satoh, R., Satou, M., Sakurai, T., Ishida, J., Akiyama, K., Maruyama, K., Satou, S., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2003). Monitoring expression profiles of *Arabidopsis* gene expression during rehydration process after dehydration using ca. 7000 full-length cDNA microarray. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists.
- Osakabe, Y., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Functional analysis of an ABA-inducible receptor-like kinase, RPK1, in ABA signal transduction pathway. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0920. (J)
- Oseko, N.**, Chuah, T.T., **Maeno, Y.**, Kua, B.C., and Palanisamy, V. (2002). Effect of chemical treatments on the inactivation of white spot syndrome

virus (WSSV) of black tiger shrimp. Meeting of the Japanese Society of Fish Pathology: 48. (J)

Ozawa, K. and Contreras, S. (2002). Effects of plowed hardpan on response of sugarcane growth and soil water dynamics. Proceedings of the Joint Meeting of Four Societies of Agricultural Environment Engineering in 2002 (Society of Agricultural Meteorology of Japan), Tokyo. (J)

Paisancharoen, K., **Matsumoto, N.**, and Nakviroj, C. (2002). Intercropping system of cassava and cowpea. Abstracts of the 17th World Congress of Soil Science, Bangkok, Thailand: 1879.

Rabbani, M.A., Abe, H., Saito, F., Maruyama, K., Yoshiwara, K., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Monitoring expression profiles of osmotic stress-inducible genes in rice (*Oryza sativa* L.) using cDNA microarray. The 25th Annual Meeting of the Molecular Biology Society of Japan: 1P-0501.

Roy, M.K., **Nakahara, K.**, Kuwabara, Y., Hara, K., Watanabe, Y., and Tamai, Y. (2002). Valine, alanine, glycine and glutamic acid were the major amino acids responsible for anti-N-methyl-N'-nitro-N-nitrosoguanidine (MNNG) activity in pepsin hydrolysed bovine lactoferrin. The 2003 Annual Meeting of the Japan Society for Bioscience, Biotechnology, and Agrochemistry. (J)

Saito, M. (2002). Improvement in traditional soybean products in China. The 8th Workshop on Processing and Utilization of Beans, Tsukuba, Japan. (J)

Saito, M., Yokoyama, M., and Qu, I. (2002). Effect of protein and polysaccharide on texture and smell of silver carp mince. The 49th Annual Meeting of the Japanese Society for Food Science and Technology. (J)

Sakagami, J. (2003). The problem of development of agricultural technology in Africa- Research on building of the international collaborative research strategy of the 21st century, with the aim of the coexistence of various

agriculture, forestry and fisheries. Proceedings of the International Strategic Seminar, Tsukuba, Japan: 35-40.

Sakai, H., **Inagaki, M.**, Noguchi, K., Sakata, T., Takahashi, M., and Yatskov, M.A. (2002). Evaluation of organic carbon fluctuation in top soil after afforestation, a discussion in nursery stands of Japanese cedar and Japanese cypress. Transactions of the 113th Annual Meeting of the Japanese Forest Society: 491. (J)

Sakuma, Y., Qin, F., Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Functional analysis of *Arabidopsis* DREB2A protein, a transcription factor involved in dehydration- and high-salt response using a constitutive active form of the protein. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)

Sakuma, Y., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Domain analysis of the DREB2A protein, a transcription factor that is involved in dehydration- and salt-stress response in *Arabidopsis*. The 13th International Conference on Arabidopsis Research, Seville, Spain: 8-33.

Sakuma, Y., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Domain analysis of the DREB2A protein, a transcription factor that is involved in dehydration- and salt-stress response in *Arabidopsis*. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0861. (J)

Sakurai, T. (2002). Adoption of modern rice variety and water control technology in West Africa's lowlands. Workshop on the Green Revolution in Asia and its Transferability to Africa, Tokyo, Japan.

Sakurai, T. (2002). Land tenure systems and migrant cultivators in West Africa's lowland: What effects do they have on the intensification of lowland rice production? The 9th Biennial Conference of the International Association for the Study of Common Property, Victoria Falls, Zimbabwe.

- Sakurai, T.** (2003). Expansion and intensification of rainfed lowland rice production in West Africa: Evidence from Cote d'Ivoire. AICAD Seminar: Agriculture, Food, and Water in Africa - Policy and Practice, Juja, Kenya.
- Samejima, H., Kondo, M., **Ito, O.**, **Nozoe, T.**, Shinano, T., and Osaki, M. (2002). Relationships between stem sap exudation and other root characteristics in new plant type of tropical rice. Abstracts of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 81.
- Samejima, H., Kondo, M., **Nozoe, T.**, Shinano, T., and Osaki, M. (2002). A root-shoot interaction model for high productivity in tropical rice. International Rice Congress, Beijing, China: 354.
- Sannomiya, K., **Suzuki, K.**, **Egawa, Y.**, and **Shono, M.** (2002). Heat tolerance of the transgenic tobacco introduced with mitochondrial sHSP gene. The 25th Annual Meeting of the Molecular Biology Society of Japan. (J)
- Sasaki, S.**, **Noguchi, S.**, Rashid, F., Yahaya, N., Ali, A., and Yamada, T. (2003). Reducing logging impact in tropical hill forests of Malaysia. The 114th Annual Meeting of the Japanese Forestry Society. (J)
- Sasaki, S.**, Ohtsuki, M., Sidle, R.C., **Noguchi, S.**, and Farid, M. (2002). Impact of forest road construction on surface erosion in Bukit Tarek Experimental Watershed, Peninsular Malaysia. International Seminar on New Role of Plantation Forestry Requiring Appropriate Tending and Harvesting Operations, Tokyo, Japan.
- Sato, T.** (2002). Evaluation and characterization of indigenous leafy vegetables. RETA5839 Workshop: Collection, Conservation and Utilization of Indigenous Vegetables, Tainan, Taiwan.
- Sato, T.** (2002). Evaluation and characterization of indigenous vegetables. RETA5839 Final Workshop: Collection, Conservation and Utilization of Indigenous Vegetables, Bangkok, Thailand.
- Sato, T.**, Gueco, L.S., and Engle, L.M. (2002). Evaluation of functional properties of horseradish tree (*Moringa* spp.). RETA5839 Final Workshop: Collection, Conservation and Utilization of Indigenous Vegetables, Bangkok, Thailand.
- Sato, T.**, Sasaki, K., Ueno, K., Miyoshi, K., and **Fukuta, Y.** (2002). Mapping of quantitative traits loci (QTL) for seed dormancy and seed longevity in rice (*Oryza sativa* L.). Proceedings of the 8th INTECOL International Congress of Ecology, Seoul, Korea: 235-236.
- Satoh, R., **Nakashima, K.**, Seki, M., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). ACTCAT is a cis-acting element involved in *Arabidopsis ProDH* gene expression by hypoosmolality and L-Pro. The 13th International Conference on Arabidopsis Research, Seville, Spain: 8-37.
- Seki, M., Ishida, J., Kamiya, A., Nakajima, M., Enju, A., Narusaka, M., Satou, M., Akiyama, K., Iida, K., Sakurai, T., Fujita, M., Nanjo, T., Umezawa, T., Kamei, A., Oono, Y., **Yamaguchi-Shinozaki, K.**, Carninci, P., Kawai, J., Hayashizaki, Y., and Shinozaki, K. (2002). *Arabidopsis* functional genomics in drought- and cold-stress response. The 4th Japan-Korea Joint Symposium on Plant Biology, Kyoto, Japan.
- Seki, M., Ishida, J., Satou, M., Nakajima, M., Enju, A., Kamiya, A., Akiyama, K., Iida, K., Narusaka, M., Oono, Y., Fujita, M., Mizukado, S., Nanjo, T., Umezawa, T., Kamei, A., Tou, T., **Yamaguchi-Shinozaki, K.**, Ecker, J.R., Davis, R.W., Theologis, A., Carninci, P., Kawai, J., Hayashizaki, Y., Sawazaki, T., Hasegawa, Y., Endo, Y., Yokoyama, S., and Shinozaki, K. (2003). *Arabidopsis* encyclopedia using full-length cDNAs and its application for functional genomics. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Seki, M., Narusaka, M., Ikeda, J., Kamiya, A., Nakajima, M., Enju, A., Satou, M., Akiyama, K., Sakurai, T., Oono, Y., Fujita, M., Nanjo, T., Umezawa, T.,

- Kamei, A., **Yamaguchi-Shinozaki, K.**, Ecker, J.R., Davis, R.W., Theologis, A., Carninci, P., Kawai, J., Hayashizaki, Y., and Shinozaki, K. (2002). *Arabidopsis* encyclopedia using full-length cDNAs and its application for functional genomics. The 13th International Conference on Arabidopsis Research, Seville, Spain: 1-91.
- Shima, J., Kawamoto, S., and **Ohmomo, S.** (2002). Function analysis and application techniques of Class II Bacteriocin. The 2002 Annual Meeting of the Japanese Society of Bioengineering. (J)
- Singh, I. and **Shono, M.** (2002). Ameliorative effects of 24-epibrassinolide, a brassinosteroid on high temperature inhibition of in vitro pollen germination in tomato. Proceedings of the Indian Science Congress, Lucknow, India, 89(3): 36-37.
- Singh, I., **Shono, M.**, **Fukamachi, H.**, and **Suzuki, K.** (2003). Effect of heat-stress on CO₂ gas exchange characteristics in tomato. The 90th Indian Science Congress, Bangalore, India.
- Shinozaki, K. and **Yamaguchi-Shinozaki, K.** (2002). Molecular mechanism of plant responses and tolerance of drought and cold stress. The 10th IAPTC&B Congress on Plant Biotechnology, Orlando, USA.
- Sritongchai, W., **Kawabe, K.**, Ohtsu, Y., and **Onuki, M.** (2003). Positive reactions of anti-peptidoglycan and anti-lipopolysaccharide antibodies against the pathogenic bacterium of citrus Huanglongbing. Abstracts of the Phytopathological Society of Japan Annual Meeting 2003: 427. (J)
- Subbarao, G.V.**, **Ishikawa, T.**, **Okada, K.**, and **Ito, O.** (2002). Mechanism of nitrification inhibition in root exudates of *Brachiaria humidicola*. Abstracts of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 63.
- Suenaga, K.**, William, H.M., van Beem, J., and Hoisington, D.A. (2002). Towards the development of molecular markers for physical development genes in wheat. First International Symposium on Crop Genomics and Genetic Improvement, Wuhan, China: 51.
- Sugino, T.** (2002). Human development and collaboration with universities in Japan International Research Center for Agricultural Sciences (JIRCAS). A Satellite Forum of International Forum 2002: The University - Architect of the New Century, Sustainable Agricultural System in Asia, Nagoya, Japan.
- Suzuki, K.**, Goto, A., Mizutani, M., **Yamamoto, Y.**, and Sukchan, S. (2003). Hydrologic model of rainfed paddy fields for evaluating small on-farm pond irrigation in Northeast Thailand. Proceedings of the First International Conference on Hydrology and Water Resources in Asia Pacific Region, Kyoto, Japan, 1: 462-466.
- Suzuki, K.**, Tsukaguchi, N., and **Egawa, Y.** (2002). Yield reduction in green bean under high temperature conditions. The 26th International Horticultural Congress and Exhibition, Toronto, Canada.
- Suzuki, K.** and **Yamamoto, Y.** (2002). Hydrologic model analysis on locations of rainfed agriculture in Northeast Thailand. Annual Meeting of the Japanese Society of Irrigation, Drainage and Reclamation Engineering.
- Suzuki, K.**, **Yamamoto, Y.**, and Sukchan S. (2002). Development of distributed hydrologic model in rainfed agricultural area using GIS. Meeting of the Japanese Agricultural Systems Society. (J)
- Taji, T., Ohsumi, C., Iuchi, S., Seki, M., **Kasuga, M.**, Kobayashi, M., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Important roles of drought- and cold-inducible genes for galactinol synthase in stress tolerance in *Arabidopsis thaliana*. The 4th Japan-Korea Joint Symposium on Plant Biology, Kyoto, Japan.
- Taji, T., Ohsumi, C., Iuchi, S., Seki, M., **Kasuga, M.**, Kobayashi, M., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Important roles of drought- and cold-inducible genes for galactinol

sythase in stress tolerance in *Arabidopsis thaliana*. The 13th International Conference on Arabidopsis Research, Seville, Spain: 8-24.

Takada, R., **Yamasaki, S.**, Men, L.T., Murakami, T., Yamazaki, M., and Ohtsuka, M. (2003). Effect of supplying water spinach for lipid metabolism of rats. Proceedings of the 101st Annual Meeting of the Japanese Society of Animal Science: 69. (J)

Takahashi, M., Sakai, H., **Inagaki, M.**, Sakata, T., and Noguchi, K. (2002). Accumulation of soil organic matter after afforestation. Abstract of the Annual Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 165. (J)

Tanaka, O., Deguchi, S., Fushimi, A., Uozumi, S., and **Ohmomo, S.** (2002). Selection of lactic acid bacteria using co-culture fermentation model system for ensilage and protoplast regeneration for the selected strains. The 7th Symposium on Lactic Acid Bacteria - Genetics, Metabolism and Applications-. Federation of European Microbiological Societies and Netherlands Society for Microbiology, Egmond aan Zee, The Netherlands: A20.

Tanaka, R. (2002). Utilization of oil palm residues as lignocellulosic resources. The 1st International Cellulose Conference 'ICC2002', Kyoto, Japan: 48.

Tanaka, R. (2002). Oil palm tree. The 35th Workshop on Thermal Analysis, The Japan Society of Calorimetry and Thermal Analysis: 6. (J)

Tanaka, R. and Leh, C.P. (2003). Utilization of oil palm residues as lignocellulosic resources. The 53rd Congress of the Japan Wood Research Society: PT06. (J)

Tanaka, R., Leh, C.P. and Daud, W.R.W. (2002). Preparation of cellulose pulp from oil palm empty fruit bunches (EFB) by processes including pre-hydrolysis and ozone bleaching. Proceedings of USM-JIRCAS Joint

International Symposium; Lignocellulose -Material of the Millennium: Technology and Application, Penang, Malaysia: 33-38.

Tobita, S. (2002). Rice breeding in West Africa -with special interest in the interspecific hybridization and NERICAs. Abstract of the 41st Gamma Field Symposium, Mito, Japan: 25-28. (J)

Tobita, S., **Tsunematsu, H.**, Sahrawat, K.L., and Jones, M.P. (2002). Field evaluation of P-deficiency tolerance in Asian and African rice varieties and their interspecific hybrid progenies. Abstracts of the 2002 Meeting of the Japanese Society of Soil Science and Plant Nutrition, 48: 54. (J)

Todoriki, S., Nakauma, M., Aoki, C., Sugiyama, J., Uda, W., and **Hayashi, T.** (2002). Development of image analyzing system for DNA comet assay and its application for detection of irradiated foods. The 39th Annual Meeting on Radioisotopes and Radiation in the Physical Sciences and Industries, Tokyo, Japan.

Tran, L-S.P., **Nakashima, K.**, Fujita, Y., Sakuma, Y., Maruyama, K., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2003). Functional analysis of the members of *Arabidopsis* NAC transcription factors controlling the expression of the ERD1 gene under drought stress. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists.

Tsukazaki, H., Kuginuki, Y., Hatakeyama, K., Fujimura, M., **Kasuga, M.**, **Yamaguchi-Shinozaki, K.**, and Suzuki, T. (2002). Improvement for freezing tolerance in *Brassica rapa* by gene transfer of a stress-inducible transcription factor, DREB1A. The 10th IAPTC&B Congress on Plant Biotechnology, Orlando, USA: P-1070.

Tsutsui, N., Jayasankar, V., Saido-Sakanaka, H., Jasmani, S., Ohira, T., Aida, K., Okumura, T. and **Wilder, M.N.** (2002). Cloning of vitellogenin cDNA in the coonstriped shrimp, *Pandalus hypsinotus*. Proceedings of the Japan Society for

- Tsutsui, N., Jayasankar, V., Saïdo-Sakanaka, H., Jasmani, S., Yang, W.-J., Okuno, A., Ohira, T., Aida, K., and **Wilder, M.N.** (2002). Purification and characterization of vitellin in the coonstriped shrimp, *Pandalus hypsinotus*. Proceedings of the 21st Conference of European Comparative Endocrinologists, Bonn, Germany: 433-436.
- Uchida, S.** (2002). Characterization of agricultural land use in developing countries using remote sensing data. OECD Workshop on Remote Sensing for Agriculture and the Environment, Kifissia, Greece.
- Uchida, S.** (2002). Estimation of winter wheat sown area in Huang-Huai-Hai plain of China using multi-temporal NDVI data. Proceedings of the Annual Conference of the Japan Society of Photogrammetry and Remote Sensing (Autumn): 165-168.
- Uchida, S.** and Sofyan, R. (2002). Estimation of USLE parameters using remote sensing for the case study of vegetable production area in West Java. Proceedings of the Annual Conference of the Japan Society of Photogrammetry and Remote Sensing (Spring): 85-88.
- Ueda, S., **Onuki, M.**, Hanada, K., Okamoto, H., and Gyoutoku, Y. (2003). Infectious clone of tomato yellow leaf curl virus from Shizuoka. Abstracts of the Phytopathological Society of Japan Annual Meeting 2003: 502. (J)
- Uga, Y., Fujimura, T., and **Fukuta, Y.** (2002). Comparative chromosomal compositions among different three generations developed from Indica and Japonica rice (*Oryza sativa* L.) hybrid population. The International Conference on the Status of Plant, Animal & Microbe Genomes Research. Plant, Animal & Microbe Genomes X, San Diego, USA: 154.
- Urano, K., Yoshiba, Y., Nanjo, T., Ito, T., **Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2003). Functional analysis of two genes encoding arginine decarboxylase and polyamines in *Arabidopsis*. The 2003 Annual Meeting and the 43rd Symposium of the Japanese Society of Plant Physiologists. (J)
- Urao, T.**, Kuromori, T., Ito, T., Hirayama, T., Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Analysis of the *Arabidopsis* knockout mutants of the hybrid-type histidine kinase ATHK1 interacting factors SAP. The 25th Annual Meeting of the Molecular Biology Society of Japan: 2P-0921. (J)
- Urao, T.**, Seki, M., **Kasuga, M.**, Shinozaki, K., and **Yamaguchi-Shinozaki, K.** (2002). Analysis of transgenic plants overexpressing dominant-negative ATHK1 cDNA in *Arabidopsis*. The 13th International Conference on *Arabidopsis* Research, Seville, Spain: 8-51.
- Wan Rosli, W.D., Leh, C.P., Zainuddin, Z., and **Tanaka, R.** (2002). Application of response surface methodology to evaluate the optimum conditions for the production of cellulose pulp from oil palm lignocellulosics. The 1st International Cellulose Conference 'ICC2002', Kyoto, Japan: 47.
- Wang, L., Li, L., **Tatsumi, E.**, Li, Z., and Yi, L. (2002). Effects of the two-step heating method for tofu quality and yield. China & International Soybean Conference & Exhibition 2004, Beijing, China.
- Wang, X., Zhu, J., and **Hosen, Y.** (2003). Soil nitrogen cycling with monolithic lysimeter experiment in Tai-hu region. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 90-100.
- Wikantika, K., **Uchida, S.**, and **Yamamoto, Y.** (2002). Mapping diversification of vegetable features in mountainous area with spectral-textural based analysis and linear mixture modeling approaches. Proceedings of Annual Conference of the Japan Society of Photogrammetry and Remote Sensing (Spring): 69-74.

- Wilder, M.N.** (2002). Yolk protein structure and synthesis in shrimp and prawns. The First Annual Scientific/Technical Conference of the Society of Japanese Women Scientists. (J)
- Wilder, M.N.**, Jayasankar, V., Tsutsui, N., Saido-Sakanaka, H., Jasmani, S., Yang, W-J., Okuno, A., Ohira, T., and Aida, K. (2002). Changes in vitellogenin mRNA expression during reproduction in the giant freshwater prawn *Macrobrachium rosenbergii* and relationship to hemolymph vitellogenin levels. Proceedings of the 21st Conference of European Comparative Endocrinologists, Bonn, Germany: 441-445.
- Wongwiwatchai, C., Chairaj, P., **Watanabe, T.**, and **Matsumoto, N.** (2002). Emission of nitrous oxides under nitrogen fertilizer and organic materials application in Northeast Thailand. Transactions of the 17th World Congress of Soil Science, Bangkok, Thailand, 1881: 1-6.
- Xu, D.H., Nohda, M., Chen, H.G., and **Ban, T.** (2002). Identification of chromosome regions associated with head blight (FHB) resistance in wheat cultivar Sumai using DNA markers. The 1st International Symposium on Crop Genomics and Genetic Improvement, Wuhan, China: 75.
- Xu, D.H., Nohda, M., Chen, H.G., and **Ban, T.** (2002). Identification of chromosome regions associated with head blight resistance in bread wheat cultivar Sumai 3 with susceptible NILs by using DNA markers. Proceedings of the 2002 US National Head Blight Forum, Cincinnati, USA: 5
- Xu, D.H., Nohda, M., Chen, H.G., and **Ban, T.** (2002). Screening of chromosome regions associated with head blight resistance in bread wheat cultivar Sumai 3 with its susceptible NILs by using SSR and AFLP markers. EUCARPIA Cereal Meeting, Salsamaggiore, Italy: 195.
- Xu, M., Li, D., Li, J., Hosen, Y., Qin, D., and Shen, H. (2003). Effect of controlled release fertilizer on N use efficiency and rice growth in double rice paddy field. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 117-126.
- Yamada, M., Shiozaki, N., **Yamaguchi-Shinozaki, K.**, Shinozaki, K. and Yoshida, Y. (2002). Stress tolerance of transgenic *Petunia* with gene of *Arabidopsis thaliana* galactinol synthase. The 25th Annual Meeting of the Molecular Biology Society of Japan: 1P-0460. (J)
- Yamaguchi-Shinozaki, K.** (2002). Development of crops tolerant to environmental stresses by biotechnology. East-Japan Branch Symposium of the Japanese Society of Applied Glycoscience. (J)
- Yamaguchi-Shinozaki, K.** (2002). Molecular mechanisms of environmental stress tolerance in plants and development of stress-tolerant plants. Senri Life Science Seminar, Osaka, Japan. (J)
- Yamaguchi-Shinozaki, K.** (2002). Molecular mechanisms of response and tolerance to low-temperature and dehydration stresses in plants. Seminar of the Japanese Society for Cryobiology and Cryotechnology. (J)
- Yamaguchi-Shinozaki, K.** (2002). Molecular mechanisms of response and tolerance to low-temperature and dehydration stresses in plants. Seminar of Gene Experiment Center, University of Tsukuba, Japan. (J)
- Yamaguchi-Shinozaki, K.** and Shinozaki, K. (2002). Molecular responses to drought, salt and cold stress in plants. The 16th FAOBMB Symposium, Taipei, Taiwan.
- Yamaguchi-Shinozaki, K.**, and Shinozaki, K. (2002). Regulation of gene expression and signaling pathways in response to osmotic stress. Gordon Research Conference: Salt & Water Stress, Oxford, UK.
- Yamaguchi-Shinozaki, K.** and Shinozaki, K. (2002). Molecular responses and tolerance to drought stress in plants. The 25th Annual Meeting of the

- Yamamoto, Y., Nakamura, T., Kanno, T., Fukuda, E.,** Souza, O., and Arajo, O.M. (2002). Assessment of pasture degradation in Central west of Brazil by multi temporal satellite imagery. Annual Meeting of the Japanese Society of Grassland Science: 18-19. (J)
- Yamamoto, Y.,** Sukchan, S., and Suzuki, K. (2003). Assessment of water resource accessibility concerning with the stability of reservoirs using satellite imagery and GIS. Proceedings of the First International Conference on Hydrology and Water Resources in Asia Pacific Region, Kyoto, Japan, 2: 984-987.
- Yamanaka, S., Ishii, T., **Fukuta, Y.,** Ishikawa, R., Ueno, K., Shishito, R., Nakamura, I., Sato, T., and Sato, Y. I. (2002). Analyses and application of rice genetic resources 4. Genetic features of wild rice collected from Myanmar. The 101st Meeting of the Japanese Society of Breeding.
- Yanoria, M.J.T., **Fukuta, Y.,** Imbe, T., **Tsunematsu, H.,** Kato, H., Ebron, L.A., and Khush, G.S. (2002). Near-isogenic lines for blast resistance with Indica genetic background as differential cultivars. The 3rd International Rice Blast Conference, Tsukuba, Japan: 68.
- Yanoria, M.J.T., **Fukuta, Y.,** Imbe, T., **Tsunematsu, H.,** Kato, H., Ebron, L.A., and Khush, G.S. (2002). Pathogenicity of rice blast isolates from the Philippines. The 3rd International Rice Blast Conference, Tsukuba, Japan: 70.
- Yanoria, M.J.T., Mercado-Escueta, D., **Fukuta, Y.,** Ebron, L.A., Imbe, T., **Tsunematsu, H.,** Kato, H., Hayashi, N., Ando, I., and Khush, G.S. (2002). Monogenic lines for rice blast resistance as differential variety. The 3rd International Rice Blast Conference, Tsukuba, Japan: 67.
- Yasunobu, K.,** Kasiwan, C., and Manalili, R. (2002). Mechanization of rice farming and cost analysis of PhilRice developed machines in Central Luzon, the Philippines. International Rice Congress 2002, Beijing, China.
- Yokoyama, S.** (2002). Country reports: Japan, Successful Community Development. Asian Productivity Organization, Tokyo: 164-189.
- Yokoyama, S.** (2002). ENSO impacts on food crop production in Asia and the Pacific. The 4th Conference of the Asian Society of Agricultural Economists (ASAE), Alor Setar, Malaysia.
- Yokoyama, S.** (2002). ENSO impacts on food crop production in Indonesia. The 4th Indonesian National Seminar on Development of Dry Farming Area, Mataram, Indonesia.
- Yoneyama, T., Okada, H., Chongpradtnun, P., **Ando, S.,** Prasertsak, P., and Hirai, K. (2002). $\delta^{13}C$ of soil organic carbon in croplands and forests in Thailand. Transactions of the 17th World Congress of Soil Science, Bangkok, Thailand, 396: 1-9.
- Yoshihashi, T.** and Huong, N.T.T. (2002). Effect of cultivation conditions for 2-acetyl-1-pyrroline content in aromatic rice variety, Khao Dawk Mali 105. International Rice Research Conference 2002, Beijing, China.
- Yoshihashi, T.,** Huong, N.T.T., and Kitkuandee, K. (2002). Aroma and flavor in rice. International Rice Research Conference 2002, Beijing, China.
- Yoshihashi, T.,** Nguyen, T.T.H., and Kabaki, N. (2002). Effect of cultivation conditions on 2-acetyl-1-pyrroline content in aromatic rice. Annual Meeting of the Japan Society for Bioscience, Biotechnology and Agrochemistry. (J)
- Zhang, R., Zuo, Y., Yagi, K., **Hosen, Y.,** Xian, X., and Li, Z. (2003). The nitrogen balance in winter wheat and summer corn system in Huang-Huai-Hai Plain. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 23-31.

- Zhang, S., **Hosen, Y.**, Yagi, K., and Zhang, Z. (2003). N balance in a lysimeter system in Beijing as affected by different release rates and application rates of N fertilizer. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 40-49.
- Zhang, X., Li, L., Wang, J., **Saito, M.**, and **Tatsumi, E.** (2002). Study on the functional peptides in low-salt Suifu making. China & International Soybean Conference & Exhibition 2002, Beijing, China.
- Zuo, Y., **Hosen, Y.**, and Chu, H. (2003). Nitrification activities in two kinds of soils as affected by two kinds of urea and different moisture. Workshop on Evaluation and Development of Methods for Sustainable Agriculture and Environmental Conservation, Yangzhou, China, 6: 32-39.
- ### Other publications and materials
- Ando, S.** (2002). Sugarcane, a sustainable crop with the ability to fix atmospheric nitrogen. *Farming Japan*, 36(1): 37-41.
- Ban, T.** (2002). Physiological and ecological study of Fusarium head blight, and resistance in wheat. *Plant Protection*, 56(2): 58-63. (J)
- Caldwell, J.S.**, Berthe, A., Doumbia, M., Kanno, H., **Ozawa, K.**, Yorote, A., Sasaki, K., and Sakurai, T. (2002). Incorporation of farmer-based climate and risk indicators into research design and farmer typologies in Southern Mali. The 17th Symposium of the International Farming Systems Association, Lake Buena Vista, Florida, USA: CD-ROM.
- Caldwell, J.S.**, Berthe, A., Doumbia, M., Kanno, H., **Ozawa, K.**, Yorote, A., Sasaki, K., and Sakurai, T. (2002). Incorporation of farmer-based climate and risk indicators into research design and farmer typologies in Southern Mali. The 17th Symposium of the International Farming Systems Association, Lake Buena Vista, Florida, USA: CD-ROM.
- Caldwell, J.S.**, Kanno, H., Berthe, A., Yorote, A., Sasaki, K., Doumbia, M., **Ozawa, K.**, and Sakurai, T. (2002). Climatic variability in cereal-based cropping systems in Mali, West Africa. *Farming Japan*, 36(4): 25-41.
- Egawa, Y.** and **Ogawa, K.** (2002). Preliminary survey of exploration/collection of vegetable and tropical and subtropical fruit crop germplasm in Taiwan. Annual Report on Exploration and Introduction of Plant Genetic Resources: 18. (J)
- Fukuda, Y.** (2002). Development of intermediate fish meat food stuff from freshwater fish. *Farming Japan*, 36(5): 10-16.
- Fukuda, Y.** (2002). Recent trend of freshwater fisheries aquacultural industry in China. *Aquaculture Monthly*, 39(12): 55-63. (J)
- Fukuda, Y.** (2002). Current situation of the Chinese fisheries industry. *Trap Net Fisheries*, 102: 43-50. (J)
- Fukuda, Y.** (2002). Development of recycling technology for unused and low-used fisheries resources. *Techno Innovation*, 12(1): 15-19. (J)
- Fukuta, Y.** (2002). International research cooperation in IRRI. *Agriculture and Horticulture*, 77(9): 1001-1005. (J)
- Hayashi, T.** (2002). Food irradiation. *Radiation and Industries*, 94: 41-44. (J)
- Higano, J., Pichitkul, P., and **Fukuda, Y.** (2003). Reduction of pollution by organic substances through mixed culture of prawn and bivalve mollusc. *Farming Japan*, 37(1): 43-45.
- Horne, P., Braun, A., **Caldwell, J.S.**, and **Ito, O.** (2002). Improving adoption of agricultural technologies: How participatory research can complement conventional research approaches. Resources from a training workshop organized by the International Center for Tropical Agriculture (CIAT), the Japan International Research Center for Agricultural Sciences (JIRCAS) and the Participatory Research and Gender Analysis (PRGA) Program: CD-ROM.

- Inoue, T. and **Nozoe, T.** (2002). Utilization of coated fertilizers for low input farming systems. Japan-Korean Cooperative Research on Sustainability and Environmental Benefits of Paddy Farming:10-12.
- Kamakawa, A.** (2002). Recent activities of FAO – Livestock Environment and Development Initiative (LEAD). Sustainable Livestock Production and Human Welfare, 56(8): 870-874. (J)
- Kohno, K.** (2002). *Parantica sita* on Ishiigakijima Island in 2001. Annual Report for *Parantica sita*, 2001: 52. (J)
- Kohno, K.**, Takahashi, K., **Nakata, T.**, Konishi, K., Yasuda, K., and Yoshimatsu, S. (2002). Distribution of *Diaphorina citri* and *Murraya paniculata* on the Southwest Islands of Japan. Research Highlights on Agriculture in Kyushu and Okinawa, 17: 535-536. (J)
- Li, Z., **Saito, M.**, **Tatsumi, E.**, Wang, L., and **Hayashi, T.** (2003). Status of traditional food industry in China. New Food Industry, 45(1): 65-69.
- Miranda, C.H.B., Macedo, M.C.M., Gadich, G., and **Nakamura, T.** (2002). Quantity and origin of soil carbon in the function of organic residues in different systems of management and usage of soil in Cerrado region 25th Brazilian Conference of Soil Fertility and Plant Nutrition: CD-ROM.
- Miyata, S.** (2002). Japan International Research Center for Agricultural Sciences: Recent Activities. Asia Pacific Association of Agricultural Research Institutions (APAARI) Newsletter, 11(1): 16-17.
- Miyata, S.** (2003). Present status and perspectives of international collaborative research for development. In: *Strategic Research for International Collaborative Research in the 21st Century - Research Report*, Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba: 1-12. (J)
- Miyata, S.** (2003). East Asia - Analysis from the standpoint of East Asia economic zone. In: *Strategic Research for International Collaborative Research in the 21st Century - Research Report*, Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba: 13-24. (J)
- Miyata, S.** (2003). Economic integration and its impacts on sustainable development of agriculture, forestry and fisheries in East Asia. Agriculture and Horticulture, 78(1): 1-2.
- Miyata, S.** (2003). Approaches of government-operating institutions. In: *Strategic Research for International Collaborative Research in the 21st Century - Proceedings of the International Strategic Seminar*, Tsukuba, Japan, Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba: 89-95. (J)
- Mori, Y.** (2003). Postharvest technology. In: *Strategic Research for International Collaborative Research in the 21st Century - Research Report*, Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba: 67-78. (J)
- Nakahara, K.** (2002). Antimutagenic and antioxidant activities of indigenous Thai vegetables. Science & Technonews Tsukuba, 64: 20-22. (J)
- Nakamura, H.** (2003). The possible transmission route through which the wheat (*Triticum aestivum* L.) has reached Japan. Agriculture and Horticulture, 78(3): 347-350. (J)
- Nakamura, H.** (2002). Quality evaluation of common wheat endosperm protein fingerprints as indices of Japanese white-salted noodle (Udon) eating quality. Annual Wheat Newsletter, 48: 91-93.
- Nakamura, H.** (2002). The relationship between genetic diversity of glutenin proteins in common wheat (*Triticum aestivum* L.) and wheat breeding in Japan. Agriculture and Horticulture, 77(4): 475-480. (J)
- Nakamura, S., Nakajima, S., and **Saito, M.** (2002). Preference survey of diet and future prospects of dietary habits in

- Japan. Annual Report of Study for Food, 15: 7-21. (J)
- Nakamura, T.**, Miranda, C.H.B., Kanno, T., Ohwaki, Y., Pitaluga, G.M., Borges, M.J., and Macedo, M.C.M. (2002). Different nitrogen uptake kinetics of ammonium and nitrate in *Brachiaria* spp., CD-ROM of the 25th Reuniao Brasileira de Fertilidade do Solo e Nutricao de Plantas.
- Nikkuni, S.** (2002). Adaptability of soybean varieties for food processing and improvement of soyfoods in Indonesia. *Farming Japan*, 36(6): 43- 45.
- Noshiro, S. and **Abe, H.** (2002). Identification of charcoals. Preliminary Report Akoris: 22-23.
- Nozoe, T.** (2002). Long-term experiment of triple rice cultivation in IRRI. *Agriculture and Horticulture*, 77(10): 1117-1119. (J)
- Ogawa, K.** (2002). Tropical fruits contain functional constituents. *Kongetsu-no-Nogyo*, 46(8): 54-58. (J)
- Sakagami, J.** (2003). Direction and characteristics of the developing regions concerned with the food and environment – Africa. In: *Strategic Research for International Collaborative Research in the 21st Century – Proceedings of the International Strategic Seminar, Tsukuba, Japan*, Japan International Research Center for Agricultural Sciences (JIRCAS), Tsukuba: 41-66.
- Sasaki, K., Kanno, H., **Caldwell, J.S.**, **Ozawa, K.**, **Sakurai, T.**, Berth, A., Doumbia, M., and Yorote, A. (2002). Using small-scale on-farm weather monitoring equipment as a tool for understanding farmer rationales and risk management in response to climatic risk. The 17th Symposium of the International Farming Systems Association, Lake Buena Vista, Florida, USA: CD-ROM.
- Sato, T.** (2002). Evaluation and pre-breeding activities on selected newly introduced indigenous vegetable species. Asian Vegetable Research and Development Center (AVRDC) Report, 2001: 73-76.
- Sato, T.** (2002). Evaluation of antioxidant compounds in indigenous leafy vegetables. Asian Vegetable Research and Development Center (AVRDC) Report, 2001: 76-78.
- Tamura, Y.**, Irie, K., and Takita, T. (2002). Exploration and collection of rice genetic resources in Myanmar. *Agriculture and Horticulture*, 77(5): 571-576. (J)
- Tanabe, S., Nishimura, T., **Nakamura, H.**, Yamamoto, A., and Taniuchi, S. (2002). The producing hypoallergenic wheat flour foods by enzymatic fragmentation of constituent allergens. *Food Industry*, 45(14): 42-48. (J)
- Wilder, M.N.** and **Fukuda, Y.** (2002). Development of freshwater prawn seed production and culture technology in the Mekong Delta of Vietnam. *Aquaculture Monthly*, 39(13): 98-101. (J)
- Yamada, Y.** (2002). Methods for the flood-inundated area detection using the satellite data -The first report of the relation between micro-geomorphology in the central plain of Thailand and satellite data. *Proceedings of the Annual Meeting of Japanese Society of Irrigation, Drainage and Reclamation Engineering*: 710-711.
- Yamada, Y.** (2002). Flood damage estimation on agriculture for the Chao Phraya river basin in Thailand using JERS-1/SAR. CD-ROM of International Symposium on Resource and Environmental Monitoring by International Society of Photogrammetry and Remote Sensing (ISPRS), Technical Commission VI, Hyderabad, India.
- Yamada, Y.**, Sakurai, T. and Takagi, M. (2002). Detection of flood damaged areas in the entire Chao Phraya river basin from JERS-1/SAR images with a help of spatial information. Institute of Electronics and Electrical Engineering, International Geoscience and Remote Sensing Symposium (IEEE/IGARSS) 2002, Toronto, Canada: CD-ROM.
- Yanagihara, S.** (2002). Breeding of abiotic stress tolerant rice in IRRI. *Agriculture*

and Horticulture, 77(11): 1210-1212.

Yokoyama, S. (2002). ENSO impacts on food crop production and the role of CGPRT crops, Palawija News, 19(2): 1-7.

Yoshihashi, T. (2002). Development of quality evaluation methods of aroma in aromatic rice and improvement of its aroma quality. Expert Bulletin (AICAF), 22(6): 1-17. (J)

Zaharieva, M., **Suenaga, K.**, William, M., and Mujeeb-Kazi, A. (2002). Identification of specific *Ae. geniculata* microsatellite markers potentially useful for detecting introgressions into cultivated wheat. Annual Wheat Newsletter, 48: 108-110.