

6. 学会誌・その他誌上発表テーマ調べ (研究所)

疫学・予防部

【原著】

- 001 *Yanada M*¹⁾, *Matsuo K*, *Emi N*¹⁾, *Naoe T*¹⁾: The Efficacy of Allogeneic Hematopoietic Stem Cell Transplantation Depends on Cytogenetic Risk for Acute Myeloid Leukemia in First Remission: A Meta-analysis. *Cancer*, 103: 1652-1658, 2005.
- 002 *Tokudome S*²⁾, *Soeripto*³⁾, *Triningsih FX*³⁾, *Ananta I*³⁾, *Suzuki S*²⁾, *Kuriki K*, *Akasaka S*⁴⁾, *Kosaka H*⁴⁾, *Ishikawa H*⁵⁾, *Azuma T*⁶⁾, *Moore MA*⁷⁾: Rare *Helicobacter pylori* infection as a factor for the very low stomach cancer incidence in Yogyakarta, Indonesia. *Cancer Lett*, 219: 57-61, 2005.
- 003 *Murashige N*⁸⁾, *Kami M*⁸⁾, *Iwata H*⁹⁾, *Kishi Y*⁹⁾, *Matsuo K*: No relationship between hepatitis C infection and risk of myeloid malignancy. *Haematologica*, 90: 572-574, 2005.
- 004 *Niwa Y*¹⁾, *Wakai K*, *Suzuki S*²⁾, *Tamakoshi K*¹⁾, *Lin Y*¹⁰⁾, *Yatsuya H*¹⁾, *Kondo T*¹⁾, *Nishio K*¹⁾, *Yamamoto A*¹¹⁾, *Tokudome S*²⁾, *Hamajima N*¹⁾, *Toyoshima H*¹⁾, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Cigarette smoking and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort study. *J Obstet Gynaecol Res*, 31: 144-151, 2005.
- 005 *Lee KM*¹³⁾, *Park SK*¹⁴⁾, *Hamajima N*¹⁾, *Tajima K*, *Yoo KY*¹³⁾, *Shin A*¹⁴⁾, *Noh DY*¹³⁾, *Ahn SH*¹⁵⁾, *Hiroven A*¹⁶⁾, *Kang D*¹³⁾: Genetic polymorphism of TGF-B1 & TNF-B and breast cancer risk. *Breast Cancer Res Tr*, 90:149-155, 2005.
- 006 *Muscat JE*¹⁷⁾, *Takezaki T*¹⁸⁾, *Tajima K*, *StellmanSD*¹⁹⁾: Charcoal cigarette filters and lung cancer risk in Aichi Prefecture, Japan. *Cancer Sci*, 96:283-287, 2005.
- 007 *Ozasa K*²⁰⁾, *Ito Y*²¹⁾, *Suzuki K*²¹⁾, *Watanabe Y*²⁰⁾, *Hayashi K*²⁰⁾, *Mikami K*²⁰⁾, *Nakao M*²⁰⁾, *Miki T*²⁰⁾, *Mori M*²²⁾, *Sakauchi F*²²⁾, *Washio M*²²⁾, *Kubo T*²²⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Serum carotenoids and other antioxidative substances associated with urothelial cancer risk in a nested case-control study in Japanese men. *J Urology*, 173: 1502-1506, 2005.
- 008 *Katagiri H*²³⁾, *Takahashi M*²³⁾, *Wakai K*, *Sugiura H*²³⁾, *Kataoka T*²³⁾, *Nakanishi K*²³⁾: Prognostic factors and a scoring system for patients with skeletal metastasis. *J Bone Joint Surg Br*, 87: 698-703, 2005.
- 009 *Date C*²⁴⁾, *Fukui M*²⁵⁾, *Yamamoto A*¹¹⁾, *Wakai K*, *Ozeki A*²⁶⁾, *Motohashi Y*²⁷⁾, *Adachi C*²⁸⁾, *Okamoto N*²⁹⁾, *Kurosawa M*³⁰⁾, *Tokudome Y*³¹⁾, *Kurisu Y*³²⁾, *Watanabe Y*²⁰⁾, *Ozasa K*²⁰⁾, *Nakagawa S*³³⁾, *Tokuji N*³⁴⁾, *Yoshimura T*³⁵⁾, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Reproducibility and validity of a self-administered food frequency questionnaire used in the JACC study. *J Epidemiol*, 15(Suppl I): S9-23, 2005.
- 010 *Togawa S*²⁾, *Joh T*²⁾, *Itoh M*, *Katsuda N*³⁶⁾, *Ito H*, *Matsuo K*, *Tajima K*, *Hamajima N*¹⁾: Interleukin-2 gene polymorphisms

associated with increased risk of gastric atrophy from *Helicobacter pylori* infection. *Helicobacter*, 10 (3): 172-8, 2005.

- 011 *Wakai K*, *Kojima M*²⁾, *Tamakoshi K*¹⁾, *Watanabe Y*²⁰⁾, *Hayakawa N*³⁷⁾, *Suzuki K*²¹⁾, *Hashimoto S*²¹⁾, *Kawado M*²¹⁾, *Tokudome S*²⁾, *Suzuki S*²⁾, *Ozasa K*²⁰⁾, *Toyoshima H*¹⁾, *Ito Y*²¹⁾, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Alcohol consumption and colorectal cancer risk: findings from the JACC Study. *J Epidemiol*, 15(Suppl II): 173-179, 2005.
- 012 *Ito Y*²¹⁾, *Wakai K*, *Suzuki K*²¹⁾, *Ozasa K*²⁰⁾, *Watanabe Y*²⁰⁾, *Seki N*³⁸⁾, *Ando M*³⁹⁾, *Nishino Y*⁴⁰⁾, *Kondo T*¹⁾, *Ohno Y*¹⁾, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Lung cancer mortality and serum levels of carotenoids, retinol, tocopherols, and folic acid in men and women: a case-control study nested in the JACC Study. *J Epidemiol*, 15(Suppl II): S140-149, 2005.
- 013 *Watanabe Y*²⁰⁾, *Ozasa K*²⁰⁾, *Ito Y*²¹⁾, *Suzuki K*²¹⁾, *Kojima M*²⁾, *Suzuki S*²⁾, *Tokudome S*²⁾, *Tamakoshi K*¹⁾, *Toyoshima H*¹⁾, *Kawado M*²¹⁾, *Hashimoto S*²¹⁾, *Hayakawa N*³⁷⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Medical history of circulatory diseases and colorectal cancer death in the JACC Study. *J Epidemiol*, 15(Suppl II): S168-172, 2005.
- 014 *Ozasa K*²⁰⁾, *Ito Y*²¹⁾, *Suzuki K*²¹⁾, *Watanabe Y*²⁰⁾, *Kojima M*²⁾, *Suzuki S*²⁾, *Tokudome S*²⁾, *Tamakoshi K*¹⁾, *Toyoshima H*¹⁾, *Kawado M*²¹⁾, *Hashimoto S*²¹⁾, *Hayakawa N*³⁷⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Glucose intolerance and colorectal cancer risk in a nested case-control study among Japanese People. *J Epidemiol*, 15(Suppl II): S180-184, 2005.
- 015 *Ito Y*²¹⁾, *Suzuki K*²¹⁾, *Tamakoshi K*¹⁾, *Wakai K*, *Kojima M*²⁾, *Ozasa K*²⁰⁾, *Watanabe Y*²⁰⁾, *Kawado M*²¹⁾, *Hashimoto S*²¹⁾, *Suzuki S*²⁾, *Tokudome S*²⁾, *Toyoshima H*¹⁾, *Hayakawa N*³⁷⁾, *Kato K*²¹⁾, *Watanabe M*²¹⁾, *Ohta Y*²¹⁾, *Maruta M*²¹⁾, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Colorectal cancer and serum C-reactive protein levels: a case-control study nested in the JACC Study. *J Epidemiol*, 15(Suppl II): S185-189, 2005.
- 016 *Sakauchi F*²²⁾, *Mori M*²²⁾, *Washio M*²²⁾, *Watanabe Y*²⁰⁾, *Ozasa K*²⁰⁾, *Hayashi K*²⁰⁾, *Miki T*²⁰⁾, *Nakao M*²⁰⁾, *Mikami K*²⁰⁾, *Ito Y*²¹⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Dietary habits and risk of urothelial cancer incidence in the JACC Study. *J Epidemiol*, 15(Suppl II): S190-195, 2005.
- 017 *Ozasa K*²⁰⁾, *Nakao M*²⁰⁾, *Watanabe Y*²⁰⁾, *Hayashi K*²⁰⁾, *Miki T*²⁰⁾, *Mikami K*²⁰⁾, *Mori M*²²⁾, *Sakauchi F*²²⁾, *Washio M*²²⁾, *Ito Y*²¹⁾, *Suzuki K*²¹⁾, *Kubo T*³⁴⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Association of serum phytoestrogen concentration and dietary habits in a sample set of the JACC Study. *J Epidemiol*, 15(Suppl II): S196-202, 2005.
- 018 *Washio M*²²⁾, *Mori M*²²⁾, *Sakauchi F*²²⁾, *Watanabe Y*²⁰⁾, *Ozasa K*²⁰⁾, *Hayashi K*²⁰⁾, *Miki T*²⁰⁾, *Nakao M*²⁰⁾, *Mikami K*²⁰⁾, *Ito Y*²¹⁾, *Wakai K*, *Tamakoshi A*¹⁾, *the JACC Study Group*¹²⁾: Risk factors for kidney cancer in a Japanese population: findings from the JACC Study. *J Epidemiol*, 15(Suppl II): S203-211,

- 2005.
- 019 **Ozasa K²⁰⁾, Ito Y²¹⁾, Suzuki K²¹⁾, Watanabe Y²⁰⁾, Wakai K, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Association of serum carotenoid concentration and dietary habits among the JACC Study subjects. *J Epidemiol*, 15(Suppl II): S220-227, 2005.
- 020 **Yang CX⁴¹⁾, Matsuo K, Wang ZH⁴¹⁾, Tajima K**: Phase I/II Enzyme Gene Polymorphisms and Esophageal Cancer Risk: A Meta-analysis of Literature. *World J Gastroentero*, 11: 2531-2538, 2005.
- 021 **Yang CX⁴¹⁾, Matsuo K, Ito H, Shinoda M⁴²⁾, Hatoooka S⁴³⁾, Hirose K, Wakai K, Saito T, Suzuki T, Maeda H⁴⁴⁾, Tajima K**: Gene-environment interactions between alcohol drinking and the MTHFR C677T polymorphism impact on esophageal cancer risk: results of a case-control study in Japan. *Carcinogenesis*, 26: 1285-1290, 2005.
- 022 **Song FY⁴⁵⁾, Takezaki T¹⁸⁾, Li K⁴⁵⁾, Yu P⁴⁵⁾, Lin XK⁴⁶⁾, Yang HL⁴⁷⁾, Deng KL⁴⁵⁾, Zhang YQ⁴⁵⁾, Lv LW⁴⁵⁾, Huang XE⁴⁸⁾, Tajima K**: Development of a semi-quantitative food frequency questionnaire for middle-aged inhabitants in the Chaoshan area, China. *World J Gastroentero*, 11: 4078-4084, 2005.
- 023 **Tamakoshi K¹⁾, Toyoshima H¹⁾, Wakai K, Kojima M²⁾, Suzuki K²¹⁾, Watanabe Y²⁰⁾, Hayakawa N³⁷⁾, Yatsuya H¹⁾, Kondo T¹⁾, Tokudome S²⁾, Hashimoto S²¹⁾, Suzuki S²⁾, Kawado M²¹⁾, Ozasa K²⁰⁾, Ito Y²¹⁾, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Leptin is associated with an increased female colorectal cancer risk: a nested case-control study in Japan. *Oncology*, 68(4-6): 454-461, 2005.
- 024 **Hirose K, Imaeda N⁴⁹⁾, Tokudome Y³¹⁾, Goto C³¹⁾, Wakai K³¹⁾, Matsuo K, Ito H, Toyama T⁵¹⁾, Iwata H⁵¹⁾, Tokudome S²⁾, Tajima K**: Soybean products and reduction of breast cancer risk: a case-control study in Japan. *Brit J Cancer*, 93: 15-22, 2005.
- 025 **Tokudome Y³¹⁾, Goto C³¹⁾, Imaeda N⁴⁹⁾, Hasegawa T³¹⁾, Kato R²⁾, Hirose K, Tajima K, Tokudome S²⁾**: Relative validity of a short food frequency questionnaire for assessing nutrient intake versus three-day weighed diet records in middle-aged Japanese. *J Epidemiol*, 15: 135-145, 2005.
- 026 **Inoue M⁸⁾, Tsuji I⁴⁰⁾, Wakai K, Nagata C³²⁾, Mizoue T⁵²⁾, Tanaka K⁵³⁾, Tsugane S⁸⁾**: Evaluation based on systematic review of epidemiological evidence among Japanese populations: tobacco smoking and total cancer risk. *Jpn J Clin Oncol*, 35(7): 404-411, 2005.
- 027 **Yanada M¹⁾, Matsuo K, Suzuki T, Naoe T¹⁾**: Prognostic significance of FLT3 internal tandem duplication and tyrosine kinase domain mutations in acute myeloid leukemia: A meta-analysis. *Leukemia*, 19: 1345-1349, 2005.
- 028 **Teshima T⁵²⁾, Matsuo K, Matsue K⁵⁴⁾, Kawano F⁵⁵⁾, Taniguchi S⁹⁾, Hara M⁵⁶⁾, Hatanaka K⁵⁷⁾, Tanimoto M⁵⁸⁾, Harada M⁵²⁾, Nakao S⁵⁹⁾, Abe Y⁵²⁾, Wake A⁶⁰⁾, Eto T⁶¹⁾, Takemoto Y⁶²⁾, Imamura M⁶³⁾, Takahashi S⁶⁴⁾, Ishida Y⁶⁵⁾, Kanda Y⁶⁴⁾, Kasai M⁶⁶⁾, Takaue Y⁸⁾**: Impact of HLA mismatch on graft-versus-host disease and graft failure after reduced intensity conditioning allogeneic hematopoietic stem cell transplantation from related donors. *Brit J Haematol*, 130: 575-587, 2005.
- 029 **Wang LD⁶⁷⁾, Guo RF⁶⁷⁾, Fan ZM⁶⁷⁾, He X⁶⁷⁾, Gao SS⁶⁷⁾, Guo HQ⁶⁷⁾, Matsuo K, Yin LM⁶⁷⁾, Li JL⁶⁷⁾**: Association of methylenetetrahydrofolate reductase and thymidylate synthase promoter polymorphisms with genetic susceptibility to esophageal and cardia cancer in a Chinese high-risk population. *Dis Esophagus*, 18: 177-184, 2005.
- 030 **Jiang J²⁾, Suzuki S²⁾, Xiang J²⁾, Kuriki K, Hosono A²⁾, Arakawa K²⁾, Wang J²⁾, Nagaya T²⁾, Kojima M²⁾, Katsuda N³⁶⁾, Tokudome S²⁾**: Plasma carotenoid, alpha-tocopherol and retinol concentrations and risk of colorectal adenomas: A case-control study in Japan. *Cancer Lett*, 226(2): 133-141, 2005.
- 031 **Jiang J²⁾, Gajalakshmi V⁶⁸⁾, Wang J²⁾, Kuriki K, Suzuki S²⁾, Nakamura S⁶⁹⁾, Akasaka S⁴⁾, Ishikawa H⁵⁾, Tokudome S²⁾**: Influence of the C161T but not Pro12Ala polymorphism in the peroxisome proliferator-activated receptor-gamma on colorectal cancer in an Indian population. *Cancer Sci*, 96(8): 507-512, 2005.
- 032 **Yang CX⁴¹⁾, Wang HY⁷⁰⁾, Wzng ZM⁴¹⁾, Tao DM⁷⁰⁾, Mu XY⁷⁰⁾, Chen HG⁴¹⁾, Lei Y⁴¹⁾, Matsuo K, Tajima K**: Risk factors for esophageal cancer: a case-control study in south-western China. *Asian Pac J Cancer Prev*, 6: 48-53, 2005.
- 033 **Tagawa H⁷¹⁾, Suguro M⁷¹⁾, Tsuzuki S⁷¹⁾, Matsuo K, Karnan S⁷¹⁾, Ohshima K⁷¹⁾, Okamoto M⁷¹⁾, Morishima Y⁷²⁾, Nakamura S⁷³⁾, Seto M⁷¹⁾**: Comparison of genome profiles for identification of distinct subgroups of diffuse large B-cell lymphoma. *Blood*, 106: 1770-1777, 2005.
- 034 **Uchida K, Akita Y, Matsuo K, Fujiwara S⁷⁴⁾, Nakagawa A⁷⁵⁾, Kazaoka Y¹⁰⁾, Hachiya H⁷⁶⁾, Naganawa Y⁷⁷⁾, Oh-iwa I⁷⁴⁾, Ohura K⁷⁸⁾, Saga S¹⁰⁾, Kawai T, Matsumoto Y, Shimoizato K, Kozaki K¹⁷⁹⁾**: Identification of specific autoantigens in Sjögren's syndrome by SEREX. *Immunology*, 116: 53-63, 2005.
- 035 **Lin Y¹⁰⁾, Kikuchi S¹⁰⁾, Tamakoshi A¹⁾, Wakai K, Kawamura T⁸⁰⁾, Iso H⁸¹⁾, Ogimoto I⁸²⁾, Yagyu K¹⁰⁾, Obata Y¹⁰⁾, Ishibashi T⁸³⁾, the JACC Study Group¹²⁾**: Alcohol consumption and mortality among middle-aged and elderly Japanese men and women. *Ann Epidemiol*, 15: 590-597, 2005.
- 036 **Lin Y¹⁰⁾, Kikuchi S¹⁰⁾, Tamakoshi K¹⁾, Wakai K, Kondo T¹⁾, Niwa Y¹⁾, Yatsuya H¹⁾, Nishio K¹⁾, Suzuki S²⁾, Tokudome S²⁾, Yamamoto A¹¹⁾, Toyoshima H¹⁾, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Prospective study of alcohol consumption and breast cancer risk in Japanese women. *Int J Cancer*, 116: 779-783, 2005.
- 037 **Hotta K⁵⁸⁾, Kiura K⁵⁸⁾, Tabata M⁵⁸⁾, Harita S⁸⁴⁾, Gemba K⁸⁵⁾, Yonei T⁸⁶⁾, Bessho A⁸⁷⁾, Maeda T⁸⁸⁾, Moritaka T⁵⁶⁾, Shibayama T⁸⁹⁾, Matsuo K⁹⁰⁾, Kato K⁸⁵⁾, Kanehiro A⁵⁸⁾, Tanimoto Y⁵⁸⁾, Matsuo K, Ueoka H⁵⁸⁾, Tanimoto M⁵⁸⁾**: Interstitial Lung Disease in Patients with Non-Small-Cell Lung Cancer Receiving Gefitinib: An Analysis of Risk Factors and Treatment Outcomes in Okayama Lung Cancer Study Group.

- Cancer J, 11: 417-424, 2005.
- 038 **Wakai K, Tamakoshi K¹⁾, Date C⁹¹⁾, Fukui M²⁵⁾, Suzuki S²⁾, Lin Y¹⁰⁾, Niwa Y¹⁾, Nishio K¹⁾, Yatsuya H¹⁾, Kondo T¹⁾, Tokudome S²⁾, Yamamoto A¹¹⁾, Toyoshima H¹⁾, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Dietary intakes of fat and fatty acids and risk of breast cancer: a prospective study in Japan. *Cancer Sci*, 96: 590-599, 2005.
- 039 **Li K⁴⁵⁾, Takezaki T¹⁸⁾, Song F-Y⁴⁵⁾, Yu P⁴⁵⁾, Deng X-L⁴⁵⁾, Tajima K**: Relative validity of a semi-quantitative food frequency questionnaire versus 3 day weighed diet records in middle-aged inhabitants in Chaoshan area, China. *Asian Pac J Cancer Prev*, 6: 376-381, 2005.
- 040 **Ito H, Matsuo K, Hamajima N¹⁾, Okuma K⁴⁴⁾, Saito T, Tajima K**: Significant association of the interleukin 8 (IL8) -251T/A polymorphism with smoking behavior in a Japanese population. *J Hum Genet*, 50: 567-573, 2005.
- 041 **Niwa Y¹⁾, Hirose K, Nakanishi T⁹²⁾, Nawa A⁹²⁾, Kuzuya K⁹²⁾, Tajima K, Hamajima N¹⁾**: Association of the NAD(P)H: quinone oxidoreductase C609T polymorphism and the risk of cervical cancer in Japanese subjects. *Gynecol Oncol*, 96: 423-429, 2005.
- 042 **Niwa Y¹⁾, Yatsuya H¹⁾, Tamakoshi K¹⁾, Nishio K¹⁾, Kondo T¹⁾, Lin Y¹⁰⁾, Suzuki S²⁾, Wakai K, Tokudome S²⁾, Yamamoto A¹¹⁾, Hamajima N¹⁾, Toyoshima H¹⁾, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Relationship between body mass index and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort (JACC) study. *J Obstet Gynaecol Res*, 31: 452-458, 2005.
- 043 **Niwa Y¹⁾, Matsuo K, Ito H, Hirose K, Tajima K, Nakanishi T⁹²⁾, Nawa A⁹²⁾, Kuzuya K⁹²⁾, Tamakoshi A¹⁾, Hamajima N¹⁾**: Association of XRCC1 Arg399Gln and OGG1 Ser326Cys polymorphisms with the risk of cervical cancer in Japanese subjects. *Gynecol Oncol*, 99: 43-49, 2005.
- 044 **Hotta K⁵⁸⁾, Matsuo K, Ueoka H⁵⁸⁾, Kiura K⁵⁸⁾, Tabata M⁵⁸⁾, Harita S⁸⁴⁾, Gemba K⁸⁵⁾, Yonei T⁸⁶⁾, Bessho A⁸⁷⁾, Tanimoto M⁵⁸⁾**: Continued Gefitinib Treatment after Disease Stabilisation Prolongs Survival of Japanese Patients with Advanced Non-Small-Cell Lung Cancer: Okayama Lung Cancer Study Group Experience. *Ann Oncol*, 16: 1817-23, 2005.
- 045 **Wakai K, Ito Y²¹⁾, Kojima M²⁾, Tokudome S²⁾, Ozasa K²⁰⁾, Inaba Y³⁰⁾, Yagyu K¹⁰⁾, Tamakoshi A¹⁾, the JACC Study Group¹²⁾**: Intake frequency of fish and serum levels of long-chain n-3 fatty acids: a cross-sectional study within the Japan Collaborative Cohort Study. *J Epidemiol*, 15: 211-218, 2005.
- 046 **Mutoh H¹⁾, Hamajima N¹⁾, Tajima K, Kobayashi T¹⁾, Honda H¹⁾**: Exhaustive exploring using Artificial Neural Network for identification of SNPs combination related to Helicobacter pylori infection susceptibility. *Chem-Bio Informatics Journal*, 5: 15-26, 2005.
- 047 **Matsuo K, Ito H, Wakai K, Hirose K, Saito T, Suzuki T, Kato T⁹³⁾, Hirai T⁹³⁾, Kanemitsu Y⁹³⁾, Hamajima H⁴⁴⁾, Tajima K**: One-carbon metabolism related polymorphisms and risk of CRC in Japan. *Carcinogenesis*, 26: 2164-2171, 2005.
- 048 **Yang C-X⁴¹⁾, Matsuo K, Ito H, Hirose K, Wakai K, Saito T, Shinoda M, Hatooka S, Mizutani K, Tajima K**: Esophageal cancer risk by ALDH2 and ADH2 polymorphisms and alcohol consumption: Exploration of gene-environment and gene-gene interaction. *Asian Pac J Cancer Prev*, 6: 256-262, 2005.
- 049 **Dobrodeeva LK⁹⁴⁾, Kornienko EB⁹⁴⁾, Petrenya NN⁹⁴⁾, Lutfaliev GT⁹⁴⁾, Schegoleva LS⁹⁴⁾, Demeneva LV⁹⁴⁾, Duberman BL⁹⁵⁾, Tkachef AV⁹⁴⁾, Chiba H⁹⁶⁾, Senoo H²⁷⁾, Ito K⁹⁶⁾, Mizoguchi E⁹⁶⁾, Yoshida S⁹⁶⁾, Tajima K**: A unique seroepidemiological pattern of HBV, HCV and HTLV-I in Nenets and Komi in northwestern Russia. *Asian Pac J Cancer Prev*, 6: 342-345, 2005.
- 050 **Tanaka D¹⁾, Hishida A¹⁾, Matsuo K, Iwata H⁵¹⁾, Shinoda M⁴²⁾, Yamamura Y⁹³⁾, Kato T⁹³⁾, Hatooka S⁴³⁾, Mitsudomi T⁴³⁾, Kagami Y⁹⁷⁾, Ogura M⁹⁷⁾, Tajima K, Suyama M⁹⁸⁾, Naito M¹⁾, Yamamoto K¹⁾, Tamakoshi A¹⁾, Hamajima N¹⁾**: Polymorphism of dihydropyrimidine dehydrogenase (DPYD) Cys29Arg and risk of six malignancies in Japanese. *Nagoya J Med*, 67: 117-124, 2005.
- 051 **Li K⁴⁵⁾, Takezaki T¹⁸⁾, Lv L-W⁴⁵⁾, YU P⁴⁵⁾, Song F-P⁹⁹⁾, Tajima K**: Reproducibility of a semi-quantitative food frequency questionnaire in Chaoshan area, China. *Asian Pac J Cancer Prev*, 6: 521-526, 2005.
- 052 **Sugimura T¹⁾, Kumimoto H¹⁰⁰⁾, Tohnai I¹⁾, Fukui T¹⁾, Matsuo K, Tsurusako S¹⁾, Mitsudo K¹⁾, Ueda M¹⁾, Tajima K, Ishizaki K¹⁰⁰⁾**: Gene-environment interaction involved in oral carcinogenesis; molecular epidemiological study for metabolic and DNA repair gene polymorphisms. *J Oral Pathol Med*, 35: 11-18, 2006.
- 053 **Yanada M¹⁾, Takeuchi J¹⁰¹⁾, Sugiura I¹⁰²⁾, Akiyama H¹⁰³⁾, Usui N¹⁰⁴⁾, Yagasaki F¹⁰⁵⁾, Kobayashi T¹⁰⁶⁾, Ueda Y¹⁰⁷⁾, Takeuchi M¹⁰⁸⁾, Miyawaki S¹⁰⁹⁾, Maruta A²⁹⁾, Emi N¹¹⁰⁾, Miyazaki Y³⁹⁾, Ohtake S¹¹¹⁾, Jinnai I¹⁰⁴⁾, Matsuo K, Naoe T¹⁾, Ohno R¹¹²⁾**: High Complete Remission Rate and Promising Outcome by Combination of Imatinib and Chemotherapy for Newly Diagnosed BCR-ABL-Positive Acute Lymphoblastic Leukemia: A Phase II Study by the Japan Adult Leukemia Study Group. *J Clin Oncol*, 24: 460-466, 2006.
- 054 **Lu J-W¹¹³⁾, Gao C-M¹¹³⁾, Wu J-Z¹¹³⁾, Cao H-X¹¹³⁾, Tajima K, Feng J-F¹¹³⁾**: Polymorphism in the 3'-untranslated region of the thymidylate synthase gene and sensitivity of stomach cancer to fluoropyrimidine-based chemotherapy. *J Hum Genet*, 51: 155-160, 2006.
- 055 **Mizoue T⁵²⁾, Inoue M⁸⁾, Tanaka K⁵³⁾, Tsuji I⁴⁰⁾, Wakai K, Nagata C³²⁾, Tsugane S⁸⁾**: Tobacco smoking and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. *Jpn J Clin Oncol*, 36: 25-39, 2006.
- 056 **Yoshida I⁵⁸⁾, Matsuo K, Teshima T⁵²⁾, Hashimoto D⁵⁸⁾, Tanimoto Y⁵⁸⁾, Harada M⁵²⁾, Tanimoto M⁵⁸⁾**: Transient respiratory disturbance by G-CSF administration in healthy

- donors of allogeneic PBPC transplantation. *Transfusion*, 46:186-92., 2006.
- 057 **Ito H, Matsuo K, Wakai K, Saito T, Kumimoto H¹⁰⁰, Okuma K⁴⁴, Tajima K, Hamajima N¹**: An intervention study of smoking cessation with feedback on genetic cancer susceptibility. *Prev Med*, 42: 102-108, 2006.
- 058 **Toyooka S⁵⁸, Tokumo M⁵⁸, Shigematsu H⁵⁸, Matsuo K, Asano H⁵⁸, Tomii K¹¹⁴, Ichihara S⁵⁸, Suzuki M⁵⁸, Aoe M⁵⁸, Date H⁵⁸, Gazdar AF¹¹⁵, Shimizu N⁵⁸**: Mutational and epigenetic evidence for independent pathways for lung adenocarcinoma arising in smokers and never smokers. *Cancer Res*, 66: 1371-1375, 2006.
- 059 **Wang J², Gajalakshmi V⁶⁸, Jiang J², Kuriki K, Suzuki S², Nagaya T², Nakamura S⁶⁹, Akasaka S⁴, Ishikawa H⁵, Tokudome S²**: Associations between 5, 10-methylenetetrahydrofolate reductase codon 677 and 1298 genetic polymorphisms and environmental factors with reference to susceptibility to colorectal cancer: A case-control study in an Indian population. *Int J Cancer*, 118: 991-997, 2006.
- 060 **Iwata H⁹, Matsuo K, Hara S⁹, Takeuchi K⁶⁴, Aoyama T⁹, Murashige N⁸, Kanda Y⁶⁴, Mori S¹¹⁶, Suzuki R, Tachibana S⁹, Yamane M⁹, Odawara M⁹, Mutou Y⁹, Kami M⁸**: Usage of HMG-CoA reductase inhibitors is associated with the risk of lymphoid malignancies. *Cancer Sci*, 97: 133-138, 2006.
- 061 **Suzuki T, Matsuo K, Ito H, Sawaki A¹¹⁷, Hirose K, Wakai K, Sato S¹¹⁸, Nakamura T², Yamao K¹¹⁷, Ueda R¹¹⁸, Tajima K**: Smoking increases the treatment failure for *Helicobacter pylori* eradication. *Am J Med*, 3: 217-224, 2006.
- 062 **Jiang J², Wang J², Suzuki S², Gajalakshmi V⁶⁸, Kuriki K, Zhao Y², Nakamura S⁶⁹, Akasaka S⁴, Ishikawa H²⁰, Tokudome S²**: Elevated risk of colorectal cancer associated with the AA genotype of the cyclin D1 A870G polymorphism in an Indian population. *J Cancer Res Clin*, 132: 193-9, 2006.
- 063 **Nishino Y¹¹⁹, Wakai K, Kondo T¹, Seki N³⁸, Ito Y²¹, Suzuki S²¹, Ozasa K²⁰, Watanabe Y²⁰, Ando M³⁹, Tsubono Y⁴⁰, Tsuji I⁴⁰, Tamakoshi A¹**: Alcohol consumption and lung cancer mortality in Japanese men: results from Japan collaborative cohort (JACC) study. *J Epidemiol*, 16: 49-56, 2006.

¹名古屋大学, ²名古屋市, ³Gadjah Mada University, Yogyakarta, ⁴大阪府立公衆衛生研究所, ⁵兵庫医科大学, ⁶福井大学, ⁷Asian Pacific Organization for Cancer Prevention, ⁸国立がんセンター, ⁹虎ノ門病院, ¹⁰愛知医科大学, ¹¹兵庫県立健康環境科学研究所, ¹²大規模コホートの運営委員会, ¹³Seoul National University College of Medicine, ¹⁴Konkuk University College of Medicine, ¹⁵Ulsan University College of Medicine, ¹⁶Finnish Institute of Occupational Health, ¹⁷Dept of Health Evaluation, Penn State Univ, ¹⁸鹿児島大学, ¹⁹Columbia Univ, ²⁰京都府立医科大学, ²¹藤田保健衛生大, ²²札幌医科大学, ²³静岡がんセンター, ²⁴武庫川女子大, ²⁵大阪市立大学, ²⁶八雲町役場, ²⁷秋田大学, ²⁸昭和大学, ²⁹神奈川県立がんセンター, ³⁰順天堂大学, ³¹名古屋文理大学, ³²岐阜大学, ³³中川クリニック, ³⁴産業医科大学, ³⁵福

岡県保健環境研究所, ³⁶名古屋市北保健所, ³⁷広島大学, ³⁸新潟大学, ³⁹京都大学, ⁴⁰東北大学, ⁴¹四川大学, ⁴²緩和ケア部, ⁴³胸部外科部, ⁴⁴臨床検査部, ⁴⁵Shantou Medical Univ, China, ⁴⁶Shantou Disease Preventive and Control Center, ⁴⁷Board of Health Nan'ao County, ⁴⁸Jiangsu Provincial Cancer Hospital, ⁴⁹名古屋女子大, ⁵⁰名古屋文理大学, ⁵¹乳腺外科部, ⁵²九州大学, ⁵³佐賀大学, ⁵⁴亀田メディカルセンター, ⁵⁵熊本医療センター, ⁵⁶愛媛県立中央病院, ⁵⁷りんくう総合医療センター, ⁵⁸岡山大学, ⁵⁹金沢大学, ⁶⁰小倉記念病院, ⁶¹福岡市の町病院, ⁶²今村分院病院, ⁶³北海道大学, ⁶⁴東京大学, ⁶⁵岩手医科大学, ⁶⁶札幌北橋病院, ⁶⁷Zhengzhou University, ⁶⁸Epidemiological Research Center, Chennai, India, ⁶⁹財団法人体質研究会, ⁷⁰Yanting Cancer Research Institute, ⁷¹遺伝子医療研究部, ⁷²血液・化学療法部, ⁷³分子病態学部, ⁷⁴名古屋第一赤十字病院, ⁷⁵国立小児医療研究センター, ⁷⁶碧南市民病院, ⁷⁷大垣市民病院, ⁷⁸大阪歯科大学, ⁷⁹東京医科歯科大学, ⁸⁰京大保健管理センター, ⁸¹筑波大学, ⁸²久留米大学, ⁸³浅間総合病院, ⁸⁴中国中央病院, ⁸⁵岡山労災病院, ⁸⁶岡山医療センター, ⁸⁷四国がんセンター, ⁸⁸国立山陽病院, ⁸⁹国立南岡山病院, ⁹⁰岡山赤十字病院, ⁹¹奈良女子大, ⁹²婦人科部, ⁹³消化器外科部, ⁹⁴Institute of Physiology of Adaptations to Environment, Arkhangelsk, Russia, ⁹⁵Municipal Clinical Hospital, Arkhangelsk, Russia, ⁹⁶北海道大学病院, ⁹⁷血液・細胞療法部, ⁹⁸呼吸器内科, ⁹⁹Hanshan Teachers College, China, ¹⁰⁰中央実験部, ¹⁰¹日本大学, ¹⁰²豊橋市民病院, ¹⁰³都立駒込病院, ¹⁰⁴東京慈恵会医科大学, ¹⁰⁵埼玉医科大学, ¹⁰⁶三重大学, ¹⁰⁷倉敷中央病院, ¹⁰⁸南岡山医療センター, ¹⁰⁹済生会前橋病院, ¹¹⁰長崎大学, ¹¹¹名誉総長, ¹¹²前総長, ¹¹³江蘇省腫瘍防治研究所, ¹¹⁴千葉大学, ¹¹⁵Univ Texas South Western Medical Center, ¹¹⁶駒込病院, ¹¹⁷消化器内科部, ¹¹⁸内視鏡部, ¹¹⁹宮城県がんセンター

【単行本その他】

- 001 **Wakai K, Ando M¹, Ozasa K², Ito Y³, Suzuki K³, Nishino Y⁴, Kuriyama S⁴, Seki N⁵, Kondo T⁶, Watanabe Y², Ohno Y⁶, Tamakoshi A⁶, the JACC Study Group⁷**: Updated information on risk factors for lung cancer: findings from the JACC Study. *J Epidemiol*, 15(Suppl II): S134-139, 2005.
- 002 **Hotta K⁸, Matsuo K, Ueoka H⁸**: Toxicity data in addition to survival data are important in evaluating the applicability of a chemotherapy regimen of advanced NSCLC. *Lung Cancer-JIASLC*, 49: 277, 2005.
- 003 **Moore M⁹, Sobue T¹⁰, Kuriki K, Tajima K, Tokudome S¹¹, Kono S¹²**: Comparison of Japanese, American-Whites and African-American-Pointers to risk factors to underlying distribution of tumours in the colorectum. *Asian Pac J Cancer Prev*, 6: 412-419, 2005.
- 004 **Hotta K¹³, Matsuo K, 30Ueoka H¹³, Tanimoto M¹³**: Advances in our understanding of postoperative adjuvant chemotherapy in resectable non-small-cell lung cancer. *Curr Opin Oncol*, 18: 144-150., 2006.
- 005 **Tokudome S¹¹, Kojima M¹¹, Suzuki S¹¹, Ichikawa H¹¹, Ichikawa Y¹¹, Miyata M¹¹, Maeda K¹¹, Marumoto M¹¹**

- Agawa H¹¹, Arakawa K¹¹, Tanaka T¹¹, Ando R¹¹, Hattori N¹¹, Goto C¹⁴, Tokudome Y¹⁴, Imaeda N¹⁵, Kuriki K, Okuyama H¹⁶, Moore MA¹²: Marine n-3 fatty acids and colorectal cancer: is there a real link?. Cancer Epidemiol Biomarker Prev, 15: 406-407, 2006.
- 006 田島和雄: 疾病と性差: 癌. 治療学, 87: 307-312, 2005.
- 007 堀田勝幸¹³, 松尾恵太郎, 上岡 博¹³: 非小細胞肺癌治療におけるプラチナ製剤と術後補助化学療法に関するメタアナリシス. 血液・腫瘍科, 50: 525-531, 2005.
- 008 広瀬かおる, 田島和雄: 大野恵子編「性差医療」がんと性差. 212-223, 2005.
- 009 田島和雄: 肝臓癌発生の疫学. 臨床検査, 49: 1177-1183, 2005.
- 010 田島和雄: がん予防の戦略～民族疫学から～. 若さの栄養学, 127: 12-19, 2006.
- 011 田島和雄, 広瀬かおる: 疫学的知見から乳癌診療への将来的展望. 日本臨床, 64: 409-416, 2006.
- 012 松尾恵太郎: 疫学. 急性白血病 新しい診断と治療のABC36, 20-29, 2006.

¹京都大学, ²京都府立医大, ³藤田保健衛生大, ⁴東北大学, ⁵新潟大学, ⁶名古屋大学, ⁷大規模コホートの運営委員会, ⁸大阪大学, ⁹APJCP, ¹⁰国立がんセンター, ¹¹名古屋市, ¹²九州大学, ¹³岡山大学, ¹⁴名古屋文理大学, ¹⁵名古屋女子大学, ¹⁶金城学院大学

腫瘍病理学部

- 001 Asaoka Y¹, Sakai H¹, Takahashi N¹, Hirata A², Tsukamoto T., Yamamoto M, Yanai T¹, Masegi T¹, Tatematsu M: Intraperitoneal injection of D-galactosamine provides a potent cell proliferation stimulus for the detection of initiation activities of chemicals in rat liver. J Appl Toxicol, 25: 554-561, 2005.
- 002 Fukushima S³, Wanibuchi H³, Morimura K³, Nakae D⁴, Tsuda H⁵, Imaida K⁶, Shirai T⁷, Tatematsu M, Tsukamoto T, Hirose M⁸, Furukawa F⁸: Lack of potential of low dose N-nitrosodimethylamine to induce preneoplastic lesions, glutathione S-transferase placental form-positive foci, in rat liver. Cancer Lett., 222: 11-15, 2005.
- 003 Goto M², Tsukamoto T, Inada K⁹, Mizoshita T, Ogawa T¹⁰, Terada A¹⁰, Hyodo I¹⁰, Shimozato K¹¹, Hasegawa Y¹⁰, Tatematsu M: Loss of p21(WAF1/CIP1) expression in invasive fronts of oral tongue squamous cell carcinomas is correlated with tumor progression and poor prognosis. Oncol. Rep., 14: 837-846, 2005.
- 004 Iidaka T², Tsukamoto T, Totsuka Y¹², Hirata A², Sakai H¹, Shirai N², Yamamoto M, Wakabayashi K, Yanai T, Masegi T, Donehower L.A, Tatematsu M: Lack of elevated liver carcinogenicity of aminophenylnorharman in p53-deficient mice. Cancer Lett., 217: 149-159, 2005.
- 005 Inada K.I⁹, Mizoshita T, Tsukamoto T, Porter E.M¹³, Tatematsu M: Paneth type gastric cancer cells exhibit expression of human defensin-5. Histopathology, 47: 330-331, 2005.
- 006 Magari H¹⁴, Shimizu Y, Inada K.I⁹, Enomoto S¹⁴, Tomeki T¹⁴, Yanaoka K¹⁴, Tamai H¹⁴, Arii K¹⁴, Nakata H¹⁴, Oka M¹⁴, Utsunomiya H¹⁵, Tsutsumi Y⁹, Tsukamoto T, Tatematsu M, Ichinose M¹⁴: Inhibitory effect of etodolac, a selective cyclooxygenase-2 inhibitor, on stomach carcinogenesis in Helicobacter pylori-infected Mongolian gerbils. Biochem. Biophys. Res. Commun., 2005.
- 007 Mizoshita T, Tsukamoto T, Cao X², Otsuka T², Ito S¹⁶, Takahashi E¹⁷, Nakamura S¹⁷, Nakamura T¹⁸, Yamamura Y¹⁶, Tatematsu M: Microsatellite instability is linked to loss of hMLH1 expression in advanced gastric cancers: lack of a relationship with the histological type and phenotype. Gastric Cancer, 8: 164-172, 2005.
- 008 Mizoshita T, Tsukamoto T, Tanaka H, Takenaka Y¹⁹, Kato S², Cao X², Joh T²⁰, Tatematsu M: Colonic and small-intestinal phenotypes in gastric cancers: Relationships with clinicopathological findings. Pathol. Int., 55: 611-618, 2005.
- 009 Niwa T², Ikehara Y, Nakanishi H, Tanaka H, Inada K⁹, Tsukamoto T, Ichinose M¹⁴, Tatematsu M. Mixed gastric-and intestinal-type metaplasia is formed by cells with dual intestinal and gastric differentiation. J. Histochem. Cytochem., 53: 75-85, 2005.
- 010 Niwa T²¹, Yamashita S²¹, Tsukamoto T, Kuramoto T²¹, Nomoto T²¹, Wakazono K²¹, Fujita H²¹, Matsuhima T²¹, Tatematsu M, Sugimura T²², Ushijima T²¹: Whole-genome analyses of loss of heterozygosity and methylation analysis of four tumor-suppressor genes in N-methyl-N'-nitro-N-nitrosoguanidine-induced rat stomach carcinomas. Cancer Sci., 96: 409-413, 2005.
- 011 Ogasawara N², Tsukamoto T, Inada K⁹, Mizoshita T, Ban N, Yamao K¹⁸, Joh T²⁰, Itoh M²⁰, Tatematsu M: Frequent c-Kit genemutations not only in gastrointestinal stromal tumors but also in interstitial cells of Cajal in surrounding normal mucosa. Cancer Lett, 230: 199-210, 2005.
- 012 Otsuka T², Tsukamoto T, Mizoshita T, Inada K⁹, Takenaka Y¹⁹, Kato S², Yamamura Y¹⁶, Miki K²³, Tatematsu M: Coexistence of gastric- and intestinal-type endocrine cells in gastric and intestinal mixed intestinal metaplasia of the human stomach. Pathol. Int., 55: 170-179, 2005.
- 013 Otsuka T², Tsukamoto T, Tanaka H, Inada K⁹, Utsunomiya H¹⁵, Mizoshita T, Kumagai T²⁴, Katsuyama T²⁴, Miki K²³, Tatematsu M: Suppressive Effects of Fruit-juice Concentrate of Prunus Mume Sieb. et Zucc. (Japanese apricot, Ume) on Helicobacter Pylori-induced Glandular Stomach Lesions in Mongolian Gerbils. Asian Pac. J. Cancer Prev., 6: 337-341, 2005.
- 014 Tanaka H, Tsukamoto T, Mizoshita T, Inada K⁹, Ogasawara N

- ²⁾, **Cao X**²⁾, **Kato S**²⁾, **Joh T**³⁰⁾, **Tatematsu M**: Expression of small intestinal and colonic phenotypes in complete intestinal metaplasia of the human stomach. *Virchows Arch*, 447: 806-815, 2005.
- 015 **Tatematsu M**, **Tsukamoto T**, **Mizoshita T**: Role of Helicobacter pylori in Gastric Carcinogenesis: The Origin of Gastric Cancers and Heterotopic Proliferative Glands in Mongolian Gerbils. *Helicobacter*, 10: 97-106, 2005.
- 016 **Tsukamoto T**, **Hirata A**²⁾, **Tatematsu M**: Susceptibility of heterozygous and nullizygous p53 knockout mice to chemical carcinogens: Tissue dependence and role of p53 gene mutations. *J. Toxicol. Pathol.*, 18: 121-134, 2005.
- 017 **Tsukamoto T**, **Mizoshita T**²⁾, **Mihara M**²¹⁾, **Tanaka H**, **Takenaka Y**¹⁹⁾, **Yamamura Y**¹⁶⁾, **Nakamura S**¹⁷⁾, **Ushijima T**²¹⁾, **Tatematsu M**: Sox2 expression in human stomach adenocarcinomas with gastric and gastric-and-intestinal-mixed phenotypes. *Histopathology*, 46: 649-658, 2005.
- 018 **Tsukamoto T**, **Tatematsu M**: Linkage of tissue dependent susceptibility and p53 gene mutations due to chemical carcinogens in p53 knockout mice. In: Eds. **Tanaka T**²⁵⁾, **Tsuda H**⁵⁾. "Carcinogenesis and Modification of Carcinogenesis", Kerala, India: Research Signpost; 2005. p. 9-31.
- 019 **Utsunomiya H**¹⁵⁾, **Inada K**⁹⁾, **Tsukamoto T**, **Tatematsu M**: Inhibitory effects of "Bainiku-ekisu", Japanese apricot extracts, on motility and growth of Helicobacter pylori. In: Eds. **Tanaka T**²⁵⁾, **Tsuda H**⁵⁾. "Carcinogenesis and Modification of Carcinogenesis Kerala, India: Research Signpost; 2005. p.153-163.
- 020 **Kato S**²⁾, **Tsukamoto T**, **Mizoshita T**, **Tanaka H**, **Kumagai T**²⁴⁾, **Ota H**²⁴⁾, **Katsuyama T**²⁴⁾, **Asaka M**²⁶⁾, **Tatematsu M**: High salt diets dose-dependently promote gastric chemical carcinogenesis in Helicobacter pylori-infected Mongolian gerbils associated with a shift in mucin production from glandular to surface mucous cells. *Int J Cancer*, in press, 2006.
- 021 **Maekita T**²¹⁾, **Nakazawa K**¹⁴⁾, **Mihara M**²¹⁾, **Nakajima T**²¹⁾, **Yanaoka K**¹⁴⁾, **Iguchi M**¹⁴⁾, **Arii K**¹⁴⁾, **Kaned A**²¹⁾, **Tsukamoto T**, **Tatematsu M**, **Tamura G**²⁷⁾, **Saito D**²⁸⁾, **Sugimura T**²²⁾, **Ichinose M**¹⁴⁾, **Ushijima T**²¹⁾: High levels of aberrant DNA methylation in Helicobacter pylori-infected gastric mucosae and its possible association with gastric cancer risk. *Clin Cancer Res*, 12: 989-995, 2006.
- 022 **Mizoshita T**, **Tsukamoto T**, **Takenaka Y**¹⁹⁾, **Cao X**²⁾, **Kato S**²⁾, **Kaminishi M**²⁹⁾, **Tatematsu M**: Gastric and intestinal phenotypes and histogenesis of advanced glandular stomach cancers in carcinogen-treated, Helicobacter pylori-infected Mongolian gerbils. *Cancer Sci*, 97: 38-44, 2006.
- 023 **Tsukamoto T**, **Sakai H**¹⁾, **Hirata A**²⁾, **Fukami H**, **Tatematsu M**: Three-dimensional analysis of isolated hexosaminidase-altered aberrant crypts from colons of 1,2-dimethylhydrazine-treated rats. *Exp Toxicol Pathol*, 57: 283-289, 2006.
- 024 **Hirata A**²⁾, **Tsukamoto T**, **Yamamoto M**, **Sakai H**¹⁾, **Yanai T**¹⁾, **Masegi T**¹⁾, **Donehower L.A**³⁰⁾, **Tatematsu M**: Organ-specific susceptibility of p53 knockout mice to N-bis(2-hydroxypropyl) nitrosamine carcinogenesis. *Cancer Lett.*, in press.
- 025 **Ogasawara N**²⁾, **Tsukamoto T**, **Mizoshita T**, **Inada K**⁹⁾, **Cao X**²⁾, **Takenaka Y**¹⁹⁾, **Joh T**²⁰⁾, **Tatematsu M**: Mutation and nuclear accumulation of beta-catenin correlate with intestinal phenotypic expression in human stomach cancer. *Histopathology*, in press.
- 026 **Takenaka Y**¹⁹⁾, **Tsukamoto T**, **Mizoshita T**, **Cao X**²⁾, **Ban H**, **Ogasawara N**²⁾, **Kaminishi M**²⁹⁾, **Tatematsu M**: Helicobacter pylori infection stimulates intestinalization of endocrine cells in glandular stomach of Mongolian gerbils. *Cancer Sci.*, in press.
- 027 **Tatematsu M**, **Tsukamoto T**, **Mizoshita T**: Significant factors on gastric carcinogenesis revealed by experimental animal models. *J. Toxicol. Pathol.*, in press.
- 028 **Tsukamoto T**, **Mizoshita T**, **Tatematsu M**: Gastric-and-intestinal mixed intestinal metaplasia: aberrant expression of transcription factors and stem cell intestinalization. *Gastric Cancer*, in press.
- 029 **Tsukamoto T**, **Yamamoto M**, **Fukami H**, **Yoshikawa A**²⁹⁾, **Sakai H**¹⁾, **Hirata A**²⁾, **Kusakabe M**³¹⁾, **Tatematsu M**. Susceptibility to colon carcinogenesis in C3H <-> C57BL/6 chimeric mice reflects both tissue microenvironment and genotype *Cancer Lett.*, in press.
- 030 **Nakanishi H**, **Yasui K**, **Ikehara Y**, **Yokoyama H**, **Munesue S**, **Kodera Y**, **Tatematsu M**. Establishment and characterization of three novel human gastric cancer cell lines with differentiated intestinal phenotype derived from liver metastasis. *Clin. Exp. Meta.* 22:137-147 (2005).
- 031 **Kodera Y**, **Nakanishi H**, **Ito S**, **Yamamura Y**, **Fujiwara M**, **Koike M**, **Hibi K**, **Ito K**, **Tatematsu M**, **Nakao A**. Prognostic significance of intraperitoneal cancer cells in gastric carcinoma: detection of cytokeratin 20 mRNA in peritoneal washes, in addition to detection of carcinoembryonic antigen. *Gastric Cancer*. 8(3):142-8 (2005).
- 032 **Futamura N**, **Nakanishi H**, **Hirose H**, **Nakamura S**, **Tatematsu M**. The effect of storage on the survival of cancer cells in blood and efficient elimination of contaminating cancer cells by a leukocyte depletion filter. *Am Surg*. 71(7): 585-90 (2005).
- 033 **Yamachika T**, **Nakanishi H**, **Yasui K**, **Ikehara Y**, **Niwa T**, **Wanibuchi H**, **Tatematsu M**, **Fukushima S**. Establishment and characterization of a human colonic mucinous carcinoma cell line with predominant goblet-cell differentiation from liver metastasis. *Pathol Int*. 55(9): 550-7 (2005).
- 034 **Ohashi N**, **Kodera Y**, **Nakanishi H**, **Yokoyama H**, **Fujiwara M**, **Koike M**, **Hibi K**, **Nakao A**, **Tatematsu M**. Efficacy of intraperitoneal chemotherapy with paclitaxel targeting peritoneal micrometastasis as revealed by GFP-tagged human gastric cancer cell lines in nude mice. *Int. J. Oncol*. 27(3) ; 637-44 (2005).
- 035 **Ito s**, **Nakanishi H**, **Kodera Y**, **Mochizuki Y**, **Tatematsu M**, **Yamamura Y**, Prospective validation of quantitative CEA mRNA detection in peritoneal washes in gastric carcinoma patients. *Br. J. Cancer*, 93 (9): 986-92 (2005).

- 036 *Kodera Y, Nakanishi H, Ito S, Mochizuki Y, Ohashi N, Yamamura Y, Fujiwara M, Koike M, Hibi K, Nakao A, Tatematsu M, Nakao A*. J Am Coll Surg. 202(2); 231-6 (2006).
- 037 *Yokoyama H, Nakanishi H, Kodera Y, Ikehara Y, Ohashi N, Ito Y, Koike M, Fujiwara M, Tatematsu M, Nakao A*. Biological significance of isolated tumor cells and micrometastasis in lymph nodes evaluated using a green fluorescent protein (GFP)-tagged human gastric cancer cell line. Clin. Cancer Res. 12(2); 361-68 (2006).
- 038 *Kobayashi M, Ueyama Y, Nakanishi H, Ishida H, Takahashi E, Nakamura S, Koshikawa T, Yatabe Y*. Immunocytochemical detection using CDX2. An aid for discerning tumor involvement in ascites cytology. Cancer (CancerCytopathol.) 108; 114-118 (2006).
- 039 *Okamura M, Yooyama N, Wickramathilaka N, Takabatake N, Ikehara Y, Igarashi I*: Babesia equi and Babesia caballi, Implications of host sialic acid in erythrocyte infection. Exp Parasitol. 110(4): 406-11, (2005).
- 040 *Ikehara Y, Sato T, Niwa T, Nakamura S, Gotoh M, Ikehara SK, Kiyohara K, Aoki C, Iwai T, Nakanishi H, Hirabayashi J, Tatematsu M, Narimatsu H*. Apical Golgi localization of N,N'-diacetyllactosylamine synthase, {beta}4GalNAc-T3, is responsible for LacdiNAc expression on gastric mucosa. Glycobiology. In press, 2006.

¹⁾岐大・農・獣医, ²⁾研修生, ³⁾大阪市大・院医・都市環境病理学部, ⁴⁾佐々木研究所・病理部, ⁵⁾名市大・院医・分子毒理学, ⁶⁾香川医大・腫瘍病理学, ⁷⁾名市大・院医・実験病態病理学, ⁸⁾国立医薬品食品衛生研究所・病理部, ⁹⁾藤田保健衛生大・第1病理, ¹⁰⁾愛知県がんセンター・病・頭頸部外科, ¹¹⁾愛知学院・歯・第2口腔外科, ¹²⁾国立がんセンター・研・がん予防基礎研究プロジェクト, ¹³⁾Division of Pulmonary and Critical Care・Department of Medicine・University of California, ¹⁴⁾和歌山県立医大・2内, ¹⁵⁾和歌山県立医大・中央研究機器施設, ¹⁶⁾愛知県がんセンター・病・消化器外科, ¹⁷⁾愛知県がんセンター・病・遺伝子病理診断部, ¹⁸⁾愛知県がんセンター・病・消化器内科, ¹⁹⁾リサーチレジデント, ²⁰⁾名市大・院医・臨床機能内科, ²¹⁾国立がんセンター・研・発がん, ²²⁾国立がんセンター・名誉総長, ²³⁾東邦大・医・1内, ²⁴⁾信州大・病・臨床検査, ²⁵⁾金沢医科大・腫瘍病理, ²⁶⁾北大・院医・3内, ²⁷⁾山形大・医・病理, ²⁸⁾国立がんセンター・病・内視鏡部, ²⁹⁾東大・院医・消化器外科, ³⁰⁾Department of Molecular Virology and Microbiology, Baylor College of Medicine, ³¹⁾アロカ・ANB 筑波研究所

分子腫瘍学部

【原著】

- 001 *Fukui T^{1,2)}, Kondo M³⁾, Ito G³⁾, Maeda O⁴⁾, Sato N^{1,2)}, Yoshioka H¹⁾, Yokoi K¹⁾, Ueda Y¹⁾, Shimokata K³⁾, Sekido Y*: Transcriptional silencing of secreted frizzled related protein 1 (SFRP1) by promoter hypermethylation in non-small-cell lung

cancer. Oncogene 24:6323-7, 2005.

- 002 *Kondo M³⁾, Yokoyama T^{2,3)}, Fukui T^{1,2)}, Yoshioka H¹⁾, Yokoi K¹⁾, Nagasaka T⁵⁾, Imaizumi K³⁾, Kume H³⁾, Hasegawa Y³⁾, Shimokata K³⁾, Sekido Y*: Mutations of Epidermal Growth Factor Receptor of non-small cell lung cancer were associated with sensitivity to gefitinib in recurrence after surgery. Lung Cancer 50:385-91, 2005.
- 003 *Osada H, Tatematsu Y, Yatabe Y⁶⁾, Horio Y⁷⁾, Takahashi T⁸⁾*: The ASH1 gene is a specific therapeutic target for lung cancers with neuroendocrine features. Cancer Res 65: 10680-5, 2005.
- 004 *Hayashita Y⁹⁾, Osada H, Tatematsu Y, Yamada H^{2,8)}, Yanagisawa K⁸⁾, Tomida S⁸⁾, Yatabe Y⁶⁾, Kawahara K¹⁰⁾, Sekido Y, Takahashi T⁸⁾*: A polycistronic miRNA cluster, miR-17-92, is overexpressed in human lung cancers and enhances cell proliferation. Cancer Res 65: 9628-32, 2005.
- 005 *Osada H, Tatematsu Y, Sugito N^{2,11)}, Horio Y⁷⁾, Takahashi T⁸⁾*: Histone modification in the TGF β RII gene promoter and its significance for responsiveness to HDAC inhibitor in lung cancer cell lines. Mol. Carcinogenesis 44: 233-41, 2005.
- 006 *Anumanthan G¹²⁾, Halder SK¹²⁾, Osada H, Takahashi T⁸⁾, Massion PP¹³⁾, Carbone DP¹⁴⁾, Datta PK¹²⁾*: Restoration of TGF-beta signalling reduces tumorigenicity in human lung cancer cells. Br J Cancer 93: 1157-67, 2005.
- 007 *Karube Y^{2,15)}, Tanaka H^{2,8)}, Osada H, Tomida S⁸⁾, Tatematsu Y, Yanagisawa K⁸⁾, Yatabe Y⁶⁾, Takamizawa J^{2,8)}, Miyoshi S¹⁵⁾, Mitsudomi T¹⁶⁾, Takahashi T⁸⁾*: Reduced expression of Dicer associated with poor prognosis in lung cancer patients. Cancer Sci 96: 111-5, 2005.
- 008 *Shen L¹⁷⁾, Kondo Y, Rosner GL¹⁷⁾, Xiao L¹⁷⁾, Hernandez NS¹⁷⁾, Vilaythong J¹⁷⁾, Houlihan PS¹⁷⁾, Krouse RS¹⁸⁾, Prasad AR¹⁸⁾, Einspahr JG¹⁹⁾, Buckmeier J¹⁹⁾, Alberts DS¹⁹⁾, Hamilton SR¹⁷⁾, Issa JP¹⁷⁾*: MGMT methylation and the field defect in sporadic colorectal cancer. J Natl Cancer Inst 97:1330-8,2005.
- 009 *Hishida A²⁰⁾, Terakura S²⁰⁾, Emi N²⁰⁾, Yamamoto K²⁰⁾, Murata M²⁰⁾, Nishio K²¹⁾, Sekido Y, Niwa T²²⁾, Hamajima N²¹⁾, Naoe T²⁰⁾*: GSTT1 and GSTM1 deletions, NQO1 C609T polymorphism and risk of chronic myelogenous leukemia in Japanese. Asian Pac J Cancer Prev 6:251-5, 2005.
- 010 *Kawai S²¹⁾, Nishio K²¹⁾, Nakamura S²²⁾, Sekido Y, Niwa T²²⁾, Hamajima N²¹⁾*: Multiplex PCR with confronting two-pair primers for CYP1A1 Ile462Val, GSTM1, GSTT1, and NQO1 C609T. Asian Pac J Cancer Prev 6:346-52, 2005.
- 011 *Takeuchi T^{8,23)}, Tomida S⁸⁾, Yatabe Y⁶⁾, Kosaka T¹⁶⁾, Osada H, Yanagisawa K⁸⁾, Mitsudomi T¹⁶⁾, Takahashi T⁸⁾*: Expression profile-defined classification of lung adenocarcinoma shows close relationship with underlying major genetic changes and clinicopathologic behaviors. J Clin Oncol 24: 1679-88, 2006.
- 012 *Maeno K^{2,8)}, Masuda A, Yanagisawa K⁸⁾, Konishi H, Osada H, Saito T, Ueda R²⁴⁾, Takahashi T⁸⁾*: Altered regulation of c-jun and its involvement in anchorage-independent growth of human lung cancers. Oncogene 25: 271-7, 2006.

¹⁾名大・院医・胸部構築外科学（胸部外科），²⁾研修生，³⁾名大・院医・機能調節内科学（呼吸器内科），⁴⁾名大・院医・病態修復内科学（消化器内科），⁵⁾名大・院医・病態構造解析学（病理），⁶⁾病院・遺伝子病理診断部，⁷⁾病院・呼吸器内科部，⁸⁾名大・院医・分子腫瘍学，⁹⁾リサーチレジデント，¹⁰⁾大分大・医・二外，¹¹⁾名市大・医・腫瘍免疫外科，¹²⁾バンダービルト大・外科，¹³⁾バンダービルト大・内科，¹⁴⁾バンダービルト大・血液腫瘍，¹⁵⁾獨協医大・胸部外科，¹⁶⁾病院・胸部外科部，¹⁷⁾University of Texas, MD Anderson 癌センター，¹⁸⁾University of Arizona，¹⁹⁾Arizona 癌センター，²⁰⁾名大・院医・分子細胞内科学（血液内科），²¹⁾名大・院医・予防医学，²²⁾名大・医学部附属病院・予防医療部，²³⁾JBIC ²⁴⁾名市大・院医・臨床分子内科

【総説・単行本等】

- 001 **Sekido Y, Fong KM¹⁾, Minna JD²⁾**: Molecular biology of lung cancer. Cancer: Principles and Practice of Oncology, 7th edition, Chapter 27 p745-752 eds. Vincent T. DeVita, Jr., Samuel Hellman, Steven A. Rosenberg. (Lippincott-Williams&Wilkins) 2005.
- 002 **Osada H, Takahashi T³⁾**: MicroRNAs in Biological and Carcinogenic Processes. Carcinogenesis (in press)
- 003 **関戸好孝, 光富徹哉⁴⁾**: 肺がんの遺伝子診断 肺癌の臨床 MOOK2005—2006 (篠原出版) p177—183, 2006.

¹⁾The Prince Charles Hospital, Australia, ²⁾テキサス大学 Southwestern Medical Center, ³⁾名大・院医・分子腫瘍学, ⁴⁾病院・胸部外科部

遺伝子医療研究部

【原著】

- 001 **Fujii A¹⁾, Oshima K¹⁾, Hamasaki M¹⁾, Utsunomiya H²⁾, Okazaki M³⁾, Kagami Y⁴⁾, Seto M, Kikuchi M¹⁾**: Differential expression of cytokines, chemokines and their receptors in follicular lymphoma and reactive follicular hyperplasia: Assessment by complementary DNA microarray. Oncol. Rep., 13: 819-824, 2005.
- 002 **Hosokawa Y**: Anti-apoptotic action of API2-MALT1 fusion protein involved in t(11;6)(q21;q21) MALT lymphoma. Review Article Apoptosis 10: 25-34, 2005.
- 003 **Oshimi K²³⁾, Kawa K²²⁾, Nakamura S¹⁰⁾, Suzuki R, Suzumiya J¹¹⁾, Yamaguchi M⁵⁾, Kameoka J¹⁵⁾, Tagawa S⁵⁰⁾, Imamura N⁵⁷⁾, Ohshima K¹⁾, Koja S³⁸⁾, Iwatsuki K¹¹⁾, Tokura Y¹²⁾, Sato E¹³⁾, Sugimori H¹⁴⁾**: NK-cell neoplasms in Japan. Hematology 10: 237-245, 2005.
- 004 **Tagawa H, Karnan S²⁵⁾, Suzuki R, Matsuo K⁶⁾, Zhang X⁷⁾, Ota A⁸⁾, Morishima Y⁴⁶⁾, Nakamura S¹⁰⁾, Seto M**: Genome-wide array-based CGH for mantle cell lymphoma: identification of homozygous deletions of the proapoptotic gene BIM. Oncogene, 24 : 1348-1358, 2005.

- 005 **Nakagawa M⁷⁵⁾, Kameoka Y⁷⁶⁾, Suzuki R**: Nucleophosmin in acute myelogenous leukemia. N Engl J Med., 352 : 1819-1820, 2005.
- 006 **Tagawa H, Suguro M⁷⁶⁾, Tsuzuki S, Matsuo K⁶⁾, Karnan S⁷⁵⁾, Ohshima K¹⁾, Okamoto M⁹⁾, Morishima Y⁴⁾, Nakamura S¹⁰⁾, Seto M**: Comparison of genome profiles for identification of distinct subgroups of diffuse large B-cell lymphoma. Blood, 106:1770-1777, 2005.
- 007 **Suzuki R, Nakamura S¹⁰⁾, Suzumiya J¹¹⁾, Ichimura K¹²⁾, Ichikawa M¹³⁾, Ogata K¹⁴⁾, Kura Y¹⁵⁾, Aikawa K¹⁶⁾, Teshima H¹⁷⁾, Sako M¹⁸⁾, Kojima H¹⁹⁾, Nishio M²⁰⁾, Yoshino T¹²⁾, Sugimori H²¹⁾, Kawa K²²⁾, Oshimi K²³⁾**: Blastic natural killer cell lymphoma/leukemia (CD56-positive blastic tumor): prognostication and categorization according to anatomic sites of involvement. Cancer, 104:1022-1031, 2005.
- 008 **Kusumi E²⁴⁾, Kami M²⁵⁾, Kanda Y²⁶⁾, Murashige N²⁵⁾, Kishi Y²⁵⁾, Suzuki R, Takeuchi K²⁷⁾, Tanimoto TE²⁵⁾, Mori T²⁸⁾, Muta K²⁹⁾, Tamaki T²⁵⁾, Tanaka Y³⁰⁾, Ogawa H³¹⁾, Yamane T³¹⁾, Taniguchi S²⁴⁾, Takaue Y²⁵⁾**: Reduced-intensity hematopoietic stem-cell transplantation for malignant lymphoma: A retrospective survey of 112 adult patients in Japan. Bone Marrow Transplant, 36:205-213, 2005.
- 009 **Suzuki T³²⁾, Kiyoi H³²⁾, Ozeki K³²⁾, Tomita A³²⁾, Yamaji S³²⁾, Suzuki R, Kidera Y³³⁾, Miyawaki S³⁴⁾, Asou N³⁵⁾, Kuriyama K³⁶⁾, Yagasaki F³⁷⁾, Shimazaki C³⁸⁾, Akiyama H³⁰⁾, Nishimura M³⁹⁾, Motoji T⁴⁰⁾, Shinagawa K⁴¹⁾, Takeshita A⁴²⁾, Ueda R⁴³⁾, Kinoshita T³²⁾, Emi N³²⁾, Naoe T³²⁾**: Clinical characteristics and prognostic implications of NPM1 mutations in acute myeloid leukemia. Blood, 106:2854-2861, 2005.
- 010 **Onizuka M³³⁾, Kasai M³³⁾, Oba T³³⁾, Atsuta Y³³⁾, Terakura S³²⁾, Suzuki R, Kitaori K³³⁾, Miyamura K³³⁾, Hotta T⁴⁴⁾, Kidera Y³³⁾**: Increased frequency of the angiotensin-converting enzyme gene D-allele is associated with non-infectious pulmonary dysfunction following allogeneic stem cell transplant. Bone Marrow Transplant, 36:617-620, 2005.
- 011 **Hosokawa Y, Suzuki H, Nakagawa M⁷⁵⁾, Lee TH⁴⁵⁾, Seto M**: API2-MALT1 fusion protein induces transcriptional activation of the API2 gene through NF-kB binding elements; evidence for a positive feed-back pathway resulting in unremitting NF-kB activation. Biochem. Biophys. Res. Commun, 334: 51-60, 2005.
- 012 **Nakashima Y⁷⁶⁾, Tagawa H, Suzuki R, Karnan S⁷⁵⁾, Karube K¹⁾, Ohshima K¹⁾, Muta K²⁹⁾, Nawata H¹⁾, Morishima Y⁴⁶⁾, Nakamura S¹⁰⁾, Seto M**: Genome-wide array-based comparative genomic hybridization of Natural killer cell lymphoma/leukemia: Different genomic alteration patterns of aggressive NK-cell leukemia and extranodal NK/T lymphoma, Nasal type. Genes Chrom. Cancer, 44: 247-255, 2005.
- 013 **Tagawa H, Seto M**: A microRNA cluster as a target of genomic amplification in malignant lymphoma. Leukemia Correspondence, 19: 2013-2016, 2005.
- 014 **Sawa M⁴⁷⁾, Yamamoto K⁴⁶⁾, Yokozawa T⁴⁷⁾, Kiyoi H³²⁾,**

- Hishida A*⁴⁷⁾, *Kajiguchi T*⁴⁷⁾, *Seto M*, *Kohno A*⁴⁷⁾, *Kitamura K*⁴⁸⁾, *Itoh Y*⁴⁹⁾, *Asou N*⁵⁾, *Hamajima N*⁶⁾, *Emi N*³²⁾, *Naoe T*³²⁾: BMI-1 Is Highly Expressed in M0-Subtype Acute Myeloid Leukemia. *Int. J. Hematol.*, 82:42-47, 2005.
- 015 *Nakagawa M*⁷⁵⁾, *Hosokawa Y*, *Yonezumi M*³⁰⁾, *Izumiyama K*⁵⁰⁾, *Suzuki R*, *Tsuzuki S*, *Asaka M*⁵⁰⁾, *Seto M*: MALT1 contains nuclear export signals and regulates cytoplasmic localization of BCL10. *Blood*, 106:4210-4216, 2005.
- 016 *Kasugai Y*, *Tagawa H*, *Kameoka Y*⁷⁵⁾, *Morishima Y*⁴⁶⁾, *Nakamura S*¹⁰⁾, *Seto M*: Identification of CCND3 and BYSL as Candidate Targets for the 6p21 Amplification in Diffuse Large B-Cell Lymphoma. *Clin. Cancer Res.*, 11:8265-8272, 2005.
- 017 *Suzuki R*: Leukemia and lymphoma of natural killer cells. *J Clin Exp Hematopathol* 45: 51-70, 2005.
- 018 *Murashige N*²⁵⁾, *Kami M*²⁵⁾, *Kishi Y*²⁵⁾, *Kim S.-W*²⁵⁾, *Takeuchi M*⁶²⁾, *Matsue K*⁶²⁾, *Kanda Y*²⁶⁾, *Hirokawa M*⁶³⁾, *Kawabata Y*⁶³⁾, *Matsumura T*²⁴⁾, *Kusumi E*²⁴⁾, *Hirabayashi N*⁶⁴⁾, *Nagafuji K*⁶⁵⁾, *Suzuki R*, *Takeuchi K*²⁷⁾, *Oshimi K*²³⁾: Allogeneic haematopoietic stem cell transplantation as a promising treatment for natural killer-cell neoplasms. *Br J Haematol* 130: 561-567, 2005.
- 019 *Asano N*¹⁰⁾, *Suzuki R*, *Kagami Y*⁴⁶⁾, *Ishida F*⁶⁶⁾, *Kitamura K*⁴⁸⁾, *Fukutani H*⁶⁷⁾, *Morishima Y*⁴⁶⁾, *Takeuchi K*²⁷⁾, *Nakamura S*¹⁰⁾: Clinicopathologic and prognostic significance of cytotoxic molecule expression in nodal peripheral T-cell lymphoma, unspecified. *Am J Surg Pathol* 29: 1284-1293, 2005.
- 020 *Karnan S*⁷⁵⁾, *Tsuzuki S*, *Kiyoi H*³²⁾, *Tagawa H*, *Ueda R*⁴³⁾, *Seto M*, *Naoe T*³²⁾: Genomewide array-based comparative genomic hybridization analysis of acute promyelocytic leukemia. *Genes Chrom. Cancer*, 45:420-425, 2006.
- 021 *Oshiro A*⁷⁶⁾, *Tagawa H*, *Ohshima K*¹⁾, *Karube K*¹⁾, *Uike N*⁵¹⁾, *Tashiro Y*⁵²⁾, *Utsunomiya A*⁵³⁾, *Masuda M*⁵⁴⁾, *Takasu N*⁵⁴⁾, *Nakamura S*¹⁰⁾, *Morishima Y*⁴⁶⁾, *Seto M*: Identification of subtype-specific genomic alterations in aggressive adult T-cell leukemia/lymphoma. *Blood*, 107:4500-4507, 2006.
- 022 *Fukuhara N*⁷⁶⁾, *Tagawa H*, *Kameoka Y*⁷⁵⁾, *Kasugai Y*, *Karnan S*, *Kameoka J*⁵⁵⁾, *Sasaki T*⁵⁵⁾, *Morishima Y*⁴⁶⁾, *Nakamura S*¹⁰⁾, *Seto M*: Characterization of target genes at the 2p15-16 amplicon in diffuse large B-cell lymphoma. *Cancer Sci.*, 97:499-504, 2006.
- 023 *Atsuta Y*⁶⁸⁾, *Suzuki R*, *Yamamoto K*⁶⁸⁾, *Terakura S*³²⁾, *Iida H*⁶⁹⁾, *Kohno A*⁷⁰⁾, *Naoe T*³²⁾, *Yano K*⁶⁹⁾, *Wakita A*⁴³⁾, *Taji H*⁴⁶⁾, *Hamaguchi M*⁷¹⁾, *Kodera Y*³³⁾, *Sao H*⁶⁹⁾, *Morishima Y*⁴⁶⁾, *Hamajima N*⁶⁸⁾, *Morishita Y*⁷⁰⁾: Risk and prognostic factors for Japanese patients with chronic graft-versus-host disease after bone marrow transplantation. *Bone Marrow Transplant* (in press)
- 024 *Suzuki R*, *Suzumiya J*¹¹⁾, *Nakamura S*¹⁰⁾, *Kagami Y*⁴⁶⁾, *Kameoka J*¹⁵⁾, *Sakai C*⁷²⁾, *Mukai H*¹⁹⁾, *Takenaka K*⁴¹⁾, *Yoshino T*⁴¹⁾, *Tsuzuki T*⁷³⁾, *Sugimori H*²¹⁾, *Kawa K*²²⁾, *Kodera Y*³³⁾, *Oshimi K*²³⁾ the NK-cell Tumor Study Group: Hematopoietic

stem cell transplantation for natural killer-cell lineage neoplasms. *Bone Marrow Transplant* (in press)

- 025 *Iwata H*²⁴⁾, *Matsuo K*⁶⁾, *Hara S*²⁴⁾, *Takeuchi K*²⁷⁾, *Aoyama T*²⁴⁾, *Murashige N*²⁵⁾, *Kanda Y*²⁶⁾, *Mori S*²⁵⁾, *Suzuki R*, *Tachibana S*²⁴⁾, *Yamane M*²⁴⁾, *Odawara M*²⁴⁾, *Mutou Y*²⁴⁾, *Kami M*²⁵⁾: Use of hydroxy-methyl-glutaryl coenzyme A reductase inhibitors is associated with risk of lymphoid malignancies. *Cancer Sci* (in press)
- 026 *Kuwatsuka Y*³³⁾, *Suzuki R*, *Ichihashi R*⁷⁴⁾, *Kodera Y*³³⁾: Pseudo-Gaucher cells in light chain plasma cell myeloma. (in press)

¹⁾福岡大学医学部第一病理学教室, ²⁾今村病院, ³⁾京都大学・医・消化器内科, ⁴⁾血液化学療法部, ⁵⁾三重大学・第二内科, ⁶⁾疫学・予防部, ⁷⁾延安大学, ⁸⁾免疫生物研究所, ⁹⁾藤田衛生大・医・血液内科, ¹⁰⁾名古屋大学医学部附属病院・病理部, ¹¹⁾福岡大学・第一内科, ¹²⁾岡山大学・第二病理, ¹³⁾東京女子医科大学・皮膚科, ¹⁴⁾日本医科大学・血液内科, ¹⁵⁾東北大学・第二内科, ¹⁶⁾国立病院機構北海道医療センター・血液内科, ¹⁷⁾大阪市立総合病院・臨床検査部, ¹⁸⁾大阪市立総合病院・小児科, ¹⁹⁾筑波大学・血液内科, ²⁰⁾北海道大学・第二内科, ²¹⁾聖マリアンナ医科大学・予防医学, ²²⁾大阪母子保健総合医療センター・小児内科, ²³⁾順天堂大学・血液内科, ²⁴⁾虎の門病院・血液科, ²⁵⁾国立がんセンター・幹細胞移植科, ²⁶⁾東京大学・血液腫瘍内科, ²⁷⁾癌研究会付属病院・病理, ²⁸⁾慶應大学・血液内科, ²⁹⁾九州大学・第三内科, ³⁰⁾東京都立駒込病院・血液内科, ³¹⁾大阪大学・第三内科, ³²⁾名古屋大学・血液内科, ³³⁾名古屋第一赤十字病院・血液内科, ³⁴⁾群馬県済生会病院・血液内科, ³⁵⁾熊本大学・第二内科, ³⁶⁾長崎大学・血液内科, ³⁷⁾埼玉医科大学・血液内科, ³⁸⁾京都府立医科大学・第二内科, ³⁹⁾千葉大学・血液内科, ⁴⁰⁾東京女子医科大学・血液内科, ⁴¹⁾岡山大学・第二内科, ⁴²⁾浜松医科大学・第三内科, ⁴³⁾名市大・医・第二内科, ⁴⁴⁾東海大学・血液リウマチ内科, ⁴⁵⁾Yonsei University, ⁴⁶⁾血液・細胞療法部, ⁴⁷⁾名古屋大学大学院・医・第一内, ⁴⁸⁾一宮市民病院・血液内科, ⁴⁹⁾岐阜県立多治見病院, ⁵⁰⁾北大・医・第三内科, ⁵¹⁾国立病院機構九州がんセンター, ⁵²⁾今給黎総合病院・病理, ⁵³⁾慈愛会・今村病院分院, ⁵⁴⁾琉球大学医学部・第二内科, ⁵⁵⁾東北大学・血液免疫科, ⁵⁶⁾大阪市立大学・血液内科, ⁵⁷⁾広島大学・原研内科, ⁵⁸⁾琉球大学・耳鼻咽喉科, ⁵⁹⁾岡山大学・皮膚科, ⁶⁰⁾浜松医科大学・皮膚科, ⁶¹⁾順天堂大学・検査部, ⁶²⁾亀田総合病院・血液内科, ⁶³⁾秋田大学・第三内科, ⁶⁴⁾名古屋第二赤十字病院・血液内科, ⁶⁵⁾九州大学・第一内科, ⁶⁶⁾信州大学・第二内科, ⁶⁷⁾愛知病院・血液内科, ⁶⁸⁾名古屋大学・予防医学, ⁶⁹⁾名鉄病院・血液内科, ⁷⁰⁾江南昭和病院・血液内科, ⁷¹⁾国立病院機構名古屋医療センター・血液内科, ⁷²⁾千葉県がんセンター・血液内科, ⁷³⁾名古屋第二赤十字病院・病理科, ⁷⁴⁾名古屋大学・第一病理科, ⁷⁵⁾研修生, ⁷⁶⁾レジデント

【総説および単行本】

- 001 *Nakagawa M*⁴⁾, *Seto M*, *Hosokawa Y*: Molecular pathogenesis of MALT lymphoma: two signaling pathways underlying the antiapoptotic effect of API2-MALT1 fusion protein. *Review*

Article Leukemia 20, 929-936, 2006.

- 002 **鈴木律朗, 山口素子¹⁾**: 第4章—主要疾患: 現況・病態・診断・治療. 11. NK/T細胞リンパ腫. 坂田洋一, 小澤敬也編. 別冊・医学のあゆみ (医歯薬出版), 3: 660—663, 2005.
- 003 **山口素子¹⁾, 鈴木律朗**: 第4章—主要疾患: 現況・病態・診断・治療. 24. リンパ芽球性リンパ腫. 坂田洋一, 小澤敬也編. 別冊・医学のあゆみ (医歯薬出版), 3: 715—718, 2005.
- 004 **鈴木律朗**: 悪性リンパ腫 up-to date. 化学療法の進歩—Fludarabine などのアデノシンアナログの開発. 医学のあゆみ, 212: 369—375, 2005.
- 005 **鈴木律朗**: 急性リンパ性白血病における薬剤抵抗性と遺伝子発現パターンとの関係. 内科, 96: 157—162, 2005.
- 006 **鈴木律朗**: 白血病・リンパ腫の予後因子—これからの層別化治療のための新しい指標. Medical Practice, 22: 1294—1304, 2005.
- 007 **鈴木律朗**: WHO 分類の臨床現場への影響. 内科, 96: 201—206, 2005.
- 008 **鈴木律朗**: 造血器腫瘍の分子標的療法—分子病態に基づく新しい治療法. 臨床医, 31: 1914—1919, 2005.
- 009 **鈴木律朗**: CML は, イマチニブ単剤では治らない!. MRIC メールマガジン情報集, 4: 77—79, 2005.
- 010 **田川博之**: Diffuse large B-cell lymphoma のゲノムワイドなアレイ CGH 解析. 血液・腫瘍科, 48: 324—328, 2005.
- 011 **中川雅夫¹⁾, 細川好孝**: MALT リンパ腫における NF-κB の活性化と抗アポトーシス作用. 血液・腫瘍科, 51: 433—440, 2005.
- 012 **瀬戸加太**: MALT1 遺伝子発見のバトルリル (私の研究履歴書). 分子消化器病 (先端医学社), 3: 94—99, 2006.
- 013 **瀬戸加太**: Stanley J Korsmeyer 博士からの贈り物 (特別寄稿). 分子細胞治療 (先端医学社), 5: 88—90, 2006.
- 014 **鈴木律朗**: 悪性リンパ腫発症における microRNA の意義. 血液・腫瘍科, (印刷中)
- 015 **尾山 卓²⁾, 鈴木律朗, 中村栄男³⁾**: 各論 B. 皮膚 B 細胞リンパ腫 7. 関連疾患 b) カレイ性 EBV 関連 B 細胞リンパ増殖異常症. **瀧川雅浩, 岩月啓氏, 大島孝一, 島田真路, 瀬戸山充, 中村栄男**編. 新・皮膚悪性リンパ腫アトラス. 文光堂, (印刷中)
- 016 **鈴木律朗**: 2. 悪性リンパ腫. 22歳男性. ALK 陽性, CD56 陽性の anaplastic large cell lymphoma で stage IIIB. 治療はどうしよう? 押味和夫, 木崎昌弘編. 造血器腫瘍診療: これは困った, どうしよう! 中外医学社, (印刷中)
- 017 **鈴木律朗**: 白血病と分子標的. 病理と臨床, (印刷中)
- 018 **鈴木律朗**: 血液腫瘍の診断法. 細胞免疫学的診断. Medicina, (印刷中)
- 019 **鈴木律朗**: 一般医が行う血液腫瘍患者へのプライマリーケア. インターネットで調べる血液腫瘍の常識. Medicina, (印刷中)
- 020 **鈴木律朗**: Aggressive NK-cell leukemia. 血液・腫瘍科, (印刷中)

¹⁾三重大学・第二内科, ²⁾名古屋第二赤十字病院・血液内科, ³⁾名

古屋大学・臨床検査科, ⁴⁾研修生

腫瘍免疫学部

【原著】

- 001 **Kimura H¹⁾, Hoshino Y¹⁾, Hara S¹⁾, Sugaya N¹⁾, Kawada J¹⁾, Shibata Y¹⁾, Kojima S¹⁾, Nagasaka T²⁾, Kuzushima K, Morishima T³⁾**: Differences between T Cell-Type and Natural Killer Cell-Type Chronic Active Epstein-Barr Virus Infection. J Infect Dis, 191: 531-539, 2005.
- 002 **Kimura H¹⁾, Ihira M⁴⁾, Enomoto Y⁴⁾, Kawada J¹⁾, Ito Y, Morishima T³⁾, Yoshikawa T⁴⁾, Asano Y⁴⁾**: Rapid detection of herpes simplex virus DNA in cerebrospinal fluid: comparison between loop-mediated isothermal amplification and real-time PCR. Med Microbiol Immunol, 194: 181-185, 2005.
- 003 **Duray PH⁵⁾, Yin SR⁵⁾, Ito Y, Bezrukov L⁵⁾, Cox C⁵⁾, Cho MS⁵⁾, Fitzgerald W⁵⁾, Dorward D⁵⁾, Zimmerberg J⁵⁾, Margolis L⁵⁾**: Invasion of human tissue ex vivo by Borrelia burgdorferi. J Infect Dis, 191: 1747-1754, 2005.
- 004 **Demachi-Okamura A⁶⁾, Ito Y, Akatsuka Y, Tsujimura K, Morishima Y⁷⁾, Takahashi T⁸⁾, Kuzushima K**: Epstein-Barr virus (EBV) latent membrane protein 1-specific cytotoxic T lymphocytes targeting natural killer cell malignancies carrying EBV. Eur J Immunol, 36: 593-602, 2006.
- 005 **Ito Y, Kondo E⁹⁾, Demachi-Okamura A⁶⁾, Akatsuka Y, Tsujimura K, Tanimoto M⁹⁾, Morishima Y⁷⁾, Takahashi T⁸⁾, Kuzushima K**: Three immunoproteasome-associated subunits cooperatively generate a CTL epitope of the EBV LMP2A by overcoming specific structures resistant to epitope liberation. J Virol, 80: 883-890, 2006.
- 006 **Mizukoshi E¹⁰⁾, Nakamoto Y¹⁰⁾, Marukawa Y¹⁰⁾, Arai K¹⁰⁾, Yamashita T¹⁰⁾, Tsuji H¹⁰⁾, Kuzushima K, Takiguchi M¹¹⁾, Kaneko S¹⁰⁾**: Cytotoxic T cell responses to human telomerase reverse transcriptase in patients with hepatocellular carcinoma. Hepatology, 43: 1284-1294, 2006.
- 007 **Tsuji T¹²⁾, Yasukawa M¹³⁾, Matsuzaki J¹²⁾, Ohkuri T¹²⁾, Chamoto K¹²⁾, Wakita D¹²⁾, Azuma T¹³⁾, Niiya H¹²⁾, Miyoshi H¹⁴⁾, Kuzushima K, Oka Y¹⁵⁾, Sugiyama H¹⁶⁾, Ikeda H¹²⁾, Nishimura T¹²⁾**: Generation of tumor-specific, HLA class I-restricted human Th1 and Tc1 cells by cell engineering with tumor peptide-specific T-cell receptor genes. Blood, 106: 470-476, 2005.
- 008 **Terakura S¹⁷⁾, Murata M¹⁷⁾, Nishida T¹⁷⁾, Emi N¹⁷⁾, Akatsuka Y, Morishima Y⁷⁾, Kodera Y¹⁸⁾, Naoe T¹⁷⁾**: Increased risk for treatment-related mortality after bone marrow transplantation in GSTM1-positive recipients. Bone Marrow Transplant, 37: 381-386, 2006.
- 009 **Isomura I¹⁹⁾, Yasuda Y¹⁹⁾, Tsujimura K, Takahashi T⁸⁾, Tochikubo K²⁰⁾, Morita A¹⁹⁾**: Recombinant cholera toxin B subunit activates dendritic cells and enhances antitumor immunity. Microbiol Immunol, 49: 79-87, 2005.

- 010 **Isomura I**¹⁹⁾, **Tsujimura K**, **Morita A**¹⁹⁾: Antigen-specific peripheral tolerance induced by topical application of NF-kB decoy oligodeoxynucleotide. *J Invest Dermatol*, 126: 97-104, 2006.
- 011 **Tsujimura K**, **Obata Y**¹⁴⁾, **Matsudaira Y**, **Nishida K**, **Akatsuka Y**, **Ito Y**, **Demashi-Okamura A**⁶⁾, **Kuzushima K**, **Takahashi T**⁸⁾: Characterization of murine CD160⁺ CD8⁺ T lymphocytes. *Immunol Lett*, 106: 48-56, 2006.

¹⁾名古屋大学大学院医学系研究科・小児科, ²⁾名古屋大学医学部・検査部病理, ³⁾岡山大学大学院医歯薬学総合研究科・小児科, ⁴⁾藤田保健衛生大学医学部・小児科, ⁵⁾National Institutes of Child Health and Human Development, U.S.A., ⁶⁾リサーチレジデント, ⁷⁾中央病院・副院長, ⁸⁾総長, ⁹⁾岡山大学大学院医歯薬学総合研究科・腫瘍制御学講座病態機構学講座, ¹⁰⁾金沢大学大学院医学系研究科・がん遺伝子治療学, ¹¹⁾熊本大学エイズ学研究センター・ウイルス制御分野, ¹²⁾北海道大学遺伝子病制御研究所・免疫制御分野, ¹³⁾愛媛大学医学部第一内科, ¹⁴⁾理研バイオリソースセンター, ¹⁵⁾大阪大学大学院医学系研究科分子病態内科学, ¹⁶⁾大阪大学医学部保健学科病態生体情報学, ¹⁷⁾名古屋大学大学院医学系研究科・分子細胞内科, ¹⁸⁾名古屋第一赤十字病院, ¹⁹⁾名古屋市立大学大学院医学研究科・皮膚科学, ²⁰⁾名古屋市立大学大学院医学研究科・細菌学

【総説および単行本】

- 001 **葛島清隆**: EBV 感染症に対する細胞療法. 日本臨床増刊号 ヘルペスウイルス学, pp.678-681, 2006.
- 002 **赤塚美樹**: マイナー組織適合抗原とアロ移植免疫反応. 血液疾患 state of arts 医学のあゆみ別冊, Ver.3: pp274-277, 2005.
- 003 **赤塚美樹**: 新たな組織適合抗原と GVHD・GVL 効果. GVHD 治療マニュアル, pp.137-154, 2005.
- 004 **赤塚美樹**, **池田和真**¹⁾: マイナー組織適合性抗原. 今日の移植, 18: 504-514, 2005.
- 005 **辻村邦夫**, **赤塚美樹**, **高橋利忠**²⁾: がんの免疫療法モデルの開発. がん研究のいま 第3巻 がんの診断と治療, pp.81-94, 2006.

¹⁾岡山大学・輸血部, ²⁾総長

腫瘍ウイルス学部

【原著】

- 001 **Daikoku T**, **Kudoh A**¹⁾, **Fujita M**²⁾, **Sugaya Y**, **Isomura H**, **Shirata N**, **Tsurumi T**: Architecture of Replication Compartments Formed during Epstein-Barr Virus Lytic Replication. *Journal of Virology*, 79: 3409-3418, 2005.
- 002 **Isomura H**, **Stinski M. F**³⁾, **Kudoh A**¹⁾, **Daikoku T**, **Shirata N**, **Tsurumi T**: Two Sp1/Sp3 Binding Sites in the Proximal Enhancer of the Human Cytomegalovirus Major Immediate-Early Genes are necessary for its transcriptional activation.

Journal of Virology, 79: 9597-9607, 2005.

- 003 **Kudoh A**¹⁾, **Fujita M**²⁾, **Zhang L**⁴⁾, **Shirata N**, **Daikoku T**, **Sugaya Y**, **Isomura H**, **Nishiyama Y**⁴⁾, **Tsurumi T**: Epstein-Barr Virus Lytic Replication Elicits ATM Checkpoint Signal Transduction While Providing an S-phase-like Cellular Environment. *The Journal of Biological Chemistry*, 280(9): 8156-8163, 2005.
- 004 **Shirata N**, **Kudoh A**¹⁾, **Daikoku T**, **Tatsumi Y**²⁾, **Fujita M**²⁾, **Kiyono T**²⁾, **Sugaya Y**, **Isomura H**, **Ishizaki K**⁵⁾, **Tsurumi T**: Activation of Ataxia Telangiectasia-mutated DNA Damage Checkpoint Signaling Transduction Elicited by Herpes Simplex Virus Infection. *The Journal of Biological Chemistry*, 280(34): 30336-30341, 2005.
- 005 **Daikoku T**, **Kudoh A**¹⁾, **Sugaya Y**, **Iwahori S**, **Shirata N**, **Isomura H** and **Tsurumi T**: Postreplicative Mismatch Repair Factors are recruited to Epstein-Barr Virus Replication Compartments. *J Biol Chem*. 281:11422-11430, 2006.
- 006 **Zhang L**⁴⁾, **Daikoku T**, **Ohtake K**, **Ohtsuka J**, **Nawa A**⁶⁾, **Kudoh A**¹⁾, **Iwahori S**, **Isomura H**, **Nishiyama Y**⁴⁾, **Tsurumi T**: Establishment of a novel foreign gene delivery system combining an HSV amplicon with an attenuated replication-competent virus, HSV-1 HF10. *J. Virol. Method*. 137:177-183, 2006.
- 007 **Kudoh A**¹⁾, **Daikoku T**, **Ishimi Y**⁷⁾, **Kawaguchi Y**, **Shirata N**, **Iwahori S**, **Isomura H** and **Tsurumi T**: Phosphorylation of MCM4 at Sites Inactivating DNA Helicase Activity on the MCM4-MCM6-MCM7 Complex during Epstein-Barr Virus Productive Replication. *J. Virol*. 80:10064-10072, 2006.

【総説および単行本】

- 001 **Tsurumi T**, **Fujita M**²⁾, and **Kudoh A**¹⁾: Latent and lytic Epstein-Barr virus replication strategy. *Rev. Med. Virol*. 15(1):3-15, 2005.
- 002 **鶴見達也**, **工藤あゆみ**¹⁾: Epstein-Barr ウイルスゲノム複製と宿主細胞応答. 生化学, 77 (9): 1180-1184, 2005.
- 003 **磯村寛樹**, **鶴見達也**: ヘルペスウイルスの宿主特異性. 日本臨床 増刊号, 64 (890): 24-28, 2005.
- 004 **工藤あゆみ**¹⁾, **鶴見達也**: γ ヘルペスウイルスの構造と分類. 日本臨床 増刊号, 64 (890): 525-530, 2005.
- 005 **大黒 徹**, **鶴見達也**: EBV の潜伏感染と再活性化機構. 日本臨床 増刊号, 64 (890): 584-588, 2005.

¹⁾日本学術振興会特別研究員, ²⁾国立がんセンター研究所ウイルス部, ³⁾アイオワ大学医学部微生物, ⁴⁾名古屋大学医学部ウイルス学分野, ⁵⁾愛知県がんセンター中央実験部, ⁶⁾名古屋大学医学部産婦人科, ⁷⁾茨城大学

分子病態学部

【原著】

- 001 **Satoh T**¹⁾, **Kanai Y**¹⁾, **Wu M.H**¹⁾, **Yokozeaki H**¹⁾, **Kannagi R**,

- Lowe J.B.²⁾, and Nishioka K.¹⁾**. Synthesis of α (1,3) fucosyltransferases IV- and VII-dependent eosinophil selectin ligand and recruitment to the skin. *Am. J. Pathol.*, 167: 787-796, 2005.
- 002 **Tjew S.L.³⁾, Brown K.L.³⁾, Kannagi R and Johnson P.³⁾**. Expression of N-acetylglucosamine 6-O sulfotransferases (GlcNAc6STs) -1 and -4 in human monocytes: GlcNAc6ST-1 is implicated in the generation of the 6-sulfo N-acetylglucosamine/Lewis x epitope on CD44 and is induced by TNF- α . *Glycobiology*, 15: 7C-13C, 2005.
- 003 **Yagi H.⁴⁾, Takahashi N.⁴⁾, Yamaguchi Y.⁴⁾, Kimura N, Uchimura K.⁵⁾, Kannagi R and Kato K.⁴⁾**. Development of structural analysis of sulfated N-glycans by multi-dimensional HPLC mapping methods. *Glycobiology*, 15: 1051-1060, 2005.
- 004 **Uchimura K.⁵⁾, Gauguier J.M.⁵⁾, Singer M.S.⁵⁾, Tsay D.⁵⁾, Kannagi R, Muramatsu T.⁶⁾, Von Andrian U.H.⁷⁾ and Rosen S.D.⁵⁾**. A major class of L-selectin ligands is eliminated in mice deficient in two sulfotransferases expressed in high endothelial venules. *Nat. Immunol.*, 6: 1105-1113, 2005.
- 005 **Otsubo N.⁸⁾, Ishida H.⁸⁾, Kannagi R and Kiso M.⁸⁾**. Design and synthesis of a novel neo-glycolipid containing sialyl Lewis X determinant carried on the mucin GlcNAc β 1-6GalNAc α core structure. *Tetrahedron Asymmetry*, 16: 1321-1327, 2005.
- 006 **Yamaguchi M.⁸⁾, Ishida H.⁸⁾, Kanamori A, Kannagi R and Kiso M.⁸⁾**. 6-O-Sulfo sialylparagloboside and sialyl Lewis X neo-glycolipids containing lactamized neuraminic acid: Synthesis and antigenic reactivity against G159 monoclonal antibody. *Glycoconj. J.*, 22: 95-108, 2005.
- 007 **Kontani K.⁹⁾, Kajino K.⁹⁾, Huang, C.L.⁹⁾, Fujino S.⁹⁾, Taguchi O, Yamauchi A.⁹⁾, Yokomise H.⁹⁾ and Ogasawara K.⁹⁾**. Spontaneous elicitation of potent antitumor immunity and eradication of established tumors by administration of DNA encoding soluble transforming growth factor-beta II receptor without active antigen-sensitization. *Cancer Immunol. Immunother.*, 20 : 1-9, 2005.
- 008 **Hattori T, Takeuchi M.¹⁰⁾, Ohno K.¹⁰⁾, Ogawara M.¹⁰⁾, Asatani T.¹⁰⁾, Usui Y.¹⁰⁾, Muramatsu R.¹⁰⁾, Inagaki M.¹¹⁾, Usui M.¹⁰⁾ and Taguchi O.** α -internexin as a corneal autoantigen in spontaneous autoimmune keratitis mouse model. *Invest. Ophthalmol. Vis. Sci.*, 47: 249-255, 2006.
- 009 **Keino H.⁷⁾, Takeuchi M.¹⁰⁾, Kezuka T.¹⁰⁾, Hattori T, Usui M.¹⁰⁾, Taguchi O, Streilein J.W.⁷⁾ and Stein-Streilein J.⁷⁾**. Induction of eye-derived tolerance does not depend on naturally occurring CD4⁺ CD25⁺ T regulatory cells. *Invest. Ophthalmol. Vis. Sci.*, 47: 1047-1055, 2006.
- 010 **Seto H.¹²⁾, Hayashi Y.¹²⁾, Kwon E.¹²⁾, Taguchi O and Yamaguchi M.¹²⁾**. Antagonistic regulation of the Drosophila PCNA gene promoter by DREF and Cut. *Genes Cells*, 11: 499-512, 2006 .
- 011 **Kamiyama S.¹³⁾, Sasaki N.¹³⁾, Goda E.¹³⁾, Ui-Tei K.¹³⁾, Saigo K.¹³⁾, Narimatsu H.¹³⁾, Jigami Y.¹³⁾, Kannagi R, Irimura T.¹⁴⁾, and Nishihara S.¹³⁾**. Molecular cloning and characterization of a novel 3'-phosphoadenosine 5'-phosphosulfate transporter, PAPST2. *J. Biol. Chem.*, 281: 10945-10953, 2006.
- 012 **Ohmori K.¹⁵⁾, Fukui F, Kiso M.⁸⁾, Imai T.¹⁶⁾, Yoshie O.¹⁶⁾, Hasegawa H.¹⁷⁾, Matsushima K.¹⁴⁾, and Kannagi R.** Identification of cutaneous lymphocyte-associated antigen as sialyl 6-sulfo Lewis x, a selectin ligand expressed on a subset of skin-homing helper memory T cells. *Blood*, 107: 3197-3204, 2006.
- 013 **Yin J.¹⁸⁾, Hashimoto A.¹⁹⁾, Izawa M, Miyazaki K.¹⁹⁾, Chen G.-Y.¹⁹⁾, Takematsu H.¹⁵⁾, Kozutsumi Y.¹⁵⁾, Suzuki A.²⁰⁾, Furuhashi, K.²¹⁾, Cheng, F.-L.²²⁾, Lin, C.-H.²²⁾, Sato, C.²³⁾, Kitajima K.²³⁾, and Kannagi R.** Hypoxic culture induces expression of sialin, a sialic acid transporter, and cancer-associated gangliosides containing non-human sialic acid on human cancer cells. *Cancer Res.*, 66: 2937-2945, 2006.
- 014 **Zhuo L.²⁴⁾, Kanamori A, Kannagi R, Itano N.²⁵⁾, Wu J.²⁴⁾, Hamaguchi M.²³⁾, Ishiguro N.²⁴⁾ and Kimata K.²⁴⁾**. SHAP potentiates the CD44-mediated leukocyte adhesion to the hyaluronan substratum. *J. Biol. Chem.*, 281: 20 303-20314, 2006.
- 015 **Kyogashima M, Tamiya-Koizumi K, Ehara T.²⁵⁾, Li G.²⁵⁾, Hu R.²⁵⁾, Hara A.²⁵⁾, Aoyama T.²⁵⁾, and Kannagi R.** Rapid demonstration of diversity of sulfatide molecular species from biological materials by MALDI-TOF MS. *Glycobiology*, 16: 710-728, 2006.

【総説および単行本】

- 001 **Kannagi R, Miyazaki K.¹⁹⁾, Kimura N.¹⁸⁾ and Yin J.¹⁸⁾**. Selectin-mediated metastasis of tumor cells - alteration of carbohydrate-mediated cell-cell interactions in cancers. In: N. Sharon, C. Sansom and O. Markman (eds.), *Glycobiology*, in press, Oxfordshire: Scion Publishing Limited, 2006.
- 002 **Kannagi R.** Carbohydrate antigen sialyl Lewis a -its pathophysiological significance and induction mechanism in cancer progression. *Chang Gung Med. J.*, in press, 2006.
- 003 **Varki A.⁵⁾, Kannagi R and Toole B.P.²⁶⁾**. Glycosylation changes in cancer. In: A. Varki, R.D. Cummings, J.D. Esko, H.H. Freeze, G.W. Hart and J.D. Marth (eds.), *Essentials of Glycobiology*, in press, New York: Cold Spring Harbor Laboratory Press, 2006.
- 004 **神奈木玲児**：糖鎖抗原と腫瘍。"臨床検査ガイド 2005—2006"。文光堂，東京，pp.839—845，2005。
- 005 **神奈木玲児**：細胞間相互識別・接着と糖鎖。谷口直之，伊藤幸成編 "糖鎖科学の新展開"，エス・ティー・エス，東京，pp.240—246，2005。
- 006 **神奈木玲児**：セレクトリンと肝転移。門田守人，松浦成昭編 "肝転移のすべて"，永井書店，大阪，pp.28—38，2005。
- 007 **神奈木玲児，宮崎敬子¹⁹⁾，林 啓智¹⁸⁾，後藤嘉子**：糖鎖修飾の概説と簡便な解析法。稲垣昌樹編 "実験医学別冊，タンパク質の翻訳後修飾解析プロトコール"，羊土社，東京，pp.62—71，2005。
- 008 **神奈木玲児**：抗体を用いた糖鎖の構造解析—問題発見の手法として。永井克孝監修 "未来を拓く糖鎖科学"，金芳堂，

- 京都, pp. 31–32, 2005.
- 009 **神奈木玲児**: セレクチンリガンド糖鎖と免疫細胞の体内動態. 永井克孝監修 "未来を拓く糖鎖科学", 金芳堂, 京都, pp. 213–217, 2005.
- 010 **神奈木玲児, 瀬古 玲⁷⁾**: 糖鎖を介した細胞接着の癌進展における意義. 永井克孝監修 "未来を拓く糖鎖科学", 金芳堂, 京都, pp. 294–298, 2005.
- 011 **神奈木玲児**: シアリル SSEA-1 (SLX). *Medicina* 2005 増刊号「これだけは知っておきたい検査のポイント」31: 464–465, 2005.
- 012 **神奈木玲児**: 糖鎖性の腫瘍マーカー. 日本分子腫瘍マーカー研究会誌, 20: 78–79, 2005.
- 013 **神奈木玲児, 殷 軍¹⁸⁾, 橋本彩子¹⁹⁾, 陳 国云¹⁹⁾**: 低酸素と癌のプログレッション. 炎症と免疫13: 547–555, 2005.
- 014 **神奈木玲児, 宮崎敬子¹⁹⁾, 井澤峯子**: がんの接着と糖鎖. 遺伝子医 MOOK 3: 91–98, 2005.
- 015 **隈元謙介, 神奈木玲児**: BCA225. 日本臨床, 増刊号「広範囲 血液・尿化学検査, 免疫学的検査, 第6版, (4)」, pp. 669–671, 2005.
- 016 **宮崎敬子¹⁹⁾, 神奈木玲児**: 2→6 シアリル Le^x 抗原. 日本臨床, 増刊号「広範囲 血液・尿化学検査, 免疫学的検査, 第6版, (4)」, pp. 663–668, 2005.
- 017 **神奈木玲児**: SLX (シアリル SSEA-1, シアリル Le^x-i). 日本臨床, 増刊号「広範囲 血液・尿化学検査, 免疫学的検査, 第6版, (4)」, pp. 675–680, 2005.
- 018 **神奈木玲児**: シアリル Tn 抗原. 日本臨床, 増刊号「広範囲 血液・尿化学検査, 免疫学的検査, 第6版, (4)」, pp. 659–662, 2005.
- 019 **神奈木玲児**: 白血球はどこへ移動するにも糖鎖のお世話になっている. *Functional Glycomics News Letter*, 7: 25–35, 2006.
- 020 **井澤峯子, 大森勝之¹⁵⁾, 神奈木玲児**: T細胞のホーミングと細胞接着性糖鎖・ケモカイン. 臨床免疫45: 134–141, 2006.

¹⁾東京医科歯科大, ²⁾ミシガン大, ³⁾バンクーバー大, ⁴⁾名古屋市大, ⁵⁾カリフォルニア大, ⁶⁾愛知学院大, ⁷⁾ハーバード大, ⁸⁾岐阜大, ⁹⁾香川大, ¹⁰⁾東京医科大, ¹¹⁾発がん制御, ¹²⁾京工繊大, ¹³⁾創価大, ¹⁴⁾東大, ¹⁵⁾京都大, ¹⁶⁾近畿大, ¹⁷⁾愛媛大, ¹⁸⁾研修生, ¹⁹⁾科学技術振興機構 (JST), ²⁰⁾理研, ²¹⁾北里大, ²²⁾中央研究院, ²³⁾名古屋大, ²⁴⁾愛知医大, ²⁵⁾信州大, ²⁶⁾サウスカロライナ大, ²⁷⁾佐々木研

発がん制御研究部

【欧文原著論文】

- 001 **Nagata K¹⁾, Inagaki M**: Cytoskeletal modification of Rho guanine nucleotide exchange factor activity: identification of a Rho guanine nucleotide exchange factor as a binding partner for Sept9b, a mammalian septin. *Oncogene*, 24: 65-76, 2005.

- 002 **Nishizawa M²⁾, Izawa I, Inoko A, Hayashi Y, Nagata K¹⁾, Yokoyama T³⁾, Usukura J⁴⁾, Inagaki M**: Identification of trichoplein, a novel keratin filament-binding protein. *J.Cell Sci.*, 118: 1081-1090, 2005.
- 003 **Yokoyama T³⁾, Goto H, Izawa I, Mizutani H⁵⁾, Inagaki M**: Aurora-B and Rho-kinase/ROCK, the two cleavage furrow kinases, independently regulate the progression of cytokinesis: possible existence of a novel cleavage furrow kinase phosphorylates ezrin/radixin/moesin (ERM). *Genes Cells*, 10: 127-137, 2005.
- 004 **Tsui J⁶⁾, Inagaki M, Schulman H⁶⁾**: Calcium/calmodulin-dependent protein kinase II (CaMKII) localization acts in concert with substrate targeting to create spatial restriction for phosphorylation. *J.Biol.Chem.*, 280: 9210-9216, 2005.
- 005 **Dyson MH⁷⁾, Thomson S⁷⁾, Inagaki M, Goto H, Arthur SJ⁸⁾, Nightingale K⁹⁾, Iborra FJ⁷⁾, Mahadevan LC⁷⁾**: MAP kinase-mediated phosphorylation of distinct pools of histone H3 at S10 or S28 via mitogen- and stress-activated kinase 1/2. *J. Cell Sci.*, 118: 2247-2259, 2005.
- 006 **Stefanovic S¹⁰⁾, Windsor M¹⁰⁾, Nagata K¹⁾, Inagaki M, Wileman T¹⁰⁾**: Vimentin rearrangement during African swine fever virus infection involves retrograde transport along microtubules and phosphorylation of vimentin by calcium calmodulin kinase II. *J. Virol.*, 79: 11766-11775, 2005.
- 007 **Arimura N¹¹⁾, MÈnager C⁴⁾, Kawano Y⁴⁾, Yoshimura T⁴⁾, Kawabata S⁴⁾, Hattori A⁴⁾, Fukata Y⁴⁾, Amano M⁴⁾, Goshima Y¹²⁾, Inagaki M, Morone N⁴⁾, Usukura J⁴⁾, Kaibuchi K⁴⁾**: Phosphorylation by Rho kinase regulates CRMP-2 activity in growth cones. *Mol. Cell Biol.*, 25: 9973-9984, 2005.
- 008 **Yamaguchi T¹¹⁾, Goto H, Yokoyama T³⁾, Sillje H¹³⁾, Hanisch A¹³⁾, Uldschmid A¹³⁾, Takai Y¹⁴⁾, Oguri T¹¹⁾, Nigg EA¹³⁾, Inagaki M**: Phosphorylation by Cdk1 induces Plk1-mediated vimentin phosphorylation during mitosis. *J. Cell Biol.*, 171: 431-436, 2005.
- 009 **Ono R¹⁵⁾, Ihara M¹⁶⁾, Nakajima H¹⁵⁾, Ozaki K¹⁵⁾, Kataoka-Fujiwara Y¹⁵⁾, Taki T¹⁷⁾, Nagata K¹⁾, Inagaki M, Yoshida N¹⁵⁾, Kitamura T¹⁵⁾, Hayashi Y¹⁸⁾, Kinoshita M¹⁶⁾, Nosaka T¹⁵⁾**: Disruption of Sept6, a fusion partner gene of MLL, does not affect the ontogeny, leukemogenesis induced by MLL-SEPT6, or phenotype induced by the loss of Sept4. *Mol. Cell Biol.*, 25: 10965-10978, 2005.
- 010 **Ivaska J¹⁹⁾, Vuoriluoto K¹⁹⁾, Huovinen T¹⁹⁾, Izawa I, Inagaki M, Parker PJ²⁰⁾**: PKCepsilon-mediated phosphorylation of vimentin controls integrin recycling and motility. *EMBO J.*, 24: 3834-3845, 2005.
- 011 **Koga H²¹⁾, Izawa I, Araki N²¹⁾, Saya H²¹⁾, Mimori T²¹⁾**: Observation of the intracellular behavior of recombinant *Yersinia pseudotuberculosis* invasion protein. *Microbiol. Immunol.*, 49:297-302, 2005.
- 012 **Nishimura T⁴⁾, Yamaguchi T¹¹⁾, Kato K⁴⁾, Yoshizawa M¹⁶⁾, Nabeshima Y¹⁶⁾, Ohno S¹²⁾, Hoshino M¹⁶⁾, Kaibuchi K⁴⁾**: PAR-6-PAR-3 mediates Cdc42-induced Rac activation through the

- Rac GEFs STEF/Tiam1. *Nat. Cell Biol.*, 7: 270-277, 2005.
- 013 **Nishimura T⁴⁾, Yamaguchi T¹¹⁾, Tokunaga A²²⁾, Hara A⁴⁾, Hamaguchi T⁴⁾, Kato K⁴⁾, Iwamatsu A²²⁾, Okano H²³⁾, Kaibuchi K⁴⁾**: Role of Numb in Dendritic Spine Development with a Cdc42 GEF Intersectin and EphB2. *Mol. Biol. Cell*, 17: 1273-1285, 2006.
- 014 **Goto H, Kiyono T²⁴⁾, Tomono Y²⁵⁾, Kawajiri A¹¹⁾, Urano T⁴⁾, Furukawa K⁴⁾, Nigg EA²⁶⁾, Inagaki M**: Complex formation of Plk1 and INCENP required for metaphase-anaphase transition. *Nat. Cell Biol.*, 8: 180-187, 2006.
- 015 **Shiromizu T¹¹⁾, Goto H, Tomono Y²⁵⁾, Bartek J²⁷⁾, Totsukawa G²⁸⁾, Inoko A, Nakanishi M²⁹⁾, Matsumura F³⁰⁾, Inagaki M**: Regulation of mitotic function of Chk1 through phosphorylation at novel sites by cyclin-dependent kinase 1 (Cdk1). *Genes Cells*, 11: 477-485, 2006.
- 016 **Oguri T¹¹⁾, Inoko A, Shima H³¹⁾, Izawa I, Arimura N¹¹⁾, Yamaguchi T¹¹⁾, Inagaki N³²⁾, Kaibuchi K⁴⁾, Kikuchi K²³⁾, Inagaki M**: Vimentin-Ser82 as a memory phosphorylation site in astrocytes. *Genes Cells*, 11: 531-540, 2006.

[欧文総説／単行本等]

- 001 **Izawa I, Inagaki M**: Cleavage furrow kinases and cell division. *Signal Transduction of Cell Division*, 73-92, 2005.
- 002 **Izawa I, Inagaki M**: Regulatory mechanisms and functions of intermediate filaments: A study using site- and phosphorylation state-specific antibodies. *Cancer Sci.*, 97: 167-174, 2006.

[和文総説／単行本等]

- 001 **稲垣昌樹**: 概論—タンパク質リン酸化が司る多様な生命現象. *実験医学*, Vol. 23 No. 13, 羊土社: 1982—1985, 2005.
- 002 **後藤英仁**: 抗リン酸化抗体が明らかにした分裂期キナーゼ群の細胞機能. *実験医学*, Vol. 23 No. 13, 羊土社: 1986—1992, 2005.
- 003 **井澤一郎, 稲垣昌樹**: 抗リン酸化ペプチド抗体の発明とその展開. *蛋白質 核酸 酵素*, Vol. 50 No. 12, 共立出版: 1555—1562, 2005.
- 004 **稲垣昌樹**: 概論—リン酸化の解析によるタンパク質翻訳後修飾の解析. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 12—15, 2005.
- 005 **後藤英仁**: RI 標識によるリン酸化部位の同定法. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 16—32, 2005.
- 006 **後藤英仁, 稲垣昌樹**: 抗リン酸化（ペプチド）抗体を用いた解析法. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 42—57, 2005.
- 007 **後藤英仁**: リン酸化反応検出のための 32P ラベル法. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 58—61, 2005.
- 008 **白水 崇¹⁾**: 大腸菌発現系を用いた活性キナーゼ調整法. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 260—265, 2005.
- 009 **横山智哉³⁾**: バキュロウイルスと昆虫細胞を用いた活性キ

ナーゼの調整. *タンパク質の翻訳後修飾解析プロトコール*, 羊土社: 266—275, 2005.

- 010 **後藤英仁, 稲垣昌樹**: セリン・スレオニンキナーゼ. *タンパク質科学イラストレイテッド*, 羊土社: 94—104, 2005.
- 011 **猪子誠人, 後藤英仁**: 中間径フィラメントの構造制御機構と細胞内機能. *蛋白質 核酸 酵素*, Vol. 51 No. 6, 共立出版: 551—558, 2006.
- 012 **河尻愛恵¹⁾, 稲垣昌樹**: リン酸化の検出. *染色・バイオイメージング実験ハンドブック* 羊土社: in press
- 013 **井澤一郎, 稲垣昌樹**: 中間径フィラメントの構築制御とシグナルクロストーク. *実験医学*, Vol. 24 No. 13, 羊土社: in press

¹⁾愛知県コロニー発達障害研究所, ²⁾中央実験室, ³⁾レジデント, ⁴⁾名古屋大学, ⁵⁾三重大学, ⁶⁾Stanford University School of Medicine, ⁷⁾University of Oxford, ⁸⁾School of Life Science, ⁹⁾University of Birmingham, ¹⁰⁾Institute for Animal Health, ¹¹⁾研修生, ¹²⁾横浜市立大学, ¹³⁾Max-Planck Institute, ¹⁴⁾埼玉医科大学, ¹⁵⁾東京大学, ¹⁶⁾京都大学, ¹⁷⁾京都府立大学, ¹⁸⁾群馬県小児医療センター, ¹⁹⁾Medical Biotechnology and University of Turku Centre, ²⁰⁾London Research Institute, ²¹⁾熊本大学, ²²⁾慶応大学, ²³⁾キンピール, ²⁴⁾国立がんセンター, ²⁵⁾重井医学研究所, ²⁶⁾Max-Planck Institute, ²⁷⁾Danish Cancer Society, Institute Cancer Biology, ²⁸⁾三菱化生研究所, ²⁹⁾名古屋市立大学, ³⁰⁾ラトガー大学, ³¹⁾宮城県立がんセンター, ³²⁾奈良先端科学技術大学, ³³⁾北海道大学

中央実験部

- 001 **Kumimoto H, Yamane Y¹⁾, and Ishizaki K**: Two haplotypes of 5' untranslated region in L-myc gene with different internal ribosome entry site activity. *Int. J. Oncol.*, 26:287-293, 2005.
- 002 **Nakamura H, Fukami H, Hayashi Y²⁾, Tachibana A³⁾, Nakatsugawa S⁴⁾, Hamaguchi M⁴⁾ and Ishizaki K**: Cytotoxic and Mutagenic Effects of Chronic Low-Dose-Rate Irradiation on hTERT-Immortalized Human Cells. *Radiation Research*, 163:283-288, 2005.
- 003 **Shirata N⁵⁾, Kudoh A⁵⁾, Daikoku T⁵⁾, Tatsumi Y⁶⁾, Fujita M⁶⁾, Kiyono T⁶⁾, Sugaya Y⁵⁾, Isomura H⁵⁾, Ishizaki K, and Tsurumi T⁵⁾**: Activation of ATM DNA damage checkpoint signal transduction elicited by Herpes simplex virus infection. *J. Biol. Chem.*, 280:30336-30341, 2005.

¹⁾研修生, ²⁾発がん制御研究部, ³⁾京大, ⁴⁾名大, ⁵⁾ウイルス部, ⁶⁾国がん